

ANZDATA REGISTRY DATABASE

DATA DICTIONARY

INCORPORATING ALTERATIONS, ADDITIONS AND INSTRUCTIONS

ANZDATA REGISTRY

THE QUEEN ELIZABETH HOSPITAL

WOODVILLE 5011

FEBRUARY 2000

ANZDATA REGISTRY - FEBRUARY 2000

PROJECT - MAIN DATABASE ALTERATION AND ADDITIONS

DATA DICTIONARY - ANZDATA REGISTRY

PROGRAMME - ANZDATA REGISTRY DATABASE

DESIGNER'S NAME - LEE EXCELL

DATE OF ISSUE - FEBRUARY 2000

COMPUTER - DIGITAL CELEBRIS GL2

OPERATING SYSTEM - WINDOWS NT Version 4 (Build 1381. Service Pack 5)

DATABASE - ORACLE Version 8i 8.1.5.0.0 with the Java Option

PROGRAMMING LANGUAGE - P/L SQL *PLUS

VERSION - VERSION 8.1.5.00

General Description of the Programme -

This programme is for use by the Anzdata Registry for data entry purposes through the collection of Screens and for access in analysing the data through the enclosed Tables, as described in the Data Dictionary, using the Structured Query Language (SQL). This data is available for distribution to participating units or for approved research purposes via an ASCII file.

This programme has seen the migration from Oracle Version 6.0 for DOS to Oracle Version 8i with the Java Option running on a Windows NT Version 4 operating system. The migration to this current version of Oracle ensures Year 2000 compliance.

Screens for data entry have been redesigned together with the addition of new fields and amendments to the Tables. These have been linked and tested and have produced a working programme for the Anzdata Registry for the years to come.

CONTENTS

	PAGE
PROGRAMME DETAILS AND DESCRIPTION	
DATABASE TABLES	
IDENTITY TABLE	4
DEMOGRAPHIC TABLE	5
COMORBID TABLE	6-7
TREATMENTS TABLE	8
DEATH TABLE	9
HISTORY TABLE	10
PARENTHOOD	11
DIALYSIS TABLE	12-13
AMYLOID TABLE	14
GRAFT TABLE	15-16
MULTIPLE	17
REJECTION TABLE	18
MONOCLONAL TABLE	19
DRUG TABLE	20
CYADRUG TABLE	21
WEIGHT TABLE	22
SCREAT TABLE	23
DONOR TABLE	24
HLA TABLE	25
PAEDIATRIC TABLE	26
LOCATION TABLE	27
EPOSURVEY TABLE	28
CANDONOR TABLE	29
NONSKIN TABLE	30
SKIN TABLE	31
LYMPHOMA TABLE	32
CANCERPATS TABLE	33
EPO2 AND EPO2A TABLES (no longer collected)	34
ATG TABLE (no longer collected)	35
OLDSKIN TABLE (no longer collected)	36
SQL (STRUCTURED QUERY LANGUAGE) ACCESS TABLES	
TXDATA TABLE	37
LASTRX TABLE	37
DXBDF TABLE	38
DXLM TABLE	38
DXPD TABLE	38
APPENDIX	
CD CODES TABLES AND DESCRIPTIONS (HOW TO ACCESS)	39
ANZDATA REGISTRY - LIST OF CENTRES	40-43
DEMOGRAPHIC - CODES LIST OF COUNTRIES	44
ANZDATA LIST OF HISTORY SEQUENCES AND SURVEY DATES	45
ANZDATA FORM AND INSTRUCTIONS ON BACK OF FORM	
ACUTE REJECTION FORM	
CANCER FORM	
PAEDIATRIC FORM	

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

IDENTITY TABLE**(Screen 1)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
INITHOSP	Initial hospital	VARCHAR2 (4)	*See CDCENTRES
INITSTAT	Initial state	NUMBER (1)	0-8
INITUNIT	Initial hospital unit number	VARCHAR2 (10)	
CURRHOSP	Current hospital	VARCHAR2 (4)	*See CDCENTRES
CURRSTAT	Current state	NUMBER (1)	0-8
CURRUNIT	Current hospital unit number	VARCHAR2 (10)	
PHYSICIAN	Surname of caring physician	VARCHAR2 (20)	
SURNAME	Surname	VARCHAR2 (20)	
GIVNAME	Given name	VARCHAR2 (20)	
DATBIRTH	Date of birth	DATE	< Date of entry
SEX	Sex (M or F)	VARCHAR2 (1)	M or F
RACE	Racial origin	NUMBER (2)	* See CDRACE
RACEOTHR	Racial origin other	VARCHAR2 (15)	
STATRESIDENT	Resident State of Aboriginal patients within the two years before starting treatment	NUMBER (1)	0-8
DISEASE	Primary renal disease	NUMBER (3)	* See CDDISEASE
DISOTHR	Disease other	VARCHAR2 (25)	
BIOPSY	Was native kidney biopsied?	VARCHAR2 (1)	Y/ N or null
SERCREAT	Serum creatinine at entry	NUMBER (4)	
NTRESIDENT	Northern Territory resident?	VARCHAR2 (1)	Y or null
TASRESIDENT	Tasmanian resident?	VARCHAR2 (1)	Y or null

* See List of Values from CDCODES Tables or Key F9 (if using Screen).

Field to added to Screen 1.4.98

SERCREAT - Serum creatinine at entry NUMBER (4)
Previous collection ceased 31.3.91 – but all old data remains on the Table

Field added to Table and Screen 1.4.98

STATRESIDENT Resident State of Aboriginal patients NUMBER (1) 0-8
 Within the two years before starting treatment

Field added to Table and Screen 1.4.97

BIOPSY Was native kidney biopsied? VARCHAR2 (1) Y/N or null

Field added to Table and Screen 1.4.94

TASRESIDENT - Tasmanian resident? VARCHAR2 (1) Y or null

Screen Key Directions

Show Keys-Ctrl F1	Enter Query-F7	Execute Query-F8	F10-Commit Entry (Accept)
F5-Return to Menu	New Record –F6	List Values=F9	
(Ctrl) Enter or F12=Page Down or next Screen		(Shift) Enter or F11=Page Up or earlier Screen	
Exit the program=Exit or Ctrl Q	Display Error-Shift F1		

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

DEMOGRAPHIC TABLE

(Screen 1)

Name	Description	Range/Values	Type and Size
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
COUNTRY	Country of birth	NUMBER (3)	10 onwards or null * See CDCOUNTRY
POSTCODE	Postcode at Entry-Australian patients	NUMBER (4)	2050, 5011 or null
YEAR	** Year of arrival in Australia	NUMBER (4)	1940, 1960 or null
YEARNZ	** Year of arrival in New Zealand	NUMBER (4)	1940, 1960 or null

* See List of Values from CDCODES Tables or Key F9 (if using Screen)

Data for this Table collected from 1.4.93Fields not collected from 1.4.95 but remain on Table and Screen

** YEAR	Year of arrival in Australia	NUMBER (4)	1940, 1960 or null
** YEARNZ	Year of arrival in New Zealand	NUMBER (4)	1940, 1960 or null

Cursor to POSTCODE then skip YEAR and YEARNZ – Shift-Tab to access

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

COMORBID TABLE

(Screen 1)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
REFERRAL3	Late referral seen <3 mths before 1st treatment	VARCHAR2 (1)	Y/N/U or null
HEIGHT	Height of patient, at entry, in cms	NUMBER (4,1)	eg 175.5
WEIGHT	Weight of patient, at entry, in kgs	NUMBER (4,1)	eg 100.5
CIG	Cigarette smoking	VARCHAR2 (1)	N/F/C/U or null
LUNG	Chronic lung disease present?	VARCHAR2 (1)	Y/N/S/U or null
CORONARY	Coronary artery disease present?	VARCHAR2 (1)	Y/N/S/U or null
PVD	Peripheral vascular disease present?	VARCHAR2 (1)	Y/N/S/U or null
CVD	Cerebrovascular disease present?	VARCHAR2 (1)	Y/N/S/U or null
DIABETES	Diabetes present?	VARCHAR2 (1)	N/O/P/Q or null
HT	Hypertension requiring treatment	VARCHAR2 (1)	Y/N/U or null
RISK1	Coding of first Other Comorbid Condition	NUMBER (2)	* See CDRISK
RISK2	Coding of second Other Comorbid Condition	NUMBER (2)	* See CDRISK
RISK3	Coding of third Other Comorbid Condition	NUMBER (2)	* See CDRISK
RISKOTHR	Description of any other risk factor(s)	VARCHAR2 (40)	
DURATION **	Duration of known renal failure in years	NUMBER (4,2)	eg .5-20.75 yrs
IMMOTHR **	Description of drugs given	VARCHAR2 (20)	
IMMUNO **	Pre Dialysis Immunosuppression duration >3/12	VARCHAR2 (1)	Y/N/X or null
REFERRAL **	Late referral seen <6 mths before 1st treatment	VARCHAR2 (1)	Y/N/U or null

Field added to Table and Screen from 1.4.97

REFERRAL3	Late referral seen <3 mths before first treatment	VARCHAR2 (1)	Y/N/U or null
-----------	---	--------------	---------------

Field added from 1.4.95 but not collected after 31.3.97 but remains on Table

** REFERRAL	Late referral seen <6 mths before 1st treatment	VARCHAR2 (1)	Y/N/U or null
-------------	---	--------------	---------------

Fields not collected after 31.3.97 - but remain on Table

** IMMUNO	Pre Dialysis Immunosuppression - duration >3/12	VARCHAR2 (1)	Y/N/X or null
** IMMOTHR	Description of drugs given	VARCHAR2 (20)	

(Continued next page)

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

COMORBID TABLE (Continued)**(Screen 1)****Changes before 1.4.97**Field added to Table and Screen from 1.4.94

HT	Hypertension requiring treatment	VARCHAR2 (1)	Y/N/U or null
----	----------------------------------	--------------	---------------

Field not collected after 31.3.95 - but remains on Table

** DURATION	Duration of known renal failure in years	NUMBER (4,2)	eg .5-20.75 yrs
-------------	--	--------------	-----------------

Data entered into the following fields from 1.10.94

RISK1	Coding of first Other Comorbid Condition	NUMBER (2)
RISK2	Coding of second Other Comorbid Condition	NUMBER (2)
RISK3	Coding of third Other Comorbid Condition	NUMBER (2)

Code and Text Description of Risk Codes found in CDCODES Table CDRISK

Actual RISKOTHR entries (corresponding to CDRISK Codes) are shown in Field RISKOTHR and each Risk separated by a hyphen

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

TREATMENTS TABLE**(Screen 2)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
SEQUNO	Sequence number (not Null)	NUMBER (2)	
RXCODE	Treatment code	VARCHAR2 (1)	A,B,C,D,E,F,G,H, I,J,K,L,M,X,Z *
RXDATE	Treatment date	DATE	

* See List of Values from CDTREAT Table or Key F9 (if using Screen).

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

DEATH TABLE**(Screen 2)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
CANCDIAG	Cancer ever diagnosed?	VARCHAR2 (1)	Y/N/X
CAUSDETH	Cause of death	NUMBER (3)	* See CDDEATH
DETHOTHR	Other causes of death	VARCHAR2 (30)	
GRAFTSUS	Was graft sustaining life without dialysis at time of death?	VARCHAR2 (1)	Y/N/X

* See List of Values from CDDEATH Table or Key F9 (if using Screen).

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

HISTRY TABLE**(Screen 3)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
HISTSEQ #	Sequence number (not Null)	NUMBER (2)	
HOSPCODE	Hospital code	VARCHAR2 (4)	* See CDCENTRES
STATE	State code	NUMBER (1)	
CENTRECODE	Centre of geographical location end of survey	VARCHAR2 (4)	* See CDCENTRES
CENTRESTATE	Centre State code	NUMBER (1)	
LIKEHOOD	Likelihood of transplant	NUMBER (2)	* See CDLIKEHOOD
TRANOTHR	Likelihood transplant other reasons	VARCHAR2 (20)	
ANTIBODY	Hepatitis C Antibody	VARCHAR2 (1)	1,2,3 or null
EXDIALTYPE **	Dialysis Type	NUMBER (2)	* See CDDIALYSIS
PCRTEST **	Hepatitis C-RNA P.C.R. Test	VARCHAR2 (1)	1,2,3 or null
QUALCODE **	Quality of life code	NUMBER (3)	* See CDLIFE
WORKCODE **	Rehabilitation code	NUMBER (2)	* See CDREHAB

* See List of Values from CDCODES Tables or Key F9 (if using Screen).

HISTSEQ 0 is data from the most recent Survey (ie 1.4.99 – 30.9.99)

All other records are historical with Histseq 1 being second most recent survey (1.10.98 – 31.3.99) through to oldest Histseq 37 (1.11.80-30.4.81)

See list of Survey Dates accompanying this issue on Page 44

HISTSEQ -	Is forwarded before data entry each Survey to reflect the new Survey period dates of data collection	NUMBER (2)
-----------	--	------------

Fields from HistoryTable Hepatitis moved to Histry Table – Hepatitis Table discontinued from 1.4.99

ANTIBODY	Hepatitis C Antibody	VARCHAR2 (1)	1,2,3 or null
PCRTEST **	Hepatitis C-RNA P.C.R. Test	VARCHAR2 (1)	1,2,3 or null

Data for Hepatitis collected from 1.4.92. PCRTEST not collected after 31.3.94 but remained on old Hepatitis Table and now transferred to Histry.Field not collected from 1.4.98 but remains on the Table.

** QUALCODE	Quality of life code	NUMBER (3)	* See CDLIFE
-------------	----------------------	------------	--------------

Field values changed from 1.10.94 onwards - Old Codes merged to the new Codes where possible

LIKEHOOD	Likelihood of transplant	NUMBER (2)	* See CDLIKEHOOD
----------	--------------------------	------------	------------------

Field not collected from 1.4.94 but remains on the Table

** WORKCODE	All data remains in HISTRY Table WORKCODE remains on CDCODES Table.	NUMBER (2)
-------------	--	------------

Field not collected from 1.4.91 but remains on the Table

** EXDIALTYPE-	Renamed field (Old name was DIALTYPE) All data remains in HISTRY Table Data from 1.4.91 stored in DIALYSIS Table EXDIALTYPE and DIALTYPE to continue to share same CDCODES Table	NUMBER (2)
----------------	---	------------

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

PARENTHOOD TABLE**(Screen 3)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
SEQUNO	Sequence number (not Null)	NUMBER (1)	1 - 9
PARECODE	Outcome code	NUMBER (1)	* See CDPARE
PAREOTHR	Other (Causes birth defects, twins etc)	VARCHAR2 (30)	
PAREDATE	Date birth/abortion	DATE	

* See List of Values from CDPARE or Key F9 (if using Screen)

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

DIALYSIS TABLE**(Screen 4)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
DIALSEQ #	Sequence number (not Null)	NUMBER (2)	
DIALTYPE	Dialysis type	NUMBER (2)	* See CDDIALYSIS
DRYWEIGHT	Dry Weight on last dialysis: End Survey, Transplantation or Death	NUMBER (3)	eg 70, 199 (nearest kg)
SYSTOLIC	Blood pressure – maximum (mmHg)	NUMBER (3)	eg 140 or null
DIASTOLIC	Blood pressure – minimum (mmHg)	NUMBER (3)	eg 90 or null
DIALBRAND	Dialyser brand, model, membrane, surface area	VARCHAR2 (5)	A-Z, 0-9, null * SEE CDBRAND
FLOWRATE	Blood flow rate (mls/min)	NUMBER (3)	
FREQUENCY	Frequency of dialysis per week	NUMBER (3,2)	
HOURS	Hours per session	NUMBER (4,2)	
METHOD	Urea reduction on Kt/V	VARCHAR2 (1)	*See CDMETHOD
UREA	Urea reduction ratio %	NUMBER (2)	0-99 or null
KTVHD	Kt/V value on HD	NUMBER (4,2)	Range 0.5–3 or null
PRESENT	Vascular access present?	NUMBER (1)	1, 2, 3, 4 or null
DECLOTTED	Vascular access declotted during survey?	VARCHAR2 (1)	Y/N/D or null
REVISED	Vascular access revised during survey?	VARCHAR2 (1)	N/S/A/B or null
PET	PET test for PD-within first 6 mths starting?	NUMBER (2,1)	Range 0.5-2.5 or null
CONNECTION	Type of Peritoneal Connection System	NUMBER (2)	*See CDCONNECT
PERITONITIS	Date first episode of peritonitis - all PD	DATE	
CONNECTFIRST	Connection System (first episode peritonitis)	NUMBER (2)	*See CDCONNECT
EPISODES	Number of episodes peritonitis during survey	NUMBER (2)	
LITRES	Total volume weekly exchanges-All PD	NUMBER (3)	Range 5-200 or null
CLEARANCE	Creatinine Clearance (litres per week)	NUMBER (6,2)	Range 10-400 or null
KTVPD	Kt/V value on PD	NUMBER (4,2)	Range 0.1 – 8
RESIDUAL	Residual renal clearance (GFR)	NUMBER (5,2)	Range 0-25
TRANSFER1	1st reason transfer CAPD/CCPD during survey	NUMBER (2)	*See CDTRANSFER
TRANSFER1OTHR	Description of 1st reason for transfer	VARCHAR2 (40)	
TRANSFER2	2nd reason transfer CAPD/CCPD during survey	NUMBER (2)	*See CDTRANSFER
TRANSFER2OTHR	Description of 2nd reason for transfer	VARCHAR2 (40)	
BICARBONATE **	Bicarbonate Based Dialysate	VARCHAR2 (1)	Y/N or null
NIGHT **	Night time single exchange device	VARCHAR2 (1)	Y/N or null
REUSE **	Does patient reuse dialyser	VARCHAR2 (1)	Y/N or null

* See List of Values CDCODES Tables or Key F9 (if using Screen).

Data for this Table collected from 1.4.91

DIALSEQ 0 will be data from the most recent Survey (ie 1.4.99 – 30.9.99)

DIALSEQ 1 will be data from the previous Survey (ie 1.10.98 – 31.3.99)

DIALSEQ 16 is the oldest sequence (ie 1.4.91 - 30.9.91)

DIALSEQ - Is forwarded before data entry each Survey to reflect the new Survey period

(Continued next page)

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

DIALYSIS TABLE (Continued)**(Screen 4)****New fields added to Table and Screen from 1.4.99**

METHOD	Urea reduction on Kt/V	VARCHAR2 (1)	*See CDMETHOD
KTVHD	Kt/V value on HD	NUMBER (2,1)	Range 0.5-3 or null
PRESENT	Vascular access present?	NUMBER (1)	1, 2, 3, 4 or null
DECLOTTED	Vascular access declotted during survey?	VARCHAR2 (1)	Y/N/D or null
REVISED	Vascular access revised during survey?	VARCHAR2 (1)	N/S/A/B or null
PET	PET test for PD-within first 6 mths starting?	NUMBER (2,1)	Range 0.5-2.5 or null
CLEARANCE	Creatinine Clearance (litres per week)	NUMBER (6,2)	Range 10-400 or null
KTVPD	Kt/V value on PD	NUMBER (4,2)	Range 0.1 - 8
RESIDUAL	Residual renal clearance (GFR)	NUMBER (5,2)	Range 0-25
TRANSFER1OTHR	Description of 1st reason for transfer	VARCHAR2 (40)	
TRANSFER2OTHR	Description of 2nd reason for transfer	VARCHAR2 (40)	

Fields not collected from 1.4.99 but to remain on the Table

** REUSE	Does patient reuse dialyser	VARCHAR2 (1)	Y/N or null
** NIGHT	Night time single exchange device	VARCHAR2 (1)	Y/N or null

Fields added to Table and Screen from 1.4.98

SYSTOLIC	Blood pressure - maximum (mmHg)	NUMBER (3)	eg 140 or null
DIASTOLIC	Blood pressure - minimum (mmHg)	NUMBER (3)	eg 90 or null

Fields added to Table and Screen from 1.4.97

UREA	Urea reduction ratio %	NUMBER (2)	0-99 or null
NIGHT	Night time single exchange device	VARCHAR2 (1)	Y/N or null

Field not collected after 31.3.97 - but remains on Table.

** BICARBONATE	Bicarbonate Based Dialysate	VARCHAR2 (1)	Y/N or null
----------------	-----------------------------	--------------	-------------

Field added to Table and Screen from 1.4.95

DRYWEIGHT	Dry Weight on last dialysis: End Survey, Transplantation or Death	NUMBER (3)	eg 70, 199 (nearest kg)
-----------	---	------------	-------------------------

Fields added to Table and Screen from 1.4.94

LITRES	Total volume weekly exchanges-All PD	NUMBER (3)	Range5-200 litres week
TRANSFER1	1st reason transfer CAPD/CCPD during survey	NUMBER (2)	*See CDTRANSFER
TRANSFER2	2nd reason transfer CAPD/CCPD during survey	NUMBER (2)	*See CDTRANSFER

Field (NAME ONLY) moved from another Table and Screen

DIALTYPE	This field stores and displays data collected from 1.4.91 onwards (See HISTRY Table instructions and renaming for Dialysis data collected before 1.4.91)		
----------	---	--	--

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

AMYLOID TABLE

(Screen 4)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
PRESENT	Is Amyloid associated condition present?	VARCHAR2 (1)	Y/S/N or null
ANALGESIC	** Treatment used?	VARCHAR2 (1)	Y/N or null
ARTICULAR	** Type of steroid treatment used?	VARCHAR2 (1)	Y/N or null
BACK	** Back affected?	VARCHAR2 (1)	Y/S/N or null
CARPEL	* Carpel Tunnel affected?	VARCHAR2 (1)	Y/S/N or null
ELBOWS	** Elbows affected?	VARCHAR2 (1)	Y/S/N or null
FINGERS	** Fingers affected?	VARCHAR2 (1)	Y/S/N or null
HIPS	** Hips affected?	VARCHAR2 (1)	Y/S/N or null
JOINTS	* Joints affected?	VARCHAR2 (1)	Y/S/N or null
KNEES	** Knees affected?	VARCHAR2 (1)	Y/S/N or null
NECK	** Neck affected?	VARCHAR2 (1)	Y/S/N or null
NSAID	** Treatment used?	VARCHAR2 (1)	Y/N or null
OTHERJOINT	** Other joint affected?	VARCHAR2 (1)	Y/S/N or null
OTHERJOINT1	** Specify other joint (1)	VARCHAR2 (15)	
OTHERJOINT2	** Specify other joint (2)	VARCHAR2 (15)	
OTHERSITE	* Other site affected?	VARCHAR2 (1)	Y/S/N or null
OTHERSITE1	* Specify other site (1)	VARCHAR2 (23)	
OTHERSITE2	* Specify other site (2)	VARCHAR2 (23)	
OTHERTREAT	** Other treatment used?	VARCHAR2 (1)	Y/N or null
OTHERTREAT1	** Specify other treatment (1)	VARCHAR2 (23)	
OTHERTREAT2	** Specify other treatment (2)	VARCHAR2 (23)	
SHOULDER	** Shoulder affected?	VARCHAR2 (1)	Y/S/N or null
SYSTEMIC	** Type of steroid treatment used?	VARCHAR2 (1)	Y/N or null
WRISTS**	Wrists affected?	VARCHAR2 (1)	Y/S/N or null

Data collected for this Table from 1.4.95**Fields not collected after 31.3.99 but remain on the Table**

JOINTS	* Joints affected?	VARCHAR2 (1)	Y/S/N or null
CARPEL	* Carpel Tunnel affected?	VARCHAR2 (1)	Y/S/N or null
OTHERSITE	* Other site affected?	VARCHAR2 (1)	Y/S/N or null
OTHERSITE1	* Specify other site (1)	VARCHAR2 (23)	
OTHERSITE2	* Specify other site (2)	VARCHAR2 (23)	

**** Fields not collected after 31.3.97 but remain on the Table**

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

GRAFT TABLE

(Screen 5)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number (not Null)	NUMBER (1)	1 - 5
TXDATE	Date of this transplant	DATE	
REFHOSP	Referring hospital before transplantation	VARCHAR2 (4)	* See CDCENTRES
REFSTAT	Referring State before transplantation	NUMBER (1)	
DONHOSP	Donor hospital	VARCHAR2 (4)	* See CDCENTRES
DONSTAT	Donor state	NUMBER (1)	
TRANHOSP	Transplant hospital	VARCHAR2 (4)	* See CDCENTRES
TRANSTAT	Transplant state	NUMBER (1)	
CMV	Recipient CMV antibody status	NUMBER (1)	1 - 3 or null
EBV	Recipient EBV antibody status	NUMBER (1)	1 - 3 or null
DONSOURC	Donor source	NUMBER (2)	* See CDSOURCE
DONOTHR	Donor other (If Code 8 entered)	VARCHAR2 (14)	
DONAGE	Donor age	NUMBER (2)	
DONSEX	Donor sex	VARCHAR2 (1)	M or F
ISCHEMIA	Total ischaemia (to nearest hour)	NUMBER (2)	
FUNCTION	Immediate function	NUMBER (1)	1, 2, 3, 4, 9 or null
PRDRECUR	Disease in graft kidney	VARCHAR2 (1)	Y, D, G, N or null
PRDDATE	Date disease in graft kidney first proven	DATE	
CAUSFAIL	Cause of graft failure	NUMBER (2)	* See CDGFAIL
CAUSOTHR	Other causes of graft failure	VARCHAR2 (25)	
MULTIPLE	Has recipient had another organ transplanted?	VARCHAR2 (1)	Y or null
DATENEPH	** Date of graft nephrectomy	DATE	
BLTRANA	** Ever transfused (before first graft only)	NUMBER (1)	1 - 3
BLTRANB	** Number units transfused	NUMBER (2)	1 - 99
DATRANF	** Date last transfusion	DATE	
INSITU	** Insitu Y?	VARCHAR2 (1)	Y or null
KIDPRESI	** Initial kidney preservation	NUMBER (2)	* See CDPRESI
KIDPRESM	** Machine kidney preservation	NUMBER (1)	* See CDPRESM

* See List of Values from CDCODES Tables or Key F9 (if using Screen)

Fields added to Table and Screen from 1.4.98

REFHOSP	Referring hospital before transplantation	VARCHAR2 (4)	* See CDCENTRES
REFSTAT	Referring State before transplantation	NUMBER (1)	

(Continued next page)

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

GRAFT TABLE (Continued)

(Screen 5)

Field added to Table and Screen from 1.4.97

PRDDATE	Date recurrence first proven	DATE
---------	------------------------------	------

Fields not collected after 31.3.97 but remain on the Table

** BLTRANA	Ever transfused (before first graft only)	NUMBER (1)	1 - 3
** KIDPRESI	Initial kidney preservation	NUMBER (2)	* See CDPRESI

Range of values changed from 1.4.95

PRDRECUR	Disease in graft kidney See Codes on back of ANZDATA data form	VARCHAR2 (1)	Y, D, G, N or null
----------	---	--------------	--------------------

Screen changes from 1.4.95

DATENEPH	Date of graft nephrectomy	DATE
----------	---------------------------	------

Field added to Table and Screen 1.4.94

FUNCTION	Immediate function	NUMBER (1)	1, 2, 3, 9 or null
----------	--------------------	------------	--------------------

Fields retained on this Table - data not collected since 1.4.91

** BLTRANB	-	Number units transfused	No Screen Display	NUMBER (2)
** DATRANF	-	Date of last transfusion	No Screen Display	DATE
** KIDPRESM	-	Machine kidney preservation	No Screen Display	NUMBER (1)
** DATENEPH	-	Date graft nephrectomy		DATE
** INSITU	-	Insitu Y?	No Screen Display	VARCHAR2 (1)

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

MULTIPLE TABLE**(Screen 5)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
MULTSEQ	Sequence of multiple (not Null)	NUMBER (2)	
ORGAN	Code of organ transplanted	NUMBER (2)	* See CDORGAN
MULTDATE	Date of other organ graft	DATE	

* See List of Values from CDORGAN Table or Key F9 (if using Screen)

This data does not appear on the Anzdata Registry collection form

Entry of data into this Table is based upon information supplied by the Australia and New Zealand Organ Donation Registry

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

REJECTION TABLE**(Screen 6)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number (not Null)	NUMBER (1)	1 - 5
REJSEQ	Sequence number of episodes (not Null)	NUMBER (2)	1-20 or null
REJDATE	Date of this rejection episode	DATE	
BIOPSY	Was this episode biopsy proven?	VARCHAR2 (1)	Y,N or null
CELLULAR	If biopsy is Yes ?Cellular	NUMBER (1)	1,2,3,4 or null
VASCULAR	If biopsy is Yes ?Vascular	NUMBER (1)	1,2,3,4 or null
GLOMERULAR	If biopsy is Yes ?Glomerular	NUMBER (1)	1,2,3,4 or null
BANFFG	If biopsy is Yes and Banff g is known	NUMBER (1)	0,1,2,3 or null
BANFFI	If biopsy is Yes and Banff i is known	NUMBER (1)	0,1,2,3 or null
BANFFT	If biopsy is Yes and Banff t is known	NUMBER (1)	0,1,2,3 or null
BANFFV	If biopsy is Yes and Banff v is known	NUMBER (1)	0,1,2,3 or null
BXNO	If NOT BIOPSY proven = N	NUMBER (1)	1,2,3 or null
PRIMRX1	Primary treatment of rejection - 1	VARCHAR2 (1)	A - Z or null
PRIMRX2	Primary treatment of rejection - 2	VARCHAR2 (1)	A - Z or null
PRIMRX3	Primary treatment of rejection - 3	VARCHAR2 (1)	A - Z or null
OTHER	Other primary treatment specified	VARCHAR2 (20)	
RESPONSE	Response of this rejection to treatment	VARCHAR2 (1)	A - Z or null
COMMENTS	Comments on rejection episodes	VARCHAR2 (40)	

Table and Screen containing data collected from 1.4.97**NOTE: Data for this Table is collected on a SEPARATE REJECTION FORM**

Question 58 on the main Data Form indicates whether the Rejection Form needs to be entered

If Question 58 has an entry, this Table and Screen capture the Rejection form data

Field REJSEQ is automatically updated with sequence numbers after an entry is committed**Field added to Table from 1.4.99**

OTHER	Other primary treatment specified	VARCHAR2 (20)
-------	-----------------------------------	---------------

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

MONOCLONAL TABLE

(Screen 6)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number (not Null)	NUMBER (1)	1 - 5
SEQUNO	Sequence number of courses given (not Null)	NUMBER (1)	
MONODATE	Date of Monoclonal/Polyclonal therapy	DATE	
AGENT	Type of agent	NUMBER (1)	*See CDMONOAGENT
AGENTOTHR	Other types of agent	VARCHAR2 (27)	
DOSES	Actual number of doses given	NUMBER (2)	1-50 or null
REASON	Reason for use	NUMBER (1)	1-9 or null
REASONOTHR	Specify other reason	VARCHAR2 (15)	

* See List of Values from CDCODES Tables or Key F9 (if using Screen)

Table and Screen with fields containing data from 1.4.97

Field SEQUNO automatically updated with sequence numbers after an entry is committedNOTE: Relevant data from the old ATG Table has been inserted into the MONOCLONAL TableData for ATG Table not collected in that format after 31.3.97
ATG Table to remain on Database but no Screen DisplayOLD ATG TABLE (Data from ATG to Monoclonal)INSERT ATG.PATIENT (MONOCLONAL.PATIENT),ATG.GRAFTNO (MONOCLONAL.GRAFTNO),
ATG.SEQUNO (MONOCLONAL.SEQUNO),ATG.ATGDATE (MONOCLONAL.MONODATE),
ATG.AGENT (DECODE,1,8,2,8,3,8,4,4,5,8,6,8,7,8,9,8) (MONOCLONAL.AGENT),
ATG.TIME (DECODE,1,1,2,7,3,7,4,7,5,7,6,8,7,8,9,8) (MONOCLONAL.REASON),
ATG.TIMOTHR (MONOCLONAL.REASONOTHR)

NOTE: MONOCLONAL.AGENTOTHR (only new information to be entered)

DOSES (New information to be entered, as existing DOSES are <5 and >5 or uncertain)

OLD ATG TABLE - NEW MONOCLONAL TABLE

PATIENT	ATG.PATIENT=MONOCLONAL.PATIENT
GRAFTNO	ATG.GRAFTNO=MONOCLONAL.GRAFTNO
SEQUNO	ATG.SEQUNO=MONOCLONAL.SEQUNO
ATGDATE	ATG.ATGDATE=MONOCLONAL.MONODATE
	AGENT ATG.AGENT=MONOCLONAL.AGENT
	ATG.AGENT 1=MONOCLONAL.AGENT 1
	ATG.AGENT 4=MONOCLONAL.AGENT 4
	ATG.AGENT 2,3,5,6,7=MONOCLONAL.AGENT 8
	(There are no Code 9 Other monoclonal on the Database)
TIME	ATG.TIME 1=MONOCLONAL.REASON=1
	ATG.TIME 2,3,4,5=MONOCLONAL.REASON=7
	ATG.TIME 6,7,9=MONOCLONAL.REASON=8
TIMEOTHR	ATG.TIMEOTHR=MONOCLONAL.REASONOTHR

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

DRUG TABLE

(Screen 7)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number (not Null)	NUMBER (1)	1 - 5
DRUG #	Initial of drug given (not Null)	VARCHAR2(1)	* See CDDRUG
DOSE0M	Dose at 0 months	NUMBER (6,2)	or null
DOSE1M	Dose at 1 month	NUMBER (6,2)	or null
DOSE2M	Dose at 2 months	NUMBER (6,2)	or null
DOSE3M	Dose at 3 months	NUMBER (6,2)	or null
DOSE6M	Dose at 6 months	NUMBER (6,2)	or null
DOSE1Y	Dose at 1 year	NUMBER (6,2)	or null
DOSE2Y	Dose at 2 years	NUMBER (6,2)	or null
DOSE3Y	Dose at 3 years	NUMBER (6,2)	or null
DOSE5Y	Dose at 5 years	NUMBER (6,2)	or null
DOSE7Y	Dose at 7 years	NUMBER (6,2)	or null
DOSE10Y	Dose at 10 years	NUMBER (6,2)	or null
DOSE15Y	Dose at 15 years	NUMBER (6,2)	or null
DOSE20Y	Dose at 20 years	NUMBER (6,2)	or null
DOSE25Y	Dose at 25 years	NUMBER (6,2)	or null
DOSE30Y	Dose at 30 years	NUMBER (6,2)	or null
DOSE35Y	Dose at 35 years	NUMBER (6,2)	or null
DOSE4M **	Dose at 4 months	NUMBER (6,2)	or null
# D=CyA H=Aza P=Pred R=Chlorambucil S=Cyclophosphamide T=Beta Methasone V=Tacrolimus (FK506) W=Sirolimus X=Mycophenolate Mofetil (Cellcept) Y=RAD Trial			

* See list of values from CDDRUG Table or Key F9 (if using Screen)

Doses are to one decimal place

A second decimal place with a value of 2 (ie .02, .52) indicates an alternate day dose

Dose fields are uncoded (i.e null) where it is unknown if this drug was administered at any point

Dose fields are coded as zero (0) where it is **known** that this drug was not used.**New field added to Table and Screen from 1.4.99**

DOSE35Y Dose at 35 years NUMBER (6,2) or null

Field added to Table and Screen from 1.4.97

DOSE7Y - Dose at 7 years NUMBER (6,2) or null

Field not collected from 1.4.91 but remains on the Table - No Screen Display

** DOSE4M - Dose at 4 months NUMBER (6,2)

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

CYADRUG TABLE

(Screen 7)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001-999999
GRAFTNO	Graft number (not Null)	NUMBER (1)	1 - 5
CYADRUG0M	CyA sparing drug given at 0 months	NUMBER (2)	0 - 99
CYADRUG1M	CyA sparing drug given at 1 month	NUMBER (2)	0 - 99
CYADRUG2M	CyA sparing drug given at 2 months	NUMBER (2)	0 - 99
CYADRUG3M	CyA sparing drug given at 3 months	NUMBER (2)	0 - 99
CYADRUG6M	CyA sparing drug given at 6 months	NUMBER (2)	0 - 99
CYADRUG1Y	CyA sparing drug given at 1 year	NUMBER (2)	0 - 99
CYADRUG2Y	CyA sparing drug given at 2 years	NUMBER (2)	0 - 99
CYADRUG3Y	CyA sparing drug given at 3 years	NUMBER (2)	0 - 99
CYADRUG5Y	CyA sparing drug given at 5 years	NUMBER (2)	0 - 99
CYADRUG7Y	CyA sparing drug given at 7 years	NUMBER (2)	0 - 99
CYADRUG10Y	CyA sparing drug given at 10 years	NUMBER (2)	0 - 99
CYADRUG15Y	CyA sparing drug given at 15 years	NUMBER (2)	0 - 99
CYADRUG20Y	CyA sparing drug given at 20 years	NUMBER (2)	0 - 99
CYADRUG25Y	CyA sparing drug given at 25 years	NUMBER (2)	0 - 99
CYADRUG30Y	CyA sparing drug given at 30 years	NUMBER (2)	0 - 99
CYADRUG35Y	CyA sparing drug given at 35 years	NUMBER (2)	0 - 99

Data for this Table collected from 1.4.94

New field added to Table from 1.4.99

CYADRUG35Y	CyA sparing drug given at 35 years	NUMBER (2)	0 - 99
------------	------------------------------------	------------	--------

From 1.4.97 CyA Sparing Drugs recorded as -

CYADRUG CODE 0=Not given 1=Given

Field added to Table and Screen from 1.4.97

CYADRUG7Y	CyA sparing drug given at 7 years	NUMBER (2)	0 - 99
-----------	-----------------------------------	------------	--------

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

WEIGHT TABLE

(Screen 8)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number (not Null)	NUMBER (1)	1 - 5
WTTX	Weight at transplant	NUMBER (3)	1 - 200 or null
WT1M	Weight 1 month	NUMBER (3)	1 - 200 or null
WT2M	Weight 2 months	NUMBER (3)	1 - 200 or null
WT3M	Weight 3 months	NUMBER (3)	1 - 200 or null
WT6M	Weight 6 months	NUMBER (3)	1 - 200 or null
WT1Y	Weight 1 year	NUMBER (3)	1 - 200 or null
WT2Y	Weight 2 years	NUMBER (3)	1 - 200 or null
WT3Y	Weight 3 years	NUMBER (3)	1 - 200 or null
WT5Y	Weight 5 years	NUMBER (3)	1 - 200 or null
WT7Y	Weight 7 years	NUMBER (3)	1 - 200 or null
WT10Y	Weight 10 years	NUMBER (3)	1 - 200 or null
WT15Y	Weight 15 years	NUMBER (3)	1 - 200 or null
WT20Y	Weight 20 years	NUMBER (3)	1 - 200 or null
WT25Y	Weight 25 years	NUMBER (3)	1 - 200 or null
WT30Y	Weight 30 years	NUMBER (3)	1 - 200 or null
WT35Y	Weight 35 years	NUMBER (3)	1 - 200 or null
WT4M **	Weight 4 months	NUMBER (3)	1 - 200 or null
<u>New field added to Table from 1.4.99</u>			
WT35Y	Weight 35 years	NUMBER (3)	1 - 200 or null
<u>Field added to Table and Screen from 1.4.97</u>			
WT7Y	- Weight 7 years	NUMBER (3)	1 - 200 or null
<u>Field not collected from 1.4.91 but remains on the Table - No Screen Display</u>			
** WT4M	- Weight at 4 months	NUMBER (3)	

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

SCREAT TABLE

(Screen 8)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number (not Null)	NUMBER (1)	1 - 5
SC1M	Serum creatinine 1 months	NUMBER (4)	20-2000 or null
SC2M	Serum creatinine 2 months	NUMBER (4)	20-2000 or null
SC3M	Serum creatinine 3 months	NUMBER (4)	20-2000 or null
SC6M	Serum creatinine 6 months	NUMBER (4)	20-2000 or null
SC1Y	Serum creatinine 1 year	NUMBER (4)	20-2000 or null
SC2Y	Serum creatinine 2 years	NUMBER (4)	20-2000 or null
SC3Y	Serum creatinine 3 years	NUMBER (4)	20-2000 or null
SC5Y	Serum creatinine 5 years	NUMBER (4)	20-2000 or null
SC7Y	Serum creatinine 7 years	NUMBER (4)	20-2000 or null
SC10Y	Serum creatinine 10 years	NUMBER (4)	20-2000 or null
SC15Y	Serum creatinine 15 years	NUMBER (4)	20-2000 or null
SC20Y	Serum creatinine 20 years	NUMBER (4)	20-2000 or null
SC25Y	Serum creatinine 25 years	NUMBER (4)	20-2000 or null
SC30Y	Serum creatinine 30 years	NUMBER (4)	20-2000 or null
SC35Y	Serum creatinine 35 years	NUMBER (4)	20-2000 or null
SC4M **	Serum creatinine 4 months	NUMBER (4)	20-2000 or null

New field added to Table from 1.4.99

SC35Y	Serum creatinine 35 years	NUMBER (4)	20-2000 or null
-------	---------------------------	------------	-----------------

Field added to Table and Screen from 1.4.97

SC7Y	- Serum creatinine 7 years	NUMBER (4)	20-2000 or null
------	----------------------------	------------	-----------------

Field not collected from 1.4.91 but remains on the Table No Screen Display

** SC4M	- Serum creatinine 4 months	NUMBER (4)	
---------	-----------------------------	------------	--

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

DONOR TABLE

(Screen 9)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
GRAFTNO	# Graft number (not Null)	NUMBER (1)	0 - 5
BLGROUP	Blood group (Recipient and/or donor)	VARCHAR2 (2)	A,B,AB,O or null
A1	A locus (Recipient and/or donor)	VARCHAR2 (2)	* See CDALOCUS
A2	A locus (Recipient and/or donor)	VARCHAR2 (2)	* See CDALOCUS
CODEA	Method code for A locus	NUMBER (2)	* See CDTYPECODE
B1	B locus (Recipient and/or donor)	VARCHAR2 (2)	* See CDBLOCUS
B2	B locus (Recipient and/or donor)	VARCHAR2 (2)	* See CDBLOCUS
CODEB	Method code for B locus	NUMBER (2)	* See CDTYPECODE
D1	DR typing (Recipient and/or donor)	VARCHAR2 (2)	* See CDDRLOCUS
D2	DR typing (Recipient and/or donor)	VARCHAR2 (2)	* See CDDRLOCUS
CODEDR	Method code for DR locus	NUMBER (2)	* See CDTYPECODE
DQ1	DQ typing (Recipient and/or donor)	VARCHAR2 (2)	* See CDDQLOCUS
DQ2	DQ typing (Recipient and/or donor)	VARCHAR2 (2)	* See CDDQLOCUS
CODEDQ	Method code for DQ locus	NUMBER (2)	* See CDTYPECODE
MAXCYTO	Maximum cytotoxic antibodies	NUMBER (3)	0 - 100 or null
MAXTCELL	Crossmatch T cell for Maxcyto	NUMBER (1)	0,1,2 or null
MAXBCELL	Crossmatch B cell for Maxcyto	NUMBER (1)	0,1,2 or null
CURRCYTO	Current (At transplant) antibodies	NUMBER (3)	0 - 100 or null
CURRTCELL	Crossmatch T cell for Currcyto	NUMBER (1)	0,1,2 or null
CURRBCELL	Crossmatch B cell for Currcyto	NUMBER (1)	0,1,2 or null
W4	** W4 (Recipient and/or donor)	VARCHAR2 (1)	4 or null
W6	** W6 (Recipient and/or donor)	VARCHAR2 (1)	6 or null
	# 0 (zero) = Recipient details 1-5 = Graft number		

* See List of Values from CDCODES Tables or Key F9 (if using Screen)

Note: Some data has been entered in the following fields from 1.4.95
CODEA, CODEB, CODEDR, CODEDQ, MAXTCELL, MAXBCELL, CURRTCELL, CURRBCELL

Data for these fields is supplied by Tissue Typing Laboratories

Fields not collected since 1989 but remain on the Table – No Screen Display

** W4	-	W4 (Recipient and/or donor)	VARCHAR2 (1)
** W6	-	W6 (Recipient and/or donor)	VARCHAR2 (1)

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

HLA TABLE

(Screen 9)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
GRAFTNO	# Graft number (not Null)	NUMBER (1)	0 - 5
DRB1A	HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDRB1
DRB1B	HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDRB1
CODEDRB1	Method code for DRB1 DNA full typing	NUMBER (2)	*See CDTYPECODE
DRB3A	HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDRB3
DRB3B	HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDRB3
CODEDRB3	Method code for DRB3 DNA full typing	NUMBER (2)	*See CDTYPECODE
DRB4A	HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDRB4
DRB4B	HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDRB4
CODEDRB4	Method code for DRB4-DNA full typing	NUMBER (2)	*See CDTYPECODE
DRB5A	HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDRB5
DRB5B	HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDRB5
CODEDRB5	Method code for DRB5-DNA full typing	NUMBER (2)	*See CDTYPECODE
DQA1A	HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDQA1
DQA1B	HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDQA1
CODEDQA1	Method code for DQA1 DNA full typing	NUMBER (2)	*See CDTYPECODE
DQB1A	HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDQB1
DQB1B	HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDQB1
CODEDQB1	Method code for DQB1 DNA full typing	NUMBER (2)	*See CDTYPECODE
DPB1A	HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDPB1
DPB1B	HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDPB1
CODEDPB1	Method code for DPB1-DNA full typing	NUMBER (2)	*See CDTYPECODE
#	0 (zero) = Recipient details 1-5 = Graft number		
*	See List of Values from CDCODES Tables or Key F9 (if using Screen)		

Data collection for this Table does not appear on the ANZDATA form
To be supplied by SYDNEY TISSUE TYPING - but no data received by the Registry as at September 1998

CDCODES Tables

DNA codes have been entered in the following CDCODES Tables
CDDRB1 - CDDRB3 - CDDRB4 - CDDRB5 - CDDQA1 - CDDQB1 - CDDPB1

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

PAEDIATRIC TABLE**(Screen 10)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
SEQUNO	Sequence number (not Null)	NUMBER (2)	
PDATE	Date information	DATE	
HEIGHT	Height	NUMBER (4,1)	eg. 120.5
WEIGHT	Weight	NUMBER (4,1)	eg. 35.5
HEAD	Head circumference	NUMBER (3,1)	0 - 80.0
PUBERTYA	# Puberty status A	NUMBER (1)	1 - 5 or null
PUBERTYB	# Puberty status B	NUMBER (1)	1 - 5 or null
HORMONE	Growth hormone given each Survey period	VARCHAR2 (1)	Y, N or null
BONEDISEASE	Bone disease	NUMBER (1)	1 - 4 or null
BONEAGE	Bone age	NUMBER (3,1)	0 - 21.5
ASSESS	Paediatric Assessment at end of each Survey	NUMBER (2)	*See CDASSESS

Refer to Tanner Scale 1 to 5 for boys and girls (Appendix pages at the back)

* See List of Values from CDCODES TABLES or Key F9 (if using Screen)

Field added to Table and Screen 1.4.94

ASSESS	Paediatric Assessment at end of each Survey	NUMBER (2)	*See CDASSESS
--------	---	------------	---------------

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

LOCATION TABLE

(Screen 10)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
KEYHOSP	Key hospital (not Null)	VARCHAR2 (4)	* See CDCENTRES
KEYSTAT	Key state	NUMBER (1)	0-8
KEYUNIT	Key hospital unit number	VARCHAR2 (10)	

* See list of values from CDCENTRES or Key F9 (if using Screen)

Data collected for this Table from 1.4.94

Allows entry of a unit's unique number for each patient.

This will be necessary for any unit creating a Database.

Patients having treatment in a particular unit and returning to their caring unit or transferring, have the unit number stored permanently for access to files or Databases.

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

EPOSURVEY TABLE**(No Screen Display)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
EPOSEQ #	Sequence number (not Null)	NUMBER (2)	
HB	Hb level at end of Survey	NUMBER (4,1)	eg. 6.5, 12.6, 7 or null
EPOSURVEY	Was EPO used at any time during the Survey?	VARCHAR2 (1)	Y/N/U or null
ROUTE	Method of administration	VARCHAR2 (2)	S , I , (SI if both) or null
FREQ	Number doses per week	NUMBER (4,2)	eg. 0.5, .75, 1, 2, 3 or null
DOSEWEEK	Total units EPO given each week	NUMBER (8,2)	Value or null
MANUFACTURER	Who supplies EPO? A = (Amgen) J = (Janssen Cilag)	VARCHAR2 (1)	Range A-Z or null
IRON	Iron supplementation in past 3 months I = IV R = IV/Oral O = Oral N = No	VARCHAR2 (1)	Range A-Z or null

This Table and Screen used to collect data at end of Survey from 1.4.98 – 30.9.98 but discontinued from 1.10.98

Fields added to Table and Screen from 1.4.98

ROUTE	Method of administration	VARCHAR2 (2)	S , I , (SI if both) or null
FREQ	Number doses per week	NUMBER (2,2)	eg. 0.5, .75, 1, 2, 3 or null
DOSEWEEK	Total units EPO given each week	NUMBER (6,2)	Value or null
MANUFACTURER	Who supplies EPO? A = (Amgen) J = (Janssen Cilag)	VARCHAR2 (1)	Range A-Z or null
IRON	Iron supplementation in past 3 months I = IV R = IV/Oral O = Oral N = No	VARCHAR2 (1)	Range A-Z or null

Date for this Table ceased to be collected from 1.10.98

History items forwarded (in view of any future collection) – Sequence 0 -1currently blank

As at 1.4.99

# EPOSEQ	0 – 1 Fields blank – Data no long collected from 1.10.98 onwards
EPOSEQ	2 – Data collected from 1.4.98 – 30.9.98
EPOSEQ	3 - 8 blank. Data ceased to be collected from 1.4.94
EPOSEQ	10 contains data from the Survey (1.10.93 - 31.3.94)
EPOSEQ	11 contains data from the Survey (1.4.93 - 30.9.93)

**EPOSEQ - This history item is forwarded before data entry each Survey NUMBER (2)
to reflect the new Survey period dates of data collection.**

Data not collected in old format since 1.4.94, but old data remains on Table

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

CANDONOR TABLE

(Screen 11)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number (not Null)	NUMBER (1)	1-5
SEQUNO	Sequence cancers (not Null)	NUMBER (2)	
CANDON	Cancer in donor?	VARCHAR2 (1)	Y/N or null
CANTYPE	Cancer type - refer codes	NUMBER (2)	1-11
TYPEDESCR	Cancer type - description type	VARCHAR2 (16)	
CANSITE *	Cancer site - refer codes	NUMBER (4)	
SITEDESCR	Cancer site - description site	VARCHAR2 (16)	

* Code from ICD 0 TOPOGRAPHY

Field added to Table and Screen 1.4.98 to enable entry of more than one type of cancer in donor

SEQUNO	Sequence number for cancers in donor	NUMBER (2)
--------	--------------------------------------	------------

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

NONSKIN TABLE

(Screens 11)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
SEQUNO	Sequence of nonskin cancers (not Null)	NUMBER (2)	
CATYPE	Cancer type - Section A cancer form	NUMBER (2)	1-12
TYPEDESCR	Description of Other cancer type	VARCHAR2 (30)	
CADATE	Date of cancer diagnosis	DATE	
PRMSITE *	Primary site - refer codes	NUMBER (4)	
PRIMDESCR	Primary site description	VARCHAR2 (16)	
CASTAGE	Cancer staging code - refer cancer form	NUMBER (2)	1-20
RX1	Type 1st treatment - refer cancer form	NUMBER (2)	1-13
RX2	Type 2nd treatment - refer cancer form	NUMBER (2)	1-13
RX3	Type 3rd treatment - refer cancer form	NUMBER (2)	1-13
RX4	Type 4th treatment - refer cancer form	NUMBER (2)	1-13
RX5	Type 5th treatment - refer cancer form	NUMBER (2)	1-13
RXOTHER	Description of Other Treatment	VARCHAR2 (30)	
LYMPDATE	Date spread to lymph nodes	DATE	
SYSTDATE	Date spread systemically	DATE	
RECURDATE	Date of local recurrence	DATE	
CAUSPRD	Did cancer cause renal failure?	VARCHAR2 (1)	Y or N or null
CAUSDEATH	Did cancer cause/contribute to death?	VARCHAR2 (1)	Y or N or null
UNCERTDIAG **	Uncertain date diagnosis	VARCHAR2 (1)	Y or null
UNCERTLYM **	Uncertain date of spread	VARCHAR2 (1)	Y or null
UNCERTREC **	Uncertain date of recurrence	VARCHAR2 (1)	Y or null
UNCERTSYS **	Uncertain date of spread	VARCHAR2 (1)	Y or null
*	Code from ICD 0 Topography		

Field added to Table and Screen from 1.4.99

RXOTHER	Description of Other Treatment	VARCHAR2 (30)
---------	--------------------------------	---------------

Field added to Table and Screen from 1.4.97

TYPEDESCR	Description of Other cancer type	VARCHAR2 (30)
-----------	----------------------------------	---------------

**** Fields to remain on the Database but no Screen Display from 1.4.97**

UNCERTDIAG	Uncertain date diagnosis	VARCHAR2 (1)	Y or null
UNCERTLYM	Uncertain date of spread	VARCHAR2 (1)	Y or null
UNCERTSYS	Uncertain date of spread	VARCHAR2 (1)	Y or null
UNCERTREC	Uncertain date of recurrence	VARCHAR2 (1)	Y or null

NOTE: Melanoma data from OLDSKIN Table inserted into this Table 1.4.97

Data inserted from Table OLDSKIN into SKIN where CATYPE=7 (Melanoma) to CATYPE 13 in NONSKIN

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

SKIN TABLE**(Screen 11)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
CATYPE	Cancer type (not Null)	NUMBER (2)	See CDSKIN
PREDATE	Date of first cancer of this type pre entry	DATE	
DXDATE	Date of first cancer of this type on dialysis	DATE	
POSTDATE	Date of first cancer of this type post transplant	DATE	
LYMPDATE	Date spread to lymph nodes	DATE	
SYSTDATE	Date spread systemically	DATE	
CAUSDEATH	Did cancer cause/contribute to death?	VARCHAR2 (1)	Y or N or null

Table and Screen from 1.4.97 - Previous SKIN Table renamed OLDSKIN

CATYPE	4 =	SCC (Squamous Cell Carcinoma)
	5 =	BCC (Basal Cell Carcinoma)
	6 =	Merkel Cell
	7 =	Hutchison Freckle
	10 =	Spindle Cell
	11 =	Giant Cell
	12 =	Eccrine (Sweat Gland)
	13 =	Fibrous Histiocytoma
	14 =	FibroXanthoma

NOTE: Data from OLDSKIN Table inserted into new Table SKIN

Select PATIENT from OLDSKIN where CATYPE 4,5 and 9

From these CATYPES, select (min) CADATE and within three sections

PREDATE (First diagnosis date of this type occurring prior to entry to ESRF PROGRAMME),
 DXDATE (First diagnosis date of this type occurring after entry to dialysis, but pre transplant)
 POSTDATE (First diagnosis date of this type occurring post primary transplant)

Select where PATIENT has an entry for LYMPDATE and SYSTDATE where CATYPE in 4,5 or 9 and
 INSERT THESE Dates into the corresponding fields in the SKIN TABLE

Select where PATIENT has an entry Y in CAUSDEATH in OLDSKIN and CATYPE in 4,5, or 9 and
 INSERT 'Y' into the corresponding CAUSDEATH field in the SKIN TABLE

If there is no 'Y' and PATIENT is deceased enter 'N' in this field
 If PATIENT is not deceased leave as null

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

LYMPHOMA TABLE**(Screen 12)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
SEQUNO	Sequence number of cancer (not Null)	NUMBER (2)	
CATYPE	Cancer type - Section A cancer form	NUMBER (2)	5,9,12 or null
DIFFUSE	Diffuse?	VARCHAR2 (1)	Y,N,U or null
NODULAR	Nodular?	VARCHAR2 (1)	Y,N,U or null
FOLLICULAR	Follicular?	VARCHAR2 (1)	Y,N,U or null
OTHER	Other description	VARCHAR2 (10)	
HISTIOCYTIC	Hystiocytic?	VARCHAR2 (1)	Y,N,U or null
LYMPHOCYTIC	Lymphocytic?	VARCHAR2 (1)	Y,N,U or null
MIXED	Mixed?	VARCHAR2 (1)	Y,N,U or null
UNDIFF	Undifferentiated?	VARCHAR2 (1)	Y,N,U or null
BCELL	B Cell?	VARCHAR2 (1)	Y,N,U or null
TCELL	T Cell?	VARCHAR2 (1)	Y,N,U or null
LARGECELL	Large Cell?	VARCHAR2 (1)	Y,N,U or null
SMALLCELL	Small Cell?	VARCHAR2 (1)	Y,N,U or null
OTHER1	Other description	VARCHAR2 (15)	
COMMENTS	Comments	VARCHAR2 (50)	

TABLE and SCREEN from 1.4.97

Existing data held in the old COMMENTS field from CANCERPATS entered in COMMENTS1, 2 or 3 from 1.4.97

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

CANCERPATS TABLE**(Screen 12)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
COMMENTS1	Comments (First line)	VARCHAR2 (50)	
COMMENTS2	Comments (Second line)	VARCHAR2 (50)	
COMMENTS3	Comments (Third line)	VARCHAR2 (50)	

Fields added to this Screen are automatically displayed for convenience**These FIELDS are protected from UPDATE**

DATE DEATH	RXCODE 'Z' = RXDATE from TREATMENTS TABLE
CAUSE DEATH	CAUSDEATH from DEATH TABLE

Fields removed from Screen and Table from 1.4.97 as data now irrelevant and not used or collected for years

SCREATPRECA	Creatinine pre cancer diagnosis?	NUMBER (4)	
CANTXKID	Cancer in transplant kidney?	VARCHAR2 (1)	Y/N or null

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

**TABLES REMAINING ON THE DATABASE – NO SCREEN DISPLAY
INFORMATION NO LONGER COLLECTED**

EPO2 TABLE

Name	Description	Range/Values	Type and Size
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
TDATE	Dates of Eposeq events	DATE	
ROUTE	Route given	VARCHAR2 (1)	I or S
FREQ	Number doses per week	NUMBER (4,2)	
HLVL	Haemoglobin level	NUMBER (5,2)	
EPOSEQ	# Sequence of events	VARCHAR2 (1)	* See CDEPOSEQ
WEIGHT	Patient body weight	NUMBER (4,1)	
DOSEWEEK	Total units EPO given each week	NUMBER (8,2)	Value or null
	# I=Initial S=Survey T=Temporary Withdrawal R=Restart P=Permanent Withdrawal		

* See List of Values from CDCODES Tables

Data not collected in this format from 1.4.94

This Table remains on the main Database and the User Database but no Screen Display

EPO2A TABLE

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
TDATE	Dates of Eposeq events	DATE	
COMP1	Complications of therapy (first reason)	NUMBER (2)	* See CDEPOCOMP
COMP2	Complications of therapy (second reason)	NUMBER (2)	* See CDEPOCOMP
COMPOTHR	Other complications	VARCHAR2 (25)	
REASON1	Reason for temporary/permanent withdrawal	NUMBER (2)	*See CDEPOREASON
REASONOTHR	Other reason for ceasing EPO treatment	VARCHAR2 (25)	

* See List of Values from CDCODES Tables or F9 (if using Screen)

Data not collected in this format from 1.4.94

This Table remains on the main Database and the User Database but no Screen Display

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

ATG TABLE

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number (not Null)	NUMBER (1)	1 - 5
SEQUNO	Sequence number of courses (not Null)	NUMBER (1)	
ATGDATE	Date of administration of ATG/OKT3 etc	DATE	
AGENT	Type of agent	NUMBER (1)	
DOSES	Number doses	NUMBER (1)	
DOSESOTHR	Reason why < 5 doses given	VARCHAR2 (20)	
TIME	Time of commencement	NUMBER (1)	
TIMEOTHR	Specify other therapy	VARCHAR2 (15)	

Data for this Table not collected in this format from 1.4.97

Table to remain on the Database but no Screen Display

Selected fields from this ATG Table decoded and inserted into the Table MONOCLONAL

(See Page 15 for details)

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

CANCER DATABASE**OLDSKIN TABLE**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
SEQUNO	Sequence number of skin cancers	NUMBER (3)	
CATYPE	Cancer type - Section B cancer form	NUMBER (2)	1-11
CADATE	Date of cancer diagnosis	DATE	
UNCERTDIAG	Uncertain date diagnosis	VARCHAR2 (1)	Y or null
PRIMSITE	Primary site - refer codes	NUMBER (4)	
PRIMDESCR	Primary site description	VARCHAR2 (16)	
CASTAGE	Cancer staging code - refer cancer form	NUMBER (1)	1-5
RX1	Type 1st treatment - refer cancer form	NUMBER (2)	1-13
RX2	Type 2nd treatment - refer cancer form	NUMBER (2)	1-13
RX3	Type 3rd treatment - refer cancer form	NUMBER (2)	1-13
RX4	Type 4th treatment - refer cancer form	NUMBER (2)	1-13
RX5	Type 5th treatment - refer cancer form	NUMBER (2)	1-13
LYMPDATE	Date spread to lymph nodes	DATE	
UNCERTLYM	Uncertain date of spread	VARCHAR2 (1)	Y or null
SYSTDATE	Date spread systemically	DATE	
UNCERTSYS	Uncertain date of spread	VARCHAR2 (1)	Y or null
RECURDATE	Date of local recurrence	DATE	
UNCERTREC	Uncertain date of recurrence	VARCHAR2 (1)	Y or null
CAUSPRD	Did cancer cause renal failure?	VARCHAR2 (1)	Y or N
CAUSDEATH	Did cancer cause/contribute to death?	VARCHAR2 (1)	Y or N
	* Code from ICD 0 Topography		

TABLE renamed from SKIN to OLDSKIN from 1.4.97

This Table remains on the Database but data not collected in this format after 31.3.97

Relevant information from this Table inserted in the new Table SKIN from 1.4.97

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

Post Survey Tables Processed by the Registry at the End of Each Survey

SQL (Structured Query Language) Access Tables

TXDATA TABLE

Name	Description	Type and Size	Range/Values	
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999	
GRAFTNO	Graft number	NUMBER (1)	1-5	
ENDTXCODE	(I,Z,K) from Treatments Table or Code S if went to end of the Survey	VARCHAR2 (1)	I,K,S,Z	
ENDTXDATE	Date of ENDTXCODE from Treatments Table or Survey Date if ENDTXCODE is S	DATE		
LASTCODE	*	(Z,K,J) from Treatments Table or Code S if went to end of Survey	VARCHAR2 (1)	J,K,S,Z
LASTDATE	*	Date of LASTCODE from Treatments Table or Survey if LASTCODE = S	DATE	
AGE	Age at transplant	NUMBER (2)		
TXSTATUS	0 = functioning (ENDTXCODE=K,S) I = failed (ENDTXCODE=I,Z)	VARCHAR2 (1)	I,K,S,Z	
TXPERIOD	In days ENDTXDATE minus TXDATE (Graft Table)	NUMBER (5)		
LSTATUS	*	0 = alive (LASTCODE=K,J,S) 1 = dead (LASTCODE=Z)	VARCHAR2 (1)	K,J,S,Z
LPERIOD	*	In days LASTDATE minus TXDATE (Graft Table)	NUMBER (5)	
MISA	Number mismatches A	NUMBER (3)		
MISB	Number mismatches B	NUMBER (3)		
MISD	Number mismatches DR	NUMBER (3)	(99=no coding)	
MISDQ	Number mismatches DQ	NUMBER (3)		
	*	= PATIENT SURVIVAL		

LASTRX TABLE

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
SEQUNO	Sequence from Treatments Table If Alive=RXCODE – If Dead or Lost = Sequence Number of LAST	NUMBER (2)	
RXSEQ	Sequence number of RXCODE	NUMBER (2)	Alive, Dead, Lost
RXCODE	Rxcode from Treatments Table	VARCHAR2 (1)	A,B,C,D,E,F,G,H,
RXDATE	Rxdate from Treatments Table	DATE	
LASTSEQ	Sequence number of LAST	NUMBER (2)	
LAST	Rxcode (Z,J,K) or S if patient alive at end of Survey	VARCHAR2 (1)	J,K,S,Z
DATDEATH	Date of `LAST` above	DATE	

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

DXBDF TABLE (Haemodialysis only)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
SEQUNO)	From Treatments Table where RXCODE	NUMBER (2)	
RXDATE)	is B,D or F	DATE	
HOSPCODE)	From Histry Table, at time of RXDATE	VARCHAR2 (4)	
STATE)		NUMBER (1)	0,1,2,3,4,5,6,7,8
TXNUM	Graft number preceding RXDATE	NUMBER (1)	1-5
RXCODE)	From Treatments Table where RXCODE	VARCHAR2 (1)	
LASTDATE)	no longer B,D or F. Can be S and	DATE	
	Survey Date, where patient still on B,D or F		
RECNUM	Record (or sequence) number for patient	NUMBER (2)	
TECH	0 = technique censored where RXCODE is G, S, J or K	NUMBER (1)	
	1 = technique failed where RXCODE is any dialysis code (A,C,E,L,M) or death Z		
LIFE	0 = alive end this haemodialysis where RXCODE not Z	NUMBER (1)	
	1 = dead RXCODE = Z		

DXLM TABLE (C.A.P.D only)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
SEQUNO)	From Treatments Table where RXCODE	NUMBER (2)	
RXDATE)	is L or M	DATE	
HOSPCODE)	From Histry Table, at time of RXDATE	VARCHAR2 (4)	
STATE)		NUMBER (1)	0,1,2,3,4,5,6,7,8
TXNUM	Graft number preceding RXDATE	NUMBER	1-5
RXCODE)	From Treatments Table where RXCODE	VARCHAR2 (1)	
LASTDATE)	no longer L or M. Can be S and	DATE	
	survey date, where patient still on L or M.		
RECNUM	Record (or sequence) number for patient	NUMBER (2)	
TECH	0 = technique censored where RXCODE is G, S, J or K	NUMBER (1)	
	1 = technique failed where RXCODE is any dialysis code (A,C,E,B,D,F) or death Z		
LIFE	0 = alive end this CAPD where RXCODE not Z	NUMBER (1)	
	1 = dead RXCODE = Z		

DXPD TABLE (PD and C.A.P.D combined)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
SEQUNO)	From Treatments Table where RXCODE	NUMBER (2)	
RXDATE)	is A,C,E,L or M	DATE	
HOSPCODE)	From Histry Table, at time of RXDATE	VARCHAR2 (4)	
STATE)		NUMBER (1)	0,1,2,3,4,5,6,7,8
TXNUM	Graft number preceding RXDATE	NUMBER	1-5
RXCODE)	From Treatments Table where RXCODE	VARCHAR2 (1)	
LASTDATE)	no longer A,C,E,L or M. Can be S and	DATE	
	survey date, where patient still on A,C,E,L or M.		
RECNUM	Record (or sequence) number for patient	NUMBER (1)	
TECH	0 = technique censored where RXCODE is G, S, J or K	NUMBER (1)	
	1 = technique failed where RXCODE is any dialysis code (A,C,E,B,D,F) or death Z		
LIFE	0 = alive end this CAPD where RXCODE not Z	NUMBER (1)	
	1 = dead RXCODE = Z		

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 2000

LIST OF CD CODES TABLES

CODE TABLE NAME			DESCRIPTION
CDALOCUS			A LOCUS VALUES
CDASSESS	(T)		PAEDIATRIC ASSESSMENT AT END OF SURVEY (from 1.4.94)
CDATGAGENT	(T)	*	ATG AGENT CODE DESCRIPTION
CDATGCOM	(T)	*	ATG TIME COMMENCING CODE DESCRIPTION
CDATGDOS	(T)	*	ATG DOSE CODE DESCRIPTION
CDBLOCUS			B LOCUS VALUES
CDBRAND	(T)		DIALYSER BRANDS-MEMBRANES-AREA
CDCENTRES	(T)		HOSPITAL CODES AND SITES
CDCONNECT	(T)		PERITONEAL CONNECTION SYSTEMS CODE DESCRIPTION
CDCOUNTRY	(T)		COUNTRY OF BIRTH CODE DESCRIPTION
CDCYA	(T)	*	CYA SPARING DRUG AT SPECIFIED INTERVALS (Not used from 1.4.97)
CDDEATH	(T)		CAUSES OF DEATH CODE DESCRIPTION
CDDIALYSIS	(T)		TYPES OF DIALYSIS CODE DESCRIPTION
CDDISEASE	(T)		DISEASE CODE DESCRIPTION
CDDRB1			DRB1 FULL TYPING DNA VALUES
CDDRB3			DRB3 FULL TYPING DNA VALUES
CDDRB4			DRB4 FULL TYPING DNA VALUES
CDDRB5			DRB5 FULL TYPING DNA VALUES
CDDQA1			DQA1 FULL TYPING DNA VALUES
CDDQB1			DQB1 FULL TYPING DNA VALUES
CDDPB1			DPB1 FULL TYPING DNA VALUES
CDDQLOCUS			DQ LOCUS VALUES
CDDRLOCUS			DR LOCUS VALUES
CDDRUG	(T)		DRUG CODE AND DESCRIPTION
CDEPOCOMP	(T)	*	EPO COMPLICATIONS
CDEPOREASON	(T)	*	EPO REASONS FOR WITHDRAWAL
CDEPOSEQ	(T)	*	EPO SEQUENCE CODE DESCRIPTION
CDGFAIL	(T)		CAUSES OF GRAFT FAILURE CODE DESCRIPTION
CDGRAFT	(T)	*	MULTIPLE ORGAN CODE DESCRIPTION
CDLIFE	(T)	*	QUALITY OF LIFE CODE DESCRIPTION
CDLIKEHOOD	(T)		LIKELIHOOD OF TRANSPLANT CODE DESCRIPTION
CDMETHOD	(T)	*	METHODS OF UREA AND KT/V COLLECTION
CDMONAGENT	(T)		MONOCLONAL AGENT CODE (from 1.4.97)
CDNONSKIN	(T)	*	TYPES OF NON SKIN TUMOURS
CDPARE	(T)		PARENTHOOD CODE DESCRIPTION
CDPHYSICIAN	(T)	*	PHYSICIAN NAMES
CDPRESI	(T)	*	INITIAL KIDNEY PERFUSION CODE DESCRIPTION
CDPRESM	(T)	*	MACHINE PERFUSED KIDNEY PRESERVATION
CDRACE	(T)		RACIAL ORGIN CODE DESCRIPTION
CDREHAB	(T)	*	REHABILITATION CODE DESCRIPTION
CDRISK	(T)		CDRISK OTHER CODE DESCRIPTION
CDSKIN	(T)		TYPES OF SKIN CANCER COLLECTED (from 1.4.97)
CDSOURCE	(T)		SOURCE OF DONOR KIDNEY CODE DESCRIPTION
CDTRANSFER	(T)		REASON FOR TRANSFER FROM CAPD/CCPD (from 1.4.94)
CDTREAT	(T)		TYPE OF TREATMENTS CODE DESCRIPTION
CDTYPECODE	(T)		METHOD CODE FOR A LOCUS-B LOCUS-DR LOCUS-DQ LOCUS METHOD CODE FOR DRB1-DRB3-DRB4-DRB5-DQA1-DQB1-DPB1

* Data no longer collected but remains on the database.

(T) = Text

These Tables may be accessed and printed [through the SQL query facility](#)

EXAMPLE: (Type in) (For CD LOCUS Tables)

```
SELECT CODE
FROM CDALOCUS;
```

EXAMPLE: (Type in) (For (T) Text Tables)

```
SELECT CODE,TEXT
FROM CDATGAGENT;
```

ANZDATA REGISTRY LIST OF CENTRES AS AT FEBRUARY 2000

HOSP	STATE CODE	STATE COUNTRY	HOSPITAL
OTHR	0	OVERSEAS	OTHER HOSPITAL - OVERSEAS
ALIC	1	NT	ALICE SPRINGS HOSPITAL - NORTHERN TERRITORY
BISL			BATHURST ISLAND - NORTHERN TERRITORY
DARW			ROYAL DARWIN HOSPITAL - NORTHERN TERRITORY
GROO			GROOTE EYLANDT - NORTHERN TERRITORY
JABR			JABIRU HEALTH CENTRE - NORTHERN TERRITORY
KATH			KATHERINE HOSPITAL - NORTHERN TERRITORY
NTCL			NIGHTCLIFF DIALYSIS CENTRE - DARWIN - NT
ALBU	2	NSW	ALBURY HOSPITAL - NEW SOUTH WALES
ARMD			ARMIDALE HOSPITAL - NEW SOUTH WALES
AUBN			AUBURN HOSPITAL - NEW SOUTH WALES
BALM			BALMAIN HOSPITAL - NEW SOUTH WALES
BANK			BANKSTOWN HOSPITAL - NEW SOUTH WALES
BATH			BATHURST BASE HOSPITAL - NEW SOUTH WALES
BLAK			BLACKTOWN REGIONAL DIALYSIS - NSW
BLKT			BLACKTOWN HOSPITAL - NEW SOUTH WALES
BLNA			BALLINA SATELLITE - NEW SOUTH WALES
BREW			BREWARRINA HOSPITAL - NEW SOUTH WALES
BRKE			BOURKE HOSPITAL - NEW SOUTH WALES
BROK			BROKEN HILL HOSPITAL - NEW SOUTH WALES
BSTV			BATHURST ST VINCENTS - NEW SOUTH WALES
CALN			CALLEN PARK HOSPITAL - NEW SOUTH WALES
CAMB			CAMPBELLTOWN HOSPITAL - NEW SOUTH WALES
CANB			THE CANBERRA HOSPITAL - ACT
CANT			CANTERBURY HOSPITAL - NEW SOUTH WALES
CATH			CATHERINE COTTAGE - ST GEORGE HOSPITAL - NSW
CHAT			CHATSWOOD SATELLITE - NEW SOUTH WALES
COFF			COFFS HARBOUR HOSPITAL - NEW SOUTH WALES
CONC			CONCORD HOSPITAL - NEW SOUTH WALES
COON			COONAMBLE HOSPITAL - NEW SOUTH WALES
CSAT			CANBERRA COMMUNITY SATELLITE CENTRE - ACT
DEWE			DAME EADITH WALKER ESTATE - NEW SOUTH WALES
DUBB			DUBBO BASE HOSPITAL - NEW SOUTH WALES
EORA			EORA COTTAGE - KINGSFORD - NEW SOUTH WALES
GALL			GALLARGAMBONE HOSPITAL - NEW SOUTH WALES
GOSF			GOSFORD HOSPITAL - NEW SOUTH WALES
GOUL			GOULBOURN HOSPITAL - NEW SOUTH WALES
GRFT			GRAFTON HOSPITAL - NEW SOUTH WALES
GRIFF			GRIFFITH BASE HOSPITAL - NEW SOUTH WALES
HDIS			HASTINGS DISTRICT HOSPITAL - NEW SOUTH WALES
HORN			HORNSBY HOSPITAL - NEW SOUTH WALES
HUNT			JOHN HUNTER HOSPITAL - NEW SOUTH WALES
KARE			KAREENA PRIVATE HOSPITAL - NEW SOUTH WALES
KEMP			KEMPSEY HOSPITAL - NEW SOUTH WALES
LANC			LANCELEY COTTAGE - NEW SOUTH WALES
LCOM			LIVERPOOL COMMUNITY - NEW SOUTH WALES
LIDC			LIDCOMBE HOSPITAL - NEW SOUTH WALES
LISM			LISMORE HOSPITAL - NEW SOUTH WALES
LRDS			LOURDES HOSPITAL - NEW SOUTH WALES
LVPL			LIVERPOOL HOSPITAL - NEW SOUTH WALES
MAIT			MAITLAND HOSPITAL - NEW SOUTH WALES
MATR			MATER HOSPITAL - NEW SOUTH WALES
MNDE			MENINDEE HEALTH CENTRE - NEW SOUTH WALES
MNLY			MANLY HOSPITAL - NEW SOUTH WALES

ANZDATA REGISTRY LIST OF CENTRES AS AT FEBRUARY 2000

HOSP	STATE CODE	STATE COUNTRY	HOSPITAL
MNVL			MONA VALE HOSPITAL - NEW SOUTH WALES
MRCK			MARRICKVILLE SATELLITE - NEW SOUTH WALES
MTRR			MT DRUITT HOSPITAL - NEW SOUTH WALES
NARR			NARROMINE HOSPITAL - NEW SOUTH WALES
NEPN			NEPEAN HOSPITAL - NEW SOUTH WALES
NITA			NITA REED HOUSE - TAREE -NEW SOUTH WALES
NMAT			NEWCASTLE MATER HOSPITAL - NEW SOUTH WALES
NORF			NORFOLK ISLAND HOSPITAL - NORFOLK ISLAND
NOWR			NOWRA HOSPITAL - NEW SOUTH WALES
ORAN			ORANGE HOSPITAL - NEW SOUTH WALES
PARA			PARRAMATTA HOSPITAL - NEW SOUTH WALES
PENR			PENRITH HOSPITAL - NEW SOUTH WALES
PHEN			PRINCE HENRY HOSPITAL - NEW SOUTH WALES
POWH			PRINCE OF WALES HOSPITAL - NEW SOUTH WALES
PRIV			PRIVATE HOSPITAL - NEW SOUTH WALES
PTMQ			PORT MACQUARIE HOSPITAL - NEW SOUTH WALES
RAHC			ROYAL ALEXANDRA HOSPITAL FOR CHILDREN - NSW
RNSH			ROYAL NORTH SHORE HOSPITAL - NEW SOUTH WALES
RNAH			ROYAL PRINCE ALFRED HOSPITAL - NEW SOUTH WALES
RSYD			ROYAL SOUTH SYDNEY HOSPITAL - NEW SOUTH WALES
RYDE			RYDE HOSPITAL - NEW SOUTH WALES
SADV			SYDNEY ADVENTIST HOSPITAL - NEW SOUTH WALES
SCHL			SYDNEY CHILDRENS HOSPITAL - NEW SOUTH WALES
SHEL			SHELLHARBOUR - NEW SOUTH WALES
SHOA			SHOALHAVEN SATELLITE - NOWRA - NEW SOUTH WALES
SHVN			SHOALHAVEN HOSPITAL - NEW SOUTH WALES
SING			SINGLETON SATELLITE CENTRE - NEW SOUTH WALES
SSYD			SOUTH WEST SYDNEY RENAL SERVICE - NEW SOUTH WALES
STGH			ST GEORGE HOSPITAL - NEW SOUTH WALES
STVI			ST VINCENTS HOSPITAL - NEW SOUTH WALES
STVP			ST VINCENTS PRIVATE HOSPITAL - NEW SOUTH WALES
SUTH			SUTHERLAND HOSPITAL - NEW SOUTH WALES
SWRS			STATEWIDE RENAL SERVICES - NEW SOUTH WALES
SYDC			SYDNEY DIALYSIS CENTRE - NEW SOUTH WALES
SYHL			SYDNEY HOSPITAL - NEW SOUTH WALES
TAMW			TAMWORTH HOSPITAL - NEW SOUTH WALES
TARE			TAREE HOSPITAL - NEW SOUTH WALES
TEMO			TEMORRA HOSPITAL - NEW SOUTH WALES
TERG			TERRIGAL MEDICAL CENTRE - NEW SOUTH WALES
TWHD			TWEED HEADS HOSPITAL - NEW SOUTH WALES
URAN			URANA HOSPITAL - NEW SOUTH WALES
WAGG			WAGGA HOSPITAL - NEW SOUTH WALES
WANS			WANSEY SATELLITE CENTRE - NEW SOUTH WALES
WEST			WESTMEAD HOSPITAL - NEW SOUTH WALES
WGNG			WOLLONGONG HOSPITAL - NEW SOUTH WALES
WGTN			WELLINGTON HOSPITAL - NEW SOUTH WALES
WSUB			WESTERN SUBURBS HOSPITAL - NEW SOUTH WALES
ABAY	3	VIC	APOLLO BAY HOSPITAL - VICTORIA
ALEX			ALEXANDRA HOSPITAL - VICTORIA
ALFD			ALFRED HOSPITAL - VICTORIA
ANGL			ANGLISS HOSPITAL - VICTORIA
ARAR			ARARAT HOSPITAL - VICTORIA
ASAT			AUSTIN SATELLITE TRAINING - VICTORIA

ANZDATA REGISTRY LIST OF CENTRES AS AT FEBRUARY 2000

HOSP	STATE CODE	STATE COUNTRY	HOSPITAL
AUST			AUSTIN HOSPITAL - VICTORIA
BACC			BACCHUS MARSH HOSPITAL - VICTORIA
BAIR			BAIRNSDALE HOSPITAL - VICTORIA
BALL			BALLARAT HOSPITAL - VICTORIA
BEND			BENDIGO HOSPITAL - VICTORIA
BERW			BERWICK HOSPITAL - VICTORIA
BI RC			BIRCHIP HOSPITAL - VICTORIA
BNLA			BENALLA HOSPITAL - VICTORIA
BOXH			BOX HILL HOSPITAL - VICTORIA
BRDM			BROADMEADOWS HOSPITAL - VICTORIA
BRUN			BRUNSWICK SATELLITE CENTRE - VICTORIA
BURW			BURWOOD SATELLITE CENTRE - VICTORIA
CABR			CABRINI HOSPITAL - VICTORIA
CAST			CASTERTON HOSPITAL - VICTORIA
CAUL			CAULFIELD SATELLITE CENTRE - VICTORIA
CGPH			CENTRAL GIPPSLAND HOSPITAL - VICTORIA
CHEL			CHELSEA HOSPITAL - VICTORIA
COHU			COHUNA HOSPITAL - VICTORIA
COLA			COLAC HOSPITAL - VICTORIA
CRAN			CRANBOURNE SATELLITE - VICTORIA
DAND			DANDENONG HOSPITAL - VICTORIA
DAYL			DAYLESFORD HOSPITAL - VICTORIA
DVPH			DIAMOND VALLEY HOSPITAL - VICTORIA
ECHU			ECHUCA HOSPITAL - VICTORIA
EDEN			EDENHOPE HOSPITAL - VICTORIA
EPWT			EPWORTH HOSPITAL - VICTORIA
ESSE			ESSENDON HOSPITAL - VICTORIA
EYES			LIONS EYE BANK - VICTORIA
FRAN			FRANKSTON HOSPITAL - VICTORIA
FRFD			FAIRFIELD HOSPITAL - VICTORIA
GLNG			GEE LONG HOSPITAL - VICTORIA
GLPR			GEE LONG PRIVATE HOSPITAL - VICTORIA
GVAL			GOULBURN VALLEY HOSPITAL - VICTORIA
HAML			HAMILTON HOSPITAL - VICTORIA
HEDG			HEIDELBERG HOSPITAL - VICTORIA
HENT			HENTY HOSPITAL - VICTORIA
HORS			HORSHAM HOSPITAL - VICTORIA
HSTG			HASTINGS HOSPITAL - VICTORIA
KI LM			KILMORE HOSPITAL - VICTORIA
KI NG			KINGSBURY DIALYSIS UNIT - VICTORIA
KNOX			KNOX PRIVATE HOSPITAL - VICTORIA
KOOW			KOO WEE RUP HOSPITAL - VICTORIA
LATR			LATROBE REGIONAL SATELLITE - VICTORIA
LEON			LEONGATHA HOSPITAL - VICTORIA
LORN			LORNE HOSPITAL - VICTORIA
MANS			MANSFIELD HOSPITAL - VICTORIA
MDAH			MAROONDAH HOSPITAL - VICTORIA
MI LD			MILDURA HOSPITAL - VICTORIA
MI TC			MITCHAM HOSPITAL - VICTORIA
MMCA			MONASH MEDICAL (ADULTS) - VICTORIA
MMCP			MONASH MEDICAL (PAEDIATRIC) - VICTORIA
MOOR			MOORABBIN SATELLITE - VICTORIA
MPRV			MELBOURNE PRIVATE HOSPITAL - VICTORIA
MRYB			MARYBOROUGH BASE HOSPITAL - VICTORIA
MYRT			MYRTLEFORD HOSPITAL - VICTORIA
NALF			NAURU SATELLITE (ALFRED) - NAURU

ANZDATA REGISTRY LIST OF CENTRES AS AT FEBRUARY 2000

HOSP	STATE CODE	STATE COUNTRY	HOSPITAL
NAUR			NAURU SATELLITE (MONASH MEDICAL) - NAURU
NEKS			NORTH EAST KIDNEY SERVICE - VICTORIA
NMEL			NORTH MELBOURNE SATELLITE CENTRE - VICTORIA
NRMB			NAURU (ROYAL MELBOURNE) - NAURU
NWHC			NORTH WEST HEALTH CARE - VICTORIA
ORBO			ORBOST HOSPITAL - VICTORIA
PJAM			PETER JAMES CENTRE - VICTORIA
PORT			PORTLAND HOSPITAL - VICTORIA
PRES			PRESTON AND NORTHCOTE HOSPITAL - VICTORIA
RCHL			ROYAL CHILDRENS HOSPITAL - VICTORIA
RMBH			ROYAL MELBOURNE HOSPITAL - VICTORIA
ROBV			ROBINVALE HOSPITAL - VICTORIA
SALE			SALE HOSPITAL - VICTORIA
SARN			ST ARNAUD HOSPITAL - VICTORIA
SEAL			SEALAKES DISTRICT HEALTH - VICTORIA
SEYM			SEYMOUR HOSPITAL - VICTORIA
SNDR			SANDRINGHAM SATELLITE - VICTORIA
SUNS			SUNSHINE SATELLITE - VICTORIA
SVIN			ST VINCENTS HOSPITAL - VICTORIA
SVPR			ST VINCENTS PRIVATE HOSPITAL - VICTORIA
SWAN			SWAN HILL HOSPITAL - VICTORIA
TERA			TERANG HOSPITAL - VICTORIA
TISS			TISSUE BANK - VICTORIA
TRAR			TRARALGON HOSPITAL - VICTORIA
WALW			WALWA HOSPITAL - VICTORIA
WANG			WANGARATTA HOSPITAL - VICTORIA
WARN			WARNAMBOOL HOSPITAL - VICTORIA
WDGA			WODONGA HOSPITAL - VICTORIA
WEGH			WESTERN HOSPITAL - VICTORIA
WEHI			WALTER AND ELIZA HALL INSTITUTE - VICTORIA
WERR			WERRIBEE MERCY HOSPITAL - VICTORIA
WFTC			WESTERN FOOTSCRAY HOSPITAL - VICTORIA
WGIP			WEST GIPPSLAND - VICTORIA
WILL			WILLIAMSTOWN SATELLITE - VICTORIA
WONT			WONTHAGGI HOSPITAL - VICTORIA
WPOR			WESTERN PORT HOSPITAL - VICTORIA
YARA			YARAWONGA HOSPITAL - VICTORIA
YARM			YARRAM HOSPITAL - VICTORIA
ALLA	4	QLD	ALLAMANDA PRIVATE HOSPITAL - QUEENSLAND
ATHR			ATHERTON HOSPITAL - QUEENSLAND
AUGA			AUGATHELLA HOSPITAL - QUEENSLAND
AYRH			AYR HOSPITAL - QUEENSLAND
BIRD			BIRDSVILLE HEALTH CARE CLINIC - QUEENSLAND
BUND			BUNDABERG HOSPITAL - QUEENSLAND
CAIR			CAIRNS HOSPITAL - QUEENSLAND
CHAR			CHARLEVILLE HOSPITAL - QUEENSLAND
CLVY			CALVARY HOSPITAL - CAIRNS - QUEENSLAND
CUNN			CUNNAMULLA HOSPITAL - QUEENSLAND
FLYN			JOHN FLYNN HOSPITAL - QUEENSLAND
GLAD			GLADSTONE HOSPITAL - QUEENSLAND
GOLD			GOLDCOAST HOSPITAL - QUEENSLAND
GREN			GREENSLOPES PRIVATE HOSPITAL - QUEENSLAND
HERV			HERVEY BAY HOSPITAL - QUEENSLAND
HILL			HOME HILL SATELLITE - TOWNSVILLE - QUEENSLAND
IPSW			IPSWICH HOSPITAL - QUEENSLAND

ANZDATA REGISTRY LIST OF CENTRES AS AT FEBRUARY 2000

HOSP	STATE CODE	STATE COUNTRY	HOSPITAL
KEPR			KEPERRA (ROYAL BRISBANE) - QUEENSLAND
LOGN			LOGAN SATELLITE CENTRE - QUEENSLAND
MACH			MATER CHILDRENS HOSPITAL - QUEENSLAND
MACK			MACKAY HOSPITAL - QUEENSLAND
MARY			MARYBOROUGH HOSPITAL - QUEENSLAND
MATP			MATER PRIVATE HOSPITAL - QUEENSLAND
MI SA			MT ISA HOSPITAL - QUEENSLAND
MROC			MATER PRIVATE ROCKHAMPTON - QUEENSLAND
NAMB			NAMBOUR HOSPITAL - QUEENSLAND
NOOS			NOOSA SATELLITE - QUEENSLAND
PRCH			PRINCE CHARLES HOSPITAL - QUEENSLAND
PSAH			PRINCESS ALEXANDRA HOSPITAL - QUEENSLAND
QMAT			MATER HOSPITAL - QUEENSLAND
QQEH			QUEEN ELIZABETH HOSPITAL - QUEENSLAND
QRCH			ROYAL CHILDRENS HOSPITAL - QUEENSLAND
QUNI			QUEENSLAND UNIVERSITY - QUEENSLAND
RBSH			ROYAL BRISBANE HOSPITAL - QUEENSLAND
REDC			REDCLIFFE HOSPITAL - QUEENSLAND
RI VE			RI VERVIEW PRIVATE HOSPITAL - QUEENSLAND
ROCK			ROCKHAMPTON HOSPITAL - QUEENSLAND
SAND			SANDGATE SATELLITE CENTRE - QUEENSLAND
STAN			ST ANDREWS PRIVATE HOSPITAL - QUEENSLAND
TOWN			TOWNSVILLE HOSPITAL - QUEENSLAND
TWMB			TOOWOOMBA HOSPITAL - QUEENSLAND
VI NC			VINCENT SATELLITE - TOWNSVILLE - QUEENSLAND
WSLY			WESLEY HOSPITAL - QUEENSLAND
ASHF	5	SA	ASHFORD HOSPITAL - SOUTH AUSTRALIA
CGRO			COLLEGE GROVE SATELLITE - SOUTH AUSTRALIA
FMDC			FLINDERS MEDICAL CENTRE - SOUTH AUSTRALIA
HART			HARTLEY HOSPITAL - SOUTH AUSTRALIA
LYEL			LYELL MC EWIN HOSPITAL - SOUTH AUSTRALIA
MEMO			MEMORIAL HOSPITAL - SOUTH AUSTRALIA
MODB			MODBURY HOSPITAL - SOUTH AUSTRALIA
NASC			NORTH ADELAIDE SATELLITE - SOUTH AUSTRALIA
PTAG			PORT AUGUSTA SATELLITE - SOUTH AUSTRALIA
QEZB			THE QUEEN ELIZABETH HOSPITAL - SOUTH AUSTRALIA
RADL			ROYAL ADELAIDE HOSPITAL - SOUTH AUSTRALIA
WAYV			WAYVILLE SATELLITE - SOUTH AUSTRALIA
WCHL			WOMENS AND CHILDRENS - SOUTH AUSTRALIA
ARMA	6	WA	ARMADALE SATELLITE - WESTERN AUSTRALIA
BRME			BROOME HOSPITAL - WESTERN AUSTRALIA
BUNB			BUNBURY SATELLITE - WESTERN AUSTRALIA
FREM			FREMANTLE HOSPITAL - WESTERN AUSTRALIA
GRLD			GERALDTON HOSPITAL - WESTERN AUSTRALIA
JOHN			ST JOHN OF GOD HOSPITAL - WESTERN AUSTRALIA
JOON			JOONDALUP SATELLITE UNIT - WESTERN AUSTRALIA
KALG			KALGOORLIE HOSPITAL - WESTERN AUSTRALIA
LI ON			LIONS EYE INSTITUTE - WESTERN AUSTRALIA
LORA			LEONORA HOSPITAL - WESTERN AUSTRALIA
MAND			PEEL HEALTH CAMPUS - WESTERN AUSTRALIA
MNTH			MOUNT HOSPITAL - WESTERN AUSTRALIA
PBTB			PERTH BONE AND TISSUE BANK - WESTERN AUSTRALIA
PMHC			PRINCESS MARGARET HOSPITAL - WESTERN AUSTRALIA

ANZDATA REGISTRY LIST OF CENTRES AS AT FEBRUARY 2000

HOSP	STATE CODE	STATE COUNTRY	HOSPITAL
PRTH			PORT HEDLAND HOSPITAL - WESTERN AUSTRALIA
RLPT			ROYAL PERTH HOSPITAL - WESTERN AUSTRALIA
ROEB			ROEBOURNE DISTRICT HOSPITAL - WESTERN AUSTRALIA
RPAT			REPATRIATION GENERAL HOSPITAL - WESTERN AUSTRALIA
RPRH			ROYAL PERTH REHABILITATION HOSPITAL - WESTERN AUSTRALIA
SCGH			SIR CHARLES GAIRDNER HOSPITAL - WESTERN AUSTRALIA
BURN	7	TAS	BURNIE HOSPITAL - TASMANIA
CALV			CALVARY HOSPITAL - TASMANIA
LAUN			LAUNCESTON HOSPITAL - TASMANIA
MERS			MERSEY HOSPITAL - TASMANIA
NWRU			NORTH WEST RENAL UNIT - TASMANIA
RHBT			ROYAL HOBART HOSPITAL - TASMANIA
AUCK	8	NZ	AUCKLAND HOSPITAL - NEW ZEALAND
BLNH			BLenheim HOSPITAL - NEW ZEALAND
CHCH			CHRISTCHURCH HOSPITAL - NEW ZEALAND
DARG			DARGAVILLE HOSPITAL - NEW ZEALAND
DUDN			DUNEDIN HOSPITAL - NEW ZEALAND
GISB			GISBORNE HOSPITAL - NEW ZEALAND
GLNE			GREENLANE HOSPITAL - NEW ZEALAND
GORE			GORE HOSPITAL - NEW ZEALAND
GREY			GREYMOUTH HOSPITAL - NEW ZEALAND
HAST			HASTINGS HOSPITAL - NEW ZEALAND
Hawe			HAWERA HOSPITAL - NEW ZEALAND
HUTT			LOWER HUTT HOSPITAL - NEW ZEALAND
INVC			INVERCARGILL HOSPITAL - NEW ZEALAND
KAE0			KAE0 HOSPITAL - NEW ZEALAND
KAIT			KAITIAI HOSPITAL - NEW ZEALAND
KAWA			KAWAKAWA HOSPITAL - NEW ZEALAND
KERI			KERIKERI HOSPITAL - NEW ZEALAND
KOHE			KAIKOHE HOSPITAL - NEW ZEALAND
MAST			MASTERTON HOSPITAL - NEW ZEALAND
MIDM			MIDDLEMORE HOSPITAL - NEW ZEALAND
NAPR			NAPIER HOSPITAL - NEW ZEALAND
NELS			NELSON HOSPITAL - NEW ZEALAND
NEYE			NATIONAL EYE BANK - NEW ZEALAND
NTSH			NORTHSHORE HOSPITAL - NEW ZEALAND
OHAK			OHAKUNE HOSPITAL - NEW ZEALAND
PALM			PALMERSTON HOSPITAL - NEW ZEALAND
PATH			PATHOLOGY SCHOOL OF MEDICINE - NEW ZEALAND
PLYM			NEW PLYMOUTH HOSPITAL - NEW ZEALAND
RAWE			RAWENE HOSPITAL - NEW ZEALAND
ROTO			ROTORUA HOSPITAL - NEW ZEALAND
STAR			STARSHIP CHILDRENS HOSPITAL - NEW ZEALAND
TAPA			TAPANUI HOSPITAL - NEW ZEALAND
TAUM			TAUMARUNUI HOSPITAL - NEW ZEALAND
TAUR			TAURANGA HOSPITAL - NEW ZEALAND
TIMA			TIMARU HOSPITAL - NEW ZEALAND
WELN			WELLINGTON HOSPITAL - NEW ZEALAND
WGAN			WANGANUI HOSPITAL - NEW ZEALAND
WHAK			WHAKATANE HOSPITAL - NEW ZEALAND
WHAN			WHANGAREI HOSPITAL - NEW ZEALAND
WKTO			WAIKATO HOSPITAL - HAMILTON - NEW ZEALAND

ANZDATA REGISTRY LIST OF COUNTRIES AS AT FEBRUARY 2000

CODE	NAME OF COUNTRY	CODE	NAME OF COUNTRY
10	AUSTRALIA	102	KUWAIT
11	NEW ZEALAND	103	SAUDI ARABIA
12	FIJI	104	JORDAN
13	WESTERN SAMOA	110	CHINA
14	SAMOA	111	TAIWAN
15	PAPUA NEW GUINEA	112	HONG KONG
16	INDONESIA	113	CAMBODIA
17	TONGA	114	VIETNAM
18	BALI	115	KOREA
19	COOK ISLANDS	116	JAPAN
20	TIMOR	117	INDIA
21	EAST TIMOR	118	PAKISTAN
22	NEW CALEDONIA	119	MALAYSIA
23	NAURU	120	SINGAPORE
24	VANUATU	121	PHILIPPINES
25	NIUE	122	BANGLADESH
26	SOLOMON ISLANDS	123	LAOS
27	NOUMEA	124	SRI LANKA
28	TOKELAU	125	THAILAND
29	WALLIS ISLAND	126	BURMA
30	NORFOLK ISLAND	127	BRUNEI
31	CHRISTMAS ISLAND	128	BORNEO
32	COCOS ISLANDS	140	UNITED STATES
33	TAHITI	141	CHILE
34	TOBALANAH	142	COLUMBIA
35	ROTOMANU ISLAND	143	CANADA
36	ATIUTU ISLAND	144	URUGUAY
37	TUVALU ISLAND	145	ECUADOR
38	ELLIS ISLAND	146	BRAZIL
39	THURSDAY ISLAND	147	ARGENTINA
40	ENGLAND	148	JAMAICA
41	SCOTLAND	149	EL SALVADOR
42	WALES	150	SOUTH AMERICA
43	UNITED KINGDOM	151	BOLIVIA
44	PORTUGAL	152	PERU
45	SPAIN	153	NICARAGUA
46	FRANCE	154	BERMUDA
47	NORWAY	155	MARTINIQUE
48	SWITZERLAND	156	PARAGUAY
49	ITALY	157	WEST INDIES
50	GERMANY	158	BARBADOS
51	SWEDEN	160	SOUTH AFRICA
52	HOLLAND	161	ANGOLA
53	LATVIA	162	UGANDA
54	ESTONIA	163	MAURITIUS
55	DENMARK	164	GHANA
56	IRELAND	165	ZIMBABWE
57	AUSTRIA	166	SEYCHELLES
58	BELGIUM	167	ZAMBIA
59	FINLAND	168	SUDAN
60	LITHUANIA	169	ERITREA
61	SICILY	170	TRIPOLI
62	CHANNEL ISLES	171	KENYA
63	ICELAND	172	SOMALIA
70	CZECHOSLOVAKIA	173	MOROCCO
71	GREEK MACEDONIA	190	KOSRAE ISLAND
72	POLAND	191	OCEAN ISLAND
73	HUNGARY		
74	YUGOSLAVIA/STATES		
75	RUSSIA		
76	BULGARIA		
77	UKRAINE		
78	ROMANIA		
79	ARMENIA		
80	ALBANIA		
81	AFGHANISTAN		
82	ASSYRIA		
83	SIBERIA		
84	KAZAKHSTAN		
90	GREECE		
91	LEBANON		
92	SYRIA		
93	IRAQ		
94	IRAN		
95	LIBYA		
96	MALTA		
97	EGYPT		
98	PALESTINE		
99	TURKEY		
100	CYPRUS		
101	ISRAEL		

138 rows selected.

LIST OF PAST SURVEY DATES**UPDATED FEBRUARY 2000**

HISTORY SEQUENCE		SURVEY DATES
0	=	1.4.99 – 30.9.99
1	=	1.10.98 – 31.3.99
2	=	1.4.98 – 30.9.98
3	=	1.10.97 – 31.3.98
4	=	1.4.97 - 30.9.97
5	=	1.10.96 - 31.3.97
6	=	1.4.96 – 30.9.96
7	=	1.10.95 - 31.3.96
8	=	1.4.95 - 30.9.95
9	=	1.10.94 - 31.3.95
10	=	1.4.94 - 30.9.94
11	=	1.10.93 - 31.3.94
12	=	1.4.93 - 30.9.93
13	=	1.10.92 - 31.3.93
14	=	1.4.92 - 30.9.92
15	=	1.10.91 - 31.3.92
16	=	1.4.91 - 30.9.91
17	=	1.11.90 - 31.3.91
18	=	1.5.90 - 31.10.90
19	=	1.11.89 - 30.4.90
20	=	1.5.89 - 31.10.89
21	=	1.11.88 - 30.4.89
22	=	1.5.88 - 31.10.88
23	=	1.11.87 - 30.4.88
24	=	1.5.87 - 31.10.87
25	=	1.11.86 - 30.4.87
26	=	1.5.86 - 31.10.86
27	=	1.11.85 - 30.4.86
28	=	1.5.85 - 31.10.85
29	=	1.11.84 - 30.4.85
30	=	1.5.84 - 31.10.84
31	=	1.11.83 - 30.4.84
32	=	1.5.83 - 31.10.83
33	=	1.11.82 - 30.4.83
34	=	1.5.82 - 31.10.82
35	=	1.11.81 - 30.4.82
36	=	1.5.81 - 31.10.81
37	=	1.11.80 - 30.4.81