

ANZDATA REGISTRY DATABASE

DATA DICTIONARY

INCORPORATING ALTERATIONS, ADDITIONS AND INSTRUCTIONS

ANZDATA REGISTRY

THE QUEEN ELIZABETH HOSPITAL

WOODVILLE 5011

MAY 2002

ANZDATA REGISTRY - MAY 2002

PROJECT	-	MAIN DATABASE ALTERATION AND ADDITIONS
DATA DICTIONARY	-	ANZDATA REGISTRY
PROGRAMME	-	ANZDATA REGISTRY DATABASE
DESIGNER'S NAME	-	LEE EXCELL
DATE OF ISSUE	-	MAY 2002
COMPUTER	-	INTEL(R) - PENTIUM (R/4) - 2 GHZ
OPERATING SYSTEM	-	WINDOWS 2000
DATABASE	-	ORACLE Version 8i 8.1.5
PROGRAMMING LANGUAGE	-	P/L SQL, SQL *PLUS
VERSION	-	VERSION 8.1.5
FORMS	-	VERSION 6.0.5.0.2

General Description of the Programme -

This programme is for use by the Anzdata Registry for data entry purposes through the collection of Screens and for access in analysing the data through the enclosed Tables, as described in the Data Dictionary, using the Structured Query Language (SQL). This data is available for distribution to participating units or for approved research purposes via an ASCII file.

This programme is Oracle Version 8i with the Java Option running on a Windows NT Version 4 operating system. The migration to this current version of Oracle has ensured Year 2000 compliance.

Screens for data entry have been redesigned together with the addition of new fields and amendments to the Tables. These have been linked and tested and have produced a working programme for the Anzdata Registry for the years to come.

CONTENTS

	PAGE
PROGRAMME DETAILS AND DESCRIPTION	
DATABASE TABLES	
IDENTITY TABLE	4
DEMOGRAPHIC TABLE	5
COMORBID TABLE	6
COHISTRY TABLE	7
CORISK TABLE	8
HISTRY TABLE	9-10
TRANSFER TABLE	10
LOCATION TABLE	10
TREATMENTS TABLE	11
DEATH TABLE	11
DIALYSIS TABLE	12-13
GRAFT TABLE	14-15
MULTIPLE TABLE	16
REJECTION TABLE	17
MONOCLONAL TABLE	18
DRUG TABLE	19
CYADRUG TABLE	20
WEIGHT TABLE	21
SCREAT TABLE	22
DONOR TABLE	23
HLA TABLE	24
PAEDIATRIC TABLE	25
PARENTHOOD TABLE	26
EPOSURVEY TABLE	27
CANDONOR TABLE	28
NONSKIN TABLE	29
SKIN TABLE	30
LYMPHOMA TABLE	31
CANCERPATS TABLE	32
EPO2 AND EPO2A TABLES (no longer collected)	33
ATG AND OLDPARENTHOOD TABLES (no longer collected)	34
AMYLOID TABLE (no longer collected)	35
OLDSKIN TABLE (no longer collected)	36
SQL (STRUCTURED QUERY LANGUAGE) ACCESS TABLES	
TXDATA TABLE	37
LASTRX TABLE	37
DXBDF TABLE	38
DXLM TABLE	38
DXPD TABLE	38
APPENDIX	
CD CODES TABLES AND DESCRIPTIONS (HOW TO ACCESS)	39
ANZDATA REGISTRY - LIST OF CENTRES	40-46
DEMOGRAPHIC - CODES LIST OF COUNTRIES	47
ANZDATA LIST OF HISTORY SEQUENCES AND SURVEY DATES	48
ANZDATA FORM AND INSTRUCTIONS ON BACK OF FORM	
ACUTE REJECTION FORM	
CANCER FORM	
PAEDIATRIC FORM	
PARENTHOOD OUTCOME FORM	

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

IDENTITY TABLE

(Screen 1)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
INITHOSP	Initial hospital	VARCHAR2 (4)	*See CDCENTRES
INITSTAT	Initial state	NUMBER (1)	0-8
INITUNIT	Initial hospital unit number	VARCHAR2 (10)	
CURRHOSP	Current hospital	VARCHAR2 (4)	*See CDCENTRES
CURRSTAT	Current state	NUMBER (1)	0-8
CURRUNIT	Current hospital unit number	VARCHAR2 (10)	
PHYSICIAN	Surname of caring physician	VARCHAR2 (20)	
SURNAME	Surname	VARCHAR2 (30)	
GIVNAME	Given name	VARCHAR2 (30)	
DATBIRTH	Date of birth	DATE	< Date of entry
SEX	Sex (M or F)	VARCHAR2 (1)	M or F
RACE	Racial origin	NUMBER (2)	* See CDRACE
RACEOTHR	Racial origin other	VARCHAR2 (15)	
STATRESIDENT	Resident State of Aboriginal patients within the two years before starting treatment	NUMBER (1)	0-8
DISEASE	Primary renal disease	NUMBER (3)	* See CDDISEASE
DISOTHR	Disease other	VARCHAR2 (35)	
BIOPSY	Was native kidney biopsied?	VARCHAR2 (1)	Y/ N or null
SERCREAT	Serum creatinine at entry	NUMBER (4)	
NTRESIDENT	Northern Territory resident?	VARCHAR2 (1)	Y or null
TASRESIDENT	Tasmanian resident?	VARCHAR2 (1)	Y or null

* See List of Values from CDCODES Tables or Key F9 (if using Screen).

Length of fields changed from 1.10.2000

SURNAME	Surname	VARCHAR2 (30)
GIVNAME	Given name	VARCHAR2 (30)
DISOTHR	Disease other	VARCHAR2 (35)

Field to added to Screen 1.4.1998

SERCREAT	-	Serum creatinine at entry	NUMBER (4)
----------	---	---------------------------	------------

Previous collection ceased 31.3.1991 – but all old data remains on the TableField added to Table and Screen 1.4.1998

STATRESIDENT	Resident State of Aboriginal patients Within the two years before starting treatment	NUMBER (1)	0-8
--------------	---	------------	-----

Field added to Table and Screen 1.4.1997

BIOPSY	Was native kidney biopsied?	VARCHAR2 (1)	Y/N or null
--------	-----------------------------	--------------	-------------

Field added to Table and Screen 1.4.1994

TASRESIDENT	-	Tasmanian resident?	VARCHAR2 (1)	Y or null
-------------	---	---------------------	--------------	-----------

Screen Key Directions

Show Keys-Ctrl F1	Enter Query-F7	Execute Query-F8	F10-Commit Entry (Accept)
F5-Return to Menu	New Record –F6	List Values=F9	
(Ctrl) Enter or F12=Page Down or next Screen		(Shift) Enter or F11=Page Up or earlier Screen	
Exit the program=Exit or Ctrl Q	Display Error-Shift F1		

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

DEMOGRAPHIC TABLE**(Screen 1)**

Name		Description	Range/Values	Type and Size
PATIENT		Patient Number (not Null)	NUMBER (6)	100001 - 999999
COUNTRY		Country of birth	NUMBER (3)	10 onwards or null * See CDCOUNTRY
POSTCODE		Postcode at Entry-Australian patients	NUMBER (4)	2050, 5011 or null
YEAR	**	Year of arrival in Australia	NUMBER (4)	1940, 1960 or null
YEARNZ	**	Year of arrival in New Zealand	NUMBER (4)	1940, 1960 or null

* See List of Values from CDCODES Tables or Key F9 (if using Screen)

Data for this Table collected from 1.4.1993Fields not collected from 1.4.1995 but remain on Table and Screen

** YEAR	Year of arrival in Australia	NUMBER (4)	1940, 1960 or null
** YEARNZ	Year of arrival in New Zealand	NUMBER (4)	1940, 1960 or null

Cursor to POSTCODE then skip YEAR and YEARNZ – Shift-Tab to access

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

COMORBID TABLE

(Screen 1)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
REFERRAL3	Late referral seen <3 mths before 1st treatment	VARCHAR2 (1)	Y/N/U or null
HEIGHT	Height of patient, at entry, in cms	NUMBER (4,1)	eg 175.5
WEIGHT	Weight of patient, at entry, in kgs	NUMBER (4,1)	eg 100.5
CIG	Cigarette smoking	VARCHAR2 (1)	N/F/C/U or null
HT	Hypertension requiring treatment	VARCHAR2 (1)	Y/N/U or null
DURATION **	Duration of known renal failure in years	NUMBER (4,2)	eg .5-20.75 yrs
IMMOTHR **	Description of drugs given	VARCHAR2 (20)	
IMMUNO **	Pre Dialysis Immunosuppression duration >3/12	VARCHAR2 (1)	Y/N/X or null
REFERRAL **	Late referral seen <6 mths before 1st treatment	VARCHAR2 (1)	Y/N/U or null

Data collected from 1.4.91 (but retrospective data entered from some hospitals)

Fields moved to COHISTRY Table from 1.10.2000 . This is a history table to enable these fields to be updated each Survey

LUNG	Chronic lung disease present?	VARCHAR2 (1)	Y/N/S/U or null
CORONARY	Coronary artery disease present?	VARCHAR2 (1)	Y/N/S/U or null
PVD	Peripheral vascular disease present?	VARCHAR2 (1)	Y/N/S/U or null
CVD	Cerebrovascular disease present?	VARCHAR2 (1)	Y/N/S/U or null
DIABETES	Diabetes present?	VARCHAR2 (1)	N/O/P/Q or null

Fields moved to CORISK Table from 1.10.2000 . This is a history table to enable these fields to be added to each Survey

RISK1	Coding of first Other Comorbid Condition	NUMBER (2)	* See CDRISK
RISK2	Coding of second Other Comorbid Condition	NUMBER (2)	* See CDRISK
RISK3	Coding of third Other Comorbid Condition	NUMBER (2)	* See CDRISK
RISKOTHR	Description of any other risk factor(s)	VARCHAR2 (40)	

Previous Table CORMORBID with all the above data has been renamed COMORBIDOLD and remains on the database for reference, but not used from 1.10.2000.

Field added to Table and Screen from 1.4.1997

REFERRAL3	Late referral seen <3 mths before first treatment	VARCHAR2 (1)	Y/N/U or null
-----------	---	--------------	---------------

Field added from 1.4.1995 but not collected after 31.3.1997 but remains on Table

** REFERRAL	Late referral seen <6 mths before 1st treatment	VARCHAR2 (1)	Y/N/U or null
-------------	---	--------------	---------------

Fields not collected after 31.3.1997 - but remain on Table

** IMMUNO	Pre Dialysis Immunosuppression - duration >3/12	VARCHAR2 (1)	Y/N/X or null
** IMMOTHR	Description of drugs given	VARCHAR2 (20)	

Field added to Table and Screen from 1.4.1994

HT	Hypertension requiring treatment	VARCHAR2 (1)	Y/N/U or null
----	----------------------------------	--------------	---------------

Field not collected after 31.3.1995 - but remains on Table

** DURATION	Duration of known renal failure in years	NUMBER (4,2)	eg .5-20.75 yrs
-------------	--	--------------	-----------------

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

COHISTORY TABLE**(Screen 1)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
CODATE	Date of first entry – Date of Survey	DATE	
LUNG	Chronic lung disease present?	VARCHAR2 (1)	Y/N/S/U or null
CORONARY	Coronary artery disease present?	VARCHAR2 (1)	Y/N/S/U or null
PVD	Peripheral vascular disease present?	VARCHAR2 (1)	Y/N/S/U or null
CVD	Cerebrovascular disease present?	VARCHAR2 (1)	Y/N/S/U or null
DIABETES	Diabetes present?	VARCHAR2 (1)	N/O/P/Q or null

This is a new History Table to enable the initial entry and subsequent updating of the above Comorbid conditions for each patient every Survey from 1.10.2000

The above Fields have been moved from the COMORBID Table (with all existing data) from 1.10.2000

Field from 1.10.2000

CODATE	Date of first entry – Date of Survey	DATE
---------------	---	-------------

CODATE = Date of Entry for New Patients, and for existing patients, subsequent End of Survey Dates (inserted by the computer) for updating each Survey, eg 31-MAR-2001 will be the latest update

*CODATE will have the Current Survey Date entered ie 31-MAR-2002 (for the March 2002 Survey)
Next Survey CODATE will have the Current Survey Date entered as 30-SEP-2002 (for the September 2002 Survey)
and 31-MAR-2002 will become the previous (or last) Survey Date.*

Data collection for the above fields commenced from 1.10.1991

Some retrospective data has been entered by hospitals and appears in the above fields.

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

CORISK TABLE**(Screen 1)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
CODATE	Date of first entry – Date of Survey	DATE	
RISK	Coding of Other Comorbid Condition	NUMBER (2)	
RISKOTHER	Description of Other Comorbid Condition	VARCHAR2 (40)	

This Table enables these fields to be added to each Survey from 1.10.2000**Fields from 1.10.2000**

CODATE	Date of first entry – Date of Survey	DATE
RISK	Coding of Other Comorbid Condition	NUMBER (2)
RISKOTHER	Description of Other Comorbid Condition	VARCHAR2 (40)

CODATE = Date of Entry for New Patients, and for existing patients, subsequent End of Survey Dates (inserted by the computer) for updating each Survey, eg 31-MAR-2002 will be the latest update

*CODATE will have the Current Survey Date entered ie 31-MAR-2002 (for the March 2002 Survey)
Next Survey CODATE will have the Current Survey Date entered as 30-SEP-2002 (for the September 2002 Survey)
and 31-MAR-2002 will become the previous (or last) Survey Date.*

Code and Text Description of Risk found in CDCODES Table CDRISK

Fields moved from COMORBID Table from 1.10.2000**Data entered into the following fields from 1.10.1994**

Some retrospective data has been entered by hospitals and appears in the above fields.

RISK1	Coding of first Other Comorbid Condition	NUMBER (2)
RISK2	Coding of second Other Comorbid Condition	NUMBER (2)
RISK3	Coding of third Other Comorbid Condition	NUMBER (2)
RISKOTHR	Description of any other risk factor(s)	VARCHAR2 (40)

Data from Fields RISK1, RISK2 and RISK3 has been inserted into the new Field RISK

Data from RISKOTHR has been inserted into new Field RISKOTHER

All existing data as at 30.9.2000 has been retained in the Table COMORBIDOLD (not used from 30.9.2000)

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

HISTRY TABLE**(Screen 2)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
HISTSEQ #	Sequence number (not Null)	NUMBER (2)	
HOSPCODE	Hospital code	VARCHAR2 (4)	* See CDCENTRES
STATE	State code	NUMBER (1)	
CENTRECODE	Centre of geographical location end of survey	VARCHAR2 (4)	* See CDCENTRES
CENTRESTATE	Centre State code	NUMBER (1)	
WAITING	Is patient on the Waiting List	VARCHAR2 (1)	Y/N/X or null
ANTIBODY	Hepatitis C Antibody	VARCHAR2 (1)	1,2,3 or null
LIKEHOOD	Likelihood of transplant	NUMBER (2)	* See CDLIKEHOOD
TRANOTHR	Likelihood transplant other reasons	VARCHAR2 (20)	
EXDIALTYPE **	Dialysis Type	NUMBER (2)	* See CDDIALYSIS
PCRTEST **	Hepatitis C-RNA P.C.R. Test	VARCHAR2 (1)	1,2,3 or null
QUALCODE **	Quality of life code	NUMBER (3)	* See CDLIFE
WORKCODE **	Rehabilitation code	NUMBER (2)	* See CDREHAB

* See List of Values from CDCODES Tables or Key F9 (if using Screen).

HISTSEQ 0 is data from the most recent Survey (ie 1.10.2001 – 31.3.2002)

All other records are historical with Histseq 1 being second most recent survey (1.4.2001 – 30.9.2001) through to oldest Histseq 42 (1.11.1980-30.4.1981)

See list of Survey Dates accompanying this issue on Page 47

HISTSEQ	-	Is forwarded before data entry each Survey to reflect the new Survey period dates of data collection	NUMBER (2)
---------	---	--	------------

Field added to Table and Screen from 1.10.2000

WAITING	Is Patient on the Waiting List	VARCHAR2 (1)	Y/N/X and null
---------	--------------------------------	--------------	----------------

Fields not collected from 1.10.2000 but to remain on the Table and Screen

LIKEHOOD	Likelihood of transplant	NUMBER (2)	* See CDLIKEHOOD
TRANOTHR	Likelihood transplant other reasons	VARCHAR2 (20)	

Fields from HistoryTable Hepatitis moved to Histry Table – Hepatitis Table discontinued from 1.4.1999

ANTIBODY	Hepatitis C Antibody	VARCHAR2 (1)	1,2,3 or null
PCRTEST **	Hepatitis C-RNA P.C.R. Test	VARCHAR2 (1)	1,2,3 or null

Data for Hepatitis collected from 1.4.1992. PCRTEST not collected after 31.3.1994 but remained on old Hepatitis Table and now transferred to Histry

Field not collected from 1.4.1998 but remains on the Table.

** QUALCODE	Quality of life code	NUMBER (3)	* See CDLIFE
-------------	----------------------	------------	--------------

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

HISTORY TABLE (Continued)**(Screen 2)**

Field values changed from 1.10.1994 onwards - Old Codes merged to the new Codes where possible

LIKEHOOD	Likelihood of transplant	NUMBER (2)	* See CDLIKEHOOD
----------	--------------------------	------------	------------------

Field not collected from 1.4.1994 but remains on the Table

** WORKCODE	All data remains in HISTORY Table	NUMBER (2)
	WORKCODE remains on CDCODES Table.	

Field not collected from 1.4.1991 but remains on the Table

** EXDIALTYPE	Renamed field (Old name was DIALTYPE)	NUMBER (2)
	All data remains in HISTORY Table	
	Data from 1.4.1991 stored in DIALYSIS Table	
	EXDIALTYPE and DIALTYPE to continue to share same CDCODES Table	

TRANSFER TABLE**(Screen 2)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
HOSPCODE	Hospital of transfer	VARCHAR2 (4)	
HOSPCODE	Date of transfer	DATE	

Data collected for this Table from 1.10.1999, though retrospective data has been entered currently to 31.12.87

Allows more accurate assessment of patient movements between hospitals

LOCATION TABLE**(Screen 2)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
KEYHOSP	Key hospital (not Null)	VARCHAR2 (4)	* See CDCENTRES
KEYSTAT	Key state	NUMBER (1)	0-8
KEYUNIT	Key hospital unit number	VARCHAR2 (10)	

* See list of values from CDCENTRES or Key F9 (if using Screen)

Data collected for this Table from 1.4.1994

Allows entry of a unit's unique number for each patient.
This will be necessary for any unit creating a Database.

Patients having treatment in a particular unit and returning to their Caring unit or transferring, have the unit number stored permanently for access to files or Databases.

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

TREATMENTS TABLE**(Screen 3)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
SEQUNO	Sequence number (not Null)	NUMBER (2)	
RXCODE	Treatment code	VARCHAR2 (1)	A,B,C,D,E,F,G,H, I,J,K,L,M,X,Z *
RXDATE	Treatment date	DATE	

* See List of Values from CDTREAT Table or Key F9 (if using Screen).

DEATH TABLE**(Screen 3)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
CANCDIAG	Cancer ever diagnosed?	VARCHAR2 (1)	Y/N/X
CAUSDETH	Cause of death	NUMBER (3)	* See CDDEATH
DETHOTHR	Other causes of death	VARCHAR2 (35)	
GRAFTSUS	Was graft sustaining life without dialysis at time of death?	VARCHAR2 (1)	Y/N/X

* See List of Values from CDDEATH Table or Key F9 (if using Screen).

Length of fields changed from 1.10.2000

DETHOTHR	Other causes of death	VARCHAR2 (35)
----------	-----------------------	---------------

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

DIALYSIS TABLE**(Screen 4)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
DIALSEQ #	Sequence number (not Null)	NUMBER (2)	
DIALTYPE	Dialysis type	NUMBER (2)	* See CDDIALYSIS
DRYWEIGHT	Dry Weight on last dialysis: End Survey, Transplantation or Death	NUMBER (3)	eg 70, 199 (nearest kg)
HB	Haemoglobin level nearest end Survey	NUMBER (3)	Range 50-250 or null
EPO	EPO Agent	VARCHAR2 (1)	Y/N or null
FERRITIN	Within last 3 months of Survey	NUMBER (4)	0-9000 or null
TRANSFERRIN	Within last 3 months of Survey	NUMBER (3)	% or null
DIALBRAND	Dialyser brand, model, membrane, surface area	VARCHAR2 (5)	A-Z, 0-9, null * SEE CDBRAND
FLOWRATE	Blood flow rate (mls/min)	NUMBER (3)	
FREQUENCY	Frequency of dialysis per week	NUMBER (3,2)	
HOURS	Hours per session	NUMBER (4,2)	
METHOD	Urea reduction on Kt/V	VARCHAR2 (1)	*See CDMETHOD
METHODTHR	Description of Kt/V other method	VARCHAR2 (40)	
UREA	Urea reduction ratio %	NUMBER (2)	0-99 or null
KTVHD	Kt/V value on HD	NUMBER (4,2)	Range 0.5–3 or null
PRESENT	Vascular access present?	NUMBER (1)	1, 2, 3, 4 or null
DECLOTTED	Vascular access declotted during survey?	VARCHAR2 (1)	Y/N/D or null
REVISED	Vascular access revised during survey?	VARCHAR2 (1)	N/S/A/B or null
PET	PET test for PD-within first 6 mths starting?	NUMBER (3,2)	Range 0.1-2.5 or null
CONNECTION	Type of Peritoneal Connection System	NUMBER (2)	*See CDCONNECT
PERITONITIS	Date first episode of peritonitis - all PD	DATE	
CONNECTFIRST	Connection System (first episode peritonitis)	NUMBER (2)	*See CDCONNECT
EPISODES	Number of episodes peritonitis during survey	NUMBER (2)	
LITRES	Total volume weekly exchanges-All PD	NUMBER (3)	Range 5-200 or null
CLEARANCE	Creatinine Clearance (litres per week)	NUMBER (6,2)	Range 10-400 or null
KTPVD	Kt/V value on PD	NUMBER (4,2)	Range 0.1 – 8
RESIDUAL	Residual renal clearance (GFR)	NUMBER (5,2)	Range 0-500
TRANSFER1	1st reason transfer CAPD/CCPD during survey	NUMBER (2)	*See CDTRANSFER
TRANSFER1OTHR	Description of 1st reason for transfer	VARCHAR2 (40)	
TRANSFER2	2nd reason transfer CAPD/CCPD during survey	NUMBER (2)	*See CDTRANSFER
TRANSFER2OTHR	Description of 2nd reason for transfer	VARCHAR2 (40)	
BICARBONATE **	Bicarbonate Based Dialysate	VARCHAR2 (1)	Y/N or null
DIASTOLIC **	Blood pressure – minimum (mmHg)	NUMBER (3)	eg 90 or null
NIGHT **	Night time single exchange device	VARCHAR2 (1)	Y/N or null
REUSE **	Does patient reuse dialyser	VARCHAR2 (1)	Y/N or null
SYSTOLIC **	Blood pressure – maximum (mmHg)	NUMBER (3)	eg 140 or null

* See List of Values CDCODES Tables or Key F9 (if using Screen).

Data for this Table collected from 1.4.1991

DIALSEQ 0 will be data from the most recent Survey (ie 1.10.2001 – 31.3.2002)

DIALSEQ 1 will be data from the previous Survey (ie 1.4.20001– 30.9.2001)

DIALSEQ 21 is the oldest sequence (ie 1.4.1991 - 30.9.1991)

DIALSEQ - Is forwarded before data entry each Survey to reflect the new Survey period

Range changed from 1.10.01 to reflect the difference in the answer to this question

RESIDUAL	Residual renal clearance (GFR)	NUMBER (5,2)	Range 0-500
-----------------	---------------------------------------	---------------------	--------------------

(Continued next page)

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

DIALYSIS TABLE (Continued)**(Screen 4)****Field not collected from 1.4.02 but to remain on the Table**

CONNECTFIRST	Connection System (first episode peritonitis)	NUMBER (2)	*See CDCONNECT
---------------------	--	-------------------	-----------------------

New fields added to Table and Screen from 1.10.2000

HB	Haemoglobin level nearest end Survey	NUMBER (3)	Range 50-250 or null
EPO	EPO Agent	VARCHAR2 (1)	Y/N or null
FERRITIN	Within last 3 months of Survey	NUMBER (4)	0-5000
TRANSFERRIN	Within last 3 months of Survey	NUMBER (3)	%

New fields added to Table and Screen from 1.4.1999

METHOD	Urea reduction on Kt/V	VARCHAR2 (1)	*See CDMETHOD
METHODOTH	Description of Kt/V other method	VARCHAR2 (40)	
KTVHD	Kt/V value on HD	NUMBER (2,1)	Range 0.5-3 or null
PRESENT	Vascular access present?	NUMBER (1)	1, 2, 3, 4 or null
DECLOTTED	Vascular access declotted during survey?	VARCHAR2 (1)	Y/N/D or null
REVISED	Vascular access revised during survey?	VARCHAR2 (1)	N/S/A /B or null
PET	PET test for PD-within first 6 mths starting?	NUMBER (3,2)	Range 0.1-2.5 or null
CLEARANCE	Creatinine Clearance (litres per week)	NUMBER (6,2)	Range 10-400 or null
KTVPD	Kt/V value on PD	NUMBER (4,2)	Range 0.1 – 8
RESIDUAL	Residual renal clearance (GFR)	NUMBER (5,2)	Range 0-25
TRANSFER1OTHR	Description of 1st reason for transfer	VARCHAR2 (40)	
TRANSFER2OTHR	Description of 2nd reason for transfer	VARCHAR2 (40)	

Fields not collected from 1.4.1999 but to remain on the Table

** REUSE	Does patient reuse dialyser	VARCHAR2 (1)	Y/N or null
** NIGHT	Night time single exchange device	VARCHAR2 (1)	Y/N or null

Fields added to Table and Screen from 1.4.1998 and not collected from 1.10.2000 onwards. To remain on the Table

SYSTOLIC	Blood pressure – maximum (mmHg)	NUMBER (3)	eg 140 or null
DIASTOLIC	Blood pressure – minimum (mmHg)	NUMBER (3)	eg 90 or null

Fields added to Table and Screen from 1.4.1997

UREA	Urea reduction ratio %	NUMBER (2)	0-99 or null
NIGHT	Night time single exchange device	VARCHAR2 (1)	Y/N or null

Field not collected after 31.3.1997 - but remains on Table.

** BICARBONATE	Bicarbonate Based Dialysate	VARCHAR2 (1)	Y/N or null
----------------	-----------------------------	--------------	-------------

Field added to Table and Screen from 1.4.1995

DRYWEIGHT	Dry Weight on last dialysis: End Survey	NUMBER (3)	eg 70, 199 (nearest kg)
-----------	---	------------	-------------------------

Fields added to Table and Screen from 1.4.1994

LITRES	Total volume weekly exchanges-All PD	NUMBER (3)	Range 5-200 litres week
TRANSFER1	1st reason transfer CAPD/CCPD during survey	NUMBER (2)	*See CDTRANSFER
TRANSFER2	2nd reason transfer CAPD/CCPD during survey	NUMBER (2)	*See CDTRANSFER

Field (NAME ONLY) moved from another Table and Screen

DIALTYPE	This field stores and displays data collected from 1.4.1991 onwards (See HISTRY Table instructions and renaming for Dialysis data collected before 1.4.1991)		
----------	---	--	--

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

GRAFT TABLE

(Screen 5)

Name		Description	Type and Size	Range/Values
PATIENT		Patient Number (not Null)	NUMBER (6)	100001 - 999999
GRAFTNO		Graft number (not Null)	NUMBER (1)	1 - 5
TXDATE		Date of this transplant	DATE	
REFHOSP		Referring hospital before transplantation	VARCHAR2 (4)	* See CDCENTRES
REFSTAT		Referring State before transplantation	NUMBER (1)	
DONHOSP		Donor hospital	VARCHAR2 (4)	* See CDCENTRES
DONSTAT		Donor state	NUMBER (1)	
TRANHOSP		Transplant hospital	VARCHAR2 (4)	* See CDCENTRES
TRANSTAT		Transplant state	NUMBER (1)	
CMV		Recipient CMV antibody status	NUMBER (1)	1 - 3 or null
EBV		Recipient EBV antibody status	NUMBER (1)	1 - 3 or null
DONSOURC		Donor source	NUMBER (2)	* See CDSOURCE
DONOTHR		Donor other (If Code 8 entered)	VARCHAR2 (14)	
DONAGE		Donor age	NUMBER (2)	
DONSEX		Donor sex	VARCHAR2 (1)	M or F
ISCHEMIA		Total ischaemia (to nearest hour)	NUMBER (2)	
FUNCTION		Immediate function	NUMBER (1)	1, 2, 3, 4, 9 or null
PRDRECUR		Disease in graft kidney	VARCHAR2 (1)	Y, D, G, N or null
PRDDATE		Date disease in graft kidney first proven	DATE	
CAUSFAIL		Cause of graft failure	NUMBER (2)	* See CDGFAIL
CAUSOTHR		Other causes of graft failure	VARCHAR2 (25)	
MULTIPLE		Has recipient had another organ transplanted?	VARCHAR2 (1)	Y or null
DATENEPH	**	Date of graft nephrectomy	DATE	
BLTRANA	**	Ever transfused (before first graft only)	NUMBER (1)	1 - 3
BLTRANB	**	Number units transfused	NUMBER (2)	1 - 99
DATRANF	**	Date last transfusion	DATE	
INSITU	**	Insitu Y?	VARCHAR2 (1)	Y or null
KIDPRESI	**	Initial kidney preservation	NUMBER (2)	* See CDPRESI
KIDPRESM	**	Machine kidney preservation	NUMBER (1)	* See CDPRESM

* See List of Values from CDCODES Tables or Key F9 (if using Screen)

Fields added to Table and Screen from 1.4.1998

REFHOSP		Referring hospital before transplantation	VARCHAR2 (4)	* See CDCENTRES
REFSTAT		Referring State before transplantation	NUMBER (1)	

(Continued next page)

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

GRAFT TABLE (Continued)

(Screen 5)

Field added to Table and Screen from 1.4.1997

PRDDATE	Date recurrence first proven	DATE
---------	------------------------------	------

Fields not collected after 31.3.1997 but remain on the Table

** BLTRANA	Ever transfused (before first graft only)	NUMBER (1)	1 - 3
** KIDPRESI	Initial kidney preservation	NUMBER (2)	* See CDPRESI

Range of values changed from 1.4.1995

PRDRECUR	Disease in graft kidney See Codes on back of ANZDATA data form	VARCHAR2 (1)	Y, D, G, N or null
----------	---	--------------	--------------------

Screen changes from 1.4.1995

DATENEPH	Date of graft nephrectomy	DATE
----------	---------------------------	------

Field added to Table and Screen 1.4.1994

FUNCTION	Immediate function	NUMBER (1)	1, 2, 3, 9 or null
----------	--------------------	------------	--------------------

Field added to Table and Screen 1.4.1991

CMV	Recipient CMV antibody status	NUMBER (1)	1 - 3 or null
EBV	Recipient EBV antibody status	NUMBER (1)	1 - 3 or null

Fields retained on this Table - data not collected since 1.4.1991

** BLTRANB	-	Number units transfused	No Screen Display	NUMBER (2)
** DATRANF	-	Date of last transfusion	No Screen Display	DATE
** KIDPRESM	-	Machine kidney preservation	No Screen Display	NUMBER (1)
** DATENEPH	-	Date graft nephrectomy		DATE
** INSITU	-	Insitu Y?	No Screen Display	VARCHAR2 (1)

Field added to Table and Screen 1.10.1987

PRDRECUR	Disease in graft kidney	VARCHAR2 (1)	Y, D, G, N or null
----------	-------------------------	--------------	--------------------

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

MULTIPLE TABLE**(Screen 5)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
MULTSEQ	Sequence of multiple (not Null)	NUMBER (2)	
ORGAN	Code of organ transplanted	NUMBER (2)	* See CDORGAN
MULTDATE	Date of other organ graft	DATE	

* See List of Values from CDORGAN Table or Key F9 (if using Screen)

This data does not appear on the Anzdata Registry collection form

Entry of data into this Table is based upon information supplied by the Australia and New Zealand Organ Donation Registry

Currently only simultaneous Kidney/Heart , Kidney/Pancreas, Kidney/Liver entered

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

REJECTION TABLE**(Screen 6)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number (not Null)	NUMBER (1)	1 - 5
REJSEQ	Sequence number of episodes (not Null)	NUMBER (2)	1-20 or null
REJDATE	Date of this rejection episode	DATE	
BIOPSY	Was this episode biopsy proven?	VARCHAR2 (1)	Y,N or null
CELLULAR	If biopsy is Yes ?Cellular	NUMBER (1)	1,2,3,4 or null
VASCULAR	If biopsy is Yes ?Vascular	NUMBER (1)	1,2,3,4 or null
GLOMERULAR	If biopsy is Yes ?Glomerular	NUMBER (1)	1,2,3,4 or null
BANFFG	If biopsy is Yes and Banff g is known	NUMBER (1)	0,1,2,3 or null
BANFFI	If biopsy is Yes and Banff i is known	NUMBER (1)	0,1,2,3 or null
BANFFT	If biopsy is Yes and Banff t is known	NUMBER (1)	0,1,2,3 or null
BANFFV	If biopsy is Yes and Banff v is known	NUMBER (1)	0,1,2,3 or null
BXNO	If NOT BIOPSY proven = N	NUMBER (1)	1,2,3 or null
PRIMRX1	Primary treatment of rejection - 1	VARCHAR2 (1)	A - Z or null
PRIMRX2	Primary treatment of rejection - 2	VARCHAR2 (1)	A - Z or null
PRIMRX3	Primary treatment of rejection - 3	VARCHAR2 (1)	A - Z or null
OTHER	Other primary treatment specified	VARCHAR2 (20)	
RESPONSE	Response of this rejection to treatment	VARCHAR2 (1)	A - Z or null
COMMENTS	Comments on rejection episodes	VARCHAR2 (40)	

Table and Screen containing data collected from 1.4.1997**NOTE: Data for this Table is collected on a SEPARATE REJECTION FORM**

Question 47 on the main Data Form indicates whether the Rejection Form needs to be entered
 If Question 47 has an entry, this Table and Screen capture the Rejection form data

Field REJSEQ is automatically updated with sequence numbers after an entry is committed

Field added to Table from 1.4.1999

OTHER	Other primary treatment specified	VARCHAR2 (20)
-------	-----------------------------------	---------------

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

MONOCLONAL TABLE**(Screen 6)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number (not Null)	NUMBER (1)	1 - 5
SEQUNO	Sequence number of courses given (not Null)	NUMBER (1)	
MONODATE	Date of Monoclonal/Polyclonal therapy	DATE	
AGENT	Type of agent	NUMBER (1)	*See CDMONOAGENT
AGENTOTHR	Other types of agent	VARCHAR2 (27)	
DOSES	Actual number of doses given	NUMBER (2)	1-50 or null
REASON	Reason for use	NUMBER (1)	1-9 or null
REASONOTHR	Specify other reason	VARCHAR2 (27)	

* See List of Values from CDCODES Tables or Key F9 (if using Screen)

Table and Screen with fields containing data from 1.4.1997**Field SEQUNO automatically updated with sequence numbers after an entry is committed****Field REASONOTHR changed from VARCHAR (15) to VARCHAR(27) from 1.10.2002****NOTE: Relevant data from the old ATG Table has been inserted into the MONOCLONAL Table**

Data for ATG Table not collected in that format after 31.3.1997

ATG Table to remain on Database but no Screen Display

OLD ATG TABLE (Data from ATG to Monoclonal)

INSERT ATG.PATIENT (MONOCLONAL.PATIENT),ATG.GRAFTNO (MONOCLONAL.GRAFTNO),
 ATG.SEQUNO (MONOCLONAL.SEQUNO),ATG.ATGDATE (MONOCLONAL.MONODATE),
 ATG.AGENT (DECODE,1,8,2,8,3,8,4,4,5,8,6,8,7,8,9,8) (MONOCLONAL.AGENT),
 ATG.TIME (DECODE,1,1,2,7,3,7,4,7,5,7,6,8,7,8,9,8) (MONOCLONAL.REASON),
 ATG.TIMOTHR (MONOCLONAL.REASONOTHR)

NOTE: MONOCLONAL.AGENTOTHR (only new information to be entered)

DOSES (New information to be entered, as existing DOSES are <5 and >5 or uncertain)

OLD ATG TABLE - NEW MONOCLONAL TABLE

PATIENT	ATG.PATIENT=MONOCLONAL.PATIENT
GRAFTNO	ATG.GRAFTNO=MONOCLONAL.GRAFTNO
SEQUNO	ATG.SEQUNO=MONOCLONAL.SEQUNO
ATGDATE	ATG.ATGDATE=MONOCLONAL.MONODATE
	AGENT ATG.AGENT=MONOCLONAL.AGENT
	ATG.AGENT 1=MONOCLONAL.AGENT 1
	ATG.AGENT 4=MONOCLONAL.AGENT 4
	ATG.AGENT 2,3,5,6,7=MONOCLONAL.AGENT 8
	(There are no Code 9 Other monoclonal on the Database)
TIME	ATG.TIME 1=MONOCLONAL.REASON=1
	ATG.TIME 2,3,4,5=MONOCLONAL.REASON=7
	ATG.TIME 6,7,9=MONOCLONAL.REASON=8
TIMEOTHR	ATG.TIMEOTHR=MONOCLONAL.REASONOTHR

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

DRUG TABLE

(Screen 7)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number (not Null)	NUMBER (1)	1 - 5
DRUG #	Initial of drug given (not Null)	VARCHAR2(1)	* See CDDRUG
DOSE0M	Dose at 0 months	NUMBER (6,2)	or null
DOSE1M	Dose at 1 month	NUMBER (6,2)	or null
DOSE2M	Dose at 2 months	NUMBER (6,2)	or null
DOSE3M	Dose at 3 months	NUMBER (6,2)	or null
DOSE6M	Dose at 6 months	NUMBER (6,2)	or null
DOSE1Y	Dose at 1 year	NUMBER (6,2)	or null
DOSE2Y	Dose at 2 years	NUMBER (6,2)	or null
DOSE3Y	Dose at 3 years	NUMBER (6,2)	or null
DOSE5Y	Dose at 5 years	NUMBER (6,2)	or null
DOSE7Y	Dose at 7 years	NUMBER (6,2)	or null
DOSE10Y	Dose at 10 years	NUMBER (6,2)	or null
DOSE15Y	Dose at 15 years	NUMBER (6,2)	or null
DOSE20Y	Dose at 20 years	NUMBER (6,2)	or null
DOSE25Y	Dose at 25 years	NUMBER (6,2)	or null
DOSE30Y	Dose at 30 years	NUMBER (6,2)	or null
DOSE35Y	Dose at 35 years	NUMBER (6,2)	or null
DOSE4M **	Dose at 4 months	NUMBER (6,2)	or null
# D=CyA H=Aza P=Pred R=Chlorambucil S=Cyclophosphamide			
T=Beta Methasone V=Tacrolimus (FK506) W=Sirolimus X=Mycophenolate Mofetil (Cellcept)			
Y=RAD Trial			

* See list of values from CDDRUG Table or Key F9 (if using Screen)

Doses are to one decimal place

A second decimal place with a value of 2 (ie .02, .52) indicates an alternate day dose

Dose fields are uncoded (i.e null) where it is unknown if this drug was administered at any point

Dose fields are coded as zero (0) where it is **known** that this drug was not used.Field added to Table and Screen from 1.4.1997

DOSE7Y - Dose at 7 years NUMBER (6,2) or null

Field not collected from 1.4.1991 but remains on the Table - No Screen Display

** DOSE4M - Dose at 4 months NUMBER (6,2)

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

CYADRUG TABLE

(Screen 7)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001-999999
GRAFTNO	Graft number (not Null)	NUMBER (1)	1 - 5
CYADRUG0M	CyA sparing drug given at 0 months	NUMBER (2)	0 - 99
CYADRUG1M	CyA sparing drug given at 1 month	NUMBER (2)	0 - 99
CYADRUG2M	CyA sparing drug given at 2 months	NUMBER (2)	0 - 99
CYADRUG3M	CyA sparing drug given at 3 months	NUMBER (2)	0 - 99
CYADRUG6M	CyA sparing drug given at 6 months	NUMBER (2)	0 - 99
CYADRUG1Y	CyA sparing drug given at 1 year	NUMBER (2)	0 - 99
CYADRUG2Y	CyA sparing drug given at 2 years	NUMBER (2)	0 - 99
CYADRUG3Y	CyA sparing drug given at 3 years	NUMBER (2)	0 - 99
CYADRUG5Y	CyA sparing drug given at 5 years	NUMBER (2)	0 - 99
CYADRUG7Y	CyA sparing drug given at 7 years	NUMBER (2)	0 - 99
CYADRUG10Y	CyA sparing drug given at 10 years	NUMBER (2)	0 - 99
CYADRUG15Y	CyA sparing drug given at 15 years	NUMBER (2)	0 - 99
CYADRUG20Y	CyA sparing drug given at 20 years	NUMBER (2)	0 - 99
CYADRUG25Y	CyA sparing drug given at 25 years	NUMBER (2)	0 - 99
CYADRUG30Y	CyA sparing drug given at 30 years	NUMBER (2)	0 - 99
CYADRUG35Y	CyA sparing drug given at 35 years	NUMBER (2)	0 - 99

Data for this Table collected from 1.4.1994

From 1.4.1997 CyA Sparing Drugs recorded as -

CYADRUG CODE 0=Not given 1=Given

Field added to Table and Screen from 1.4.1997

CYADRUG7Y CyA sparing drug given at 7 years NUMBER (2) 0 - 99

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

WEIGHT TABLE**(Screen 8)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number (not Null)	NUMBER (1)	1 - 5
WTTX	Weight at transplant	NUMBER (3)	1 - 200 or null
WT1M	Weight 1 month	NUMBER (3)	1 - 200 or null
WT2M	Weight 2 months	NUMBER (3)	1 - 200 or null
WT3M	Weight 3 months	NUMBER (3)	1 - 200 or null
WT6M	Weight 6 months	NUMBER (3)	1 - 200 or null
WT1Y	Weight 1 year	NUMBER (3)	1 - 200 or null
WT2Y	Weight 2 years	NUMBER (3)	1 - 200 or null
WT3Y	Weight 3 years	NUMBER (3)	1 - 200 or null
WT5Y	Weight 5 years	NUMBER (3)	1 - 200 or null
WT7Y	Weight 7 years	NUMBER (3)	1 - 200 or null
WT10Y	Weight 10 years	NUMBER (3)	1 - 200 or null
WT15Y	Weight 15 years	NUMBER (3)	1 - 200 or null
WT20Y	Weight 20 years	NUMBER (3)	1 - 200 or null
WT25Y	Weight 25 years	NUMBER (3)	1 - 200 or null
WT30Y	Weight 30 years	NUMBER (3)	1 - 200 or null
WT35Y	Weight 35 years	NUMBER (3)	1 - 200 or null

WT4M **	Weight 4 months	NUMBER (3)	1 - 200 or null
---------	-----------------	------------	-----------------

Field added to Table and Screen from 1.4.1997

WT7Y	-	Weight 7 years	NUMBER (3)	1 - 200 or null
------	---	----------------	------------	-----------------

Field not collected from 1.4.1991 but remains on the Table - No Screen Display

** WT4M	-	Weight at 4 months	NUMBER (3)
---------	---	--------------------	------------

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

SCREAT TABLE

(Screen 8)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number (not Null)	NUMBER (1)	1 - 5
SC1M	Serum creatinine 1 months	NUMBER (4)	20-2000 or null
SC2M	Serum creatinine 2 months	NUMBER (4)	20-2000 or null
SC3M	Serum creatinine 3 months	NUMBER (4)	20-2000 or null
SC6M	Serum creatinine 6 months	NUMBER (4)	20-2000 or null
SC1Y	Serum creatinine 1 year	NUMBER (4)	20-2000 or null
SC2Y	Serum creatinine 2 years	NUMBER (4)	20-2000 or null
SC3Y	Serum creatinine 3 years	NUMBER (4)	20-2000 or null
SC5Y	Serum creatinine 5 years	NUMBER (4)	20-2000 or null
SC7Y	Serum creatinine 7 years	NUMBER (4)	20-2000 or null
SC10Y	Serum creatinine 10 years	NUMBER (4)	20-2000 or null
SC15Y	Serum creatinine 15 years	NUMBER (4)	20-2000 or null
SC20Y	Serum creatinine 20 years	NUMBER (4)	20-2000 or null
SC25Y	Serum creatinine 25 years	NUMBER (4)	20-2000 or null
SC30Y	Serum creatinine 30 years	NUMBER (4)	20-2000 or null
SC35Y	Serum creatinine 35 years	NUMBER (4)	20-2000 or null
SC4M **	Serum creatinine 4 months	NUMBER (4)	20-2000 or null

Field added to Table and Screen from 1.4.1997

SC7Y	-	Serum creatinine 7 years	NUMBER (4)	20-2000 or null
------	---	--------------------------	------------	-----------------

Field not collected from 1.4.1991 but remains on the Table No Screen Display

** SC4M	-	Serum creatinine 4 months	NUMBER (4)	
---------	---	---------------------------	------------	--

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

DONOR TABLE**(Screen 9)**

Name		Description	Type and Size	Range/Values
PATIENT		Patient Number (not Null)	NUMBER (6)	100001 - 999999
GRAFTNO	#	Graft number (not Null)	NUMBER (1)	0 - 5
BLGROUP		Blood group (Recipient and/or donor)	VARCHAR2 (2)	A,B,AB,O or null
A1		A locus (Recipient and/or donor)	VARCHAR2 (2)	* See CDALOCUS
A2		A locus (Recipient and/or donor)	VARCHAR2 (2)	* See CDALOCUS
CODEA		Method code for A locus	NUMBER (2)	* See CDTYPECODE
B1		B locus (Recipient and/or donor)	VARCHAR2 (2)	* See CDBLOCUS
B2		B locus (Recipient and/or donor)	VARCHAR2 (2)	* See CDBLOCUS
CODEB		Method code for B locus	NUMBER (2)	* See CDTYPECODE
D1		DR typing (Recipient and/or donor)	VARCHAR2 (2)	* See CDDRLOCUS
D2		DR typing (Recipient and/or donor)	VARCHAR2 (2)	* See CDDRLOCUS
CODEDR		Method code for DR locus	NUMBER (2)	* See CDTYPECODE
DQ1		DQ typing (Recipient and/or donor)	VARCHAR2 (2)	* See CDDQLOCUS
DQ2		DQ typing (Recipient and/or donor)	VARCHAR2 (2)	* See CDDQLOCUS
CODEDQ		Method code for DQ locus	NUMBER (2)	* See CDTYPECODE
MAXCYTO		Maximum cytotoxic antibodies	NUMBER (3)	0 - 100 or null
MAXTCELL		Crossmatch T cell for Maxcyto	NUMBER (1)	0,1,2 or null
MAXBCELL		Crossmatch B cell for Maxcyto	NUMBER (1)	0,1,2 or null
CURRCYTO		Current (At transplant) antibodies	NUMBER (3)	0 - 100 or null
CURRTCELL		Crossmatch T cell for Currecyto	NUMBER (1)	0,1,2 or null
CURRBCELL		Crossmatch B cell for Currecyto	NUMBER (1)	0,1,2 or null
W4	**	W4 (Recipient and/or donor)	VARCHAR2 (1)	4 or null
W6	**	W6 (Recipient and/or donor)	VARCHAR2 (1)	6 or null
	#	0 (zero) = Recipient details		
		1-5 = Graft number		

* See List of Values from CDCODES Tables or Key F9 (if using Screen)

Note: Some data has been entered in the following fields from 1.4.1995

CODEA, CODEB, CODEDR, CODEDQ, MAXTCELL, MAXBCELL, CURRTCELL, CURRBCELL

Data for these fields is supplied by Tissue Typing Laboratories

Field added to Table and Screen from 1.4.1987

DQ1		DQ typing (Recipient and/or donor)	VARCHAR2 (2)	* See CDDQLOCUS
DQ2		DQ typing (Recipient and/or donor)	VARCHAR2 (2)	* See CDDQLOCUS

Fields not collected since 1989 but remain on the Table – No Screen Display

** W4	-	W4 (Recipient and/or donor)	VARCHAR2 (1)
** W6	-	W6 (Recipient and/or donor)	VARCHAR2 (1)

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

HLA TABLE

(Screen 9)

Name		Description	Type and Size	Range/Values
PATIENT		Patient Number (not Null)	NUMBER (6)	100001 - 999999
GRAFTNO	#	Graft number (not Null)	NUMBER (1)	0 - 5
DRB1A		HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDRB1
DRB1B		HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDRB1
CODEDRB1		Method code for DRB1 DNA full typing	NUMBER (2)	*See CDTYPECODE
DRB3A		HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDRB3
DRB3B		HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDRB3
CODEDRB3		Method code for DRB3 DNA full typing	NUMBER (2)	*See CDTYPECODE
DRB4A		HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDRB4
DRB4B		HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDRB4
CODEDRB4		Method code for DRB4-DNA full typing	NUMBER (2)	*See CDTYPECODE
DRB5A		HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDRB5
DRB5B		HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDRB5
CODEDRB5		Method code for DRB5-DNA full typing	NUMBER (2)	*See CDTYPECODE
DQA1A		HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDQA1
DQA1B		HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDQA1
CODEDQA1		Method code for DQA1 DNA full typing	NUMBER (2)	*See CDTYPECODE
DQB1A		HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDQB1
DQB1B		HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDDQB1
CODEDQB1		Method code for DQB1 DNA full typing	NUMBER (2)	*See CDTYPECODE
DPB1A		HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDPB1
DPB1B		HLA full typing-DNA (Recipient/donor)	VARCHAR2 (5)	*See CDPB1
CODEDPB1		Method code for DPB1-DNA full typing	NUMBER (2)	*See CDTYPECODE
	#	0 (zero) = Recipient details		
		1-5 = Graft number		
	*	See List of Values from CDCODES Tables or Key F9 (if using Screen)		

Data collection for this Table does not appear on the ANZDATA form

To be supplied by SYDNEY TISSUE TYPING - but no data received by the Registry as at March 2002

CDCODES Tables

DNA codes have been entered in the following CDCODES Tables

CDDRB1 - CDDRB3 - CDDRB4 - CDDRB5 - CDDQA1 - CDDQB1 - CDDPB1

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

PAEDIATRIC TABLE

(Screen 10)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
SEQUNO	Sequence number (not Null)	NUMBER (2)	
PDATE	Date information	DATE	
HEIGHT	Height	NUMBER (4,1)	eg. 120.5
WEIGHT	Weight	NUMBER (4,1)	eg. 35.5
HEAD	Head circumference	NUMBER (3,1)	0 - 80.0
PUBERTYA #	Puberty status A	NUMBER (1)	1 - 5 or null
PUBERTYB #	Puberty status B	NUMBER (1)	1 - 5 or null
HORMONE	Growth hormone given each Survey period	VARCHAR2 (1)	Y, N or null
BONEDISEASE	Bone disease	NUMBER (1)	1 - 4 or null
BONEAGE	Bone age	NUMBER (3,1)	0 - 21.5
ASSESS	Paediatric Assessment at end of each Survey	NUMBER (2)	*See CDASSESS

Refer to Tanner Scale 1 to 5 for boys and girls (Appendix pages at the back)

* See List of Values from CDCODES TABLES or Key F9 (if using Screen)

Field added to Table and Screen 1.4.1994

ASSESS	Paediatric Assessment at end of each Survey	NUMBER (2)	*See CDASSESS
--------	---	------------	---------------

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

PARENTHOOD TABLE**(Screen 10)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
CONCEPDATE	Estimated date of conception	DATE	
PAREDATE	Date of birth or termination	DATE	
OUTCOME	Preganancy outcome	VARCHAR2 (1)	* See CDPOUTCOME
MEDICAL	Medical conditions acquired	VARCHAR2 (1)	* See CDMEDICAL
FOETAL	Foetal outcome	VARCHAR2 (1)	* See CDFOETAL
NEONATAL	Neonatal survival >28 days	VARCHAR2 (1)	Y/N/E or null
CREATPRIOR	Creatinine prior to conception	NUMBER (4)	20-2000 or null
CREATPOST	Creatinine 3 mths post delivery	NUMBER (4)	20-2000 or null
BIRTHWEIGHT	Weight at birth (gms)	NUMBER (5,1)	gms or null
COMMENTS	Any comments	VARCHAR2 (50)	

* See List of Values from CDPOUTCOME or Key F9 (if using Screen)

* See List of Values from CDMEDICAL or Key F9 (if using Screen)

* See List of Values from CDFOETAL or Key F9 (if using Screen)

New Table PARENTHOOD created with the above fields from 1.10.2001**Existing PARENTHOOD Table as at 30.9.2000 renamed OLDPARENTHOOD and data retained****Existing data from OLDPARENTHOOD inserted into new Table PARENTHOOD 1.10.2001****Insert into PARENTHOOD.PAREDATE all data from OLDPARENTHOOD.PAREDATE****Insert into OUTCOME data from OLDPARENTHOOD.PARECODE –****Where PARECODE=1 update OUTCOME =T****Where PARECODE=2 update OUTCOME=A****Where PARECODE=3 update OUTCOME=L****Where PARECODE=4 update OUTCOME=L****Where PARECODE=6 update OUTCOME=S****Where PARECODE=7 update OUTCOME=S****Where PARECODE=8 update OUTCOME=O****Insert into new Field COMMENTS data from OLDPARENTHOOD.PAREOTHR****NOTE: Data for this Table is collected on a SEPARATE PARENTHOOD OUTCOME FORM from 1.10.2001**

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

EPOSURVEY TABLE**(No Screen Display)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
EPOSEQ #	Sequence number (not Null)	NUMBER (2)	
HB	Hb level at end of Survey	NUMBER (4,1)	eg. 6.5, 12.6, 7 or null
EPOSURVEY	Was EPO used at any time during the Survey?	VARCHAR2 (1)	Y/N/U or null
ROUTE	Method of administration	VARCHAR2 (2)	S , I , (SI if both) or null
FREQ	Number doses per week	NUMBER (4,2)	eg. 0.5, .75, 1, 2, 3 or null
DOSEWEEK	Total units EPO given each week	NUMBER (8,2)	Value or null
MANUFACTURER	Who supplies EPO? A = (Amgen) J = (Janssen Cilag)	VARCHAR2 (1)	Range A-Z or null
IRON	Iron supplementation in past 3 months I = IV R = IV/Oral O = Oral N = No	VARCHAR2 (1)	Range A-Z or null

This Table and Screen used to collect data at end of Survey from 1.4.1998 – 30.9.1998 but discontinued from 1.10.1998

Fields added to Table and Screen from 1.4.1998

ROUTE	Method of administration	VARCHAR2 (2)	S , I , (SI if both) or null
FREQ	Number doses per week	NUMBER (2,2)	eg. 0.5, .75, 1, 2, 3 or null
DOSEWEEK	Total units EPO given each week	NUMBER (6,2)	Value or null
MANUFACTURER	Who supplies EPO? A = (Amgen) J = (Janssen Cilag)	VARCHAR2 (1)	Range A-Z or null
IRON	Iron supplementation in past 3 months I = IV R = IV/Oral O = Oral N = No	VARCHAR2 (1)	Range A-Z or null

Date for this Table ceased to be collected from 1.10.1998

History items forwarded (in view of any future collection) – Sequence 0 -1currently blank

As at 1.10.2001

EPOSEQ 0 – 6 Fields blank – Data no long collected from 1.10.1998 onwards

EPOSEQ 7 - Data collected from 1.4.1998 – 30.9.1998

EPOSEQ 8 – 15 blank. Data ceased to be collected from 1.4.1994

EPOSEQ 16 contains data from the Survey (1.10.1993 - 31.3.1994)

EPOSEQ 17 contains data from the Survey (1.4.1993 - 30.9.1993)

**EPOSEQ - This history item is forwarded before data entry each Survey
to reflect the new Survey period dates of data collection. NUMBER (2)**

Data not collected in old format since 1.4.1994, but old data remains on Table

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

CANDONOR TABLE**(Screen 11)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number (not Null)	NUMBER (1)	1-5
SEQUNO	Sequence cancers (not Null)	NUMBER (2)	
CANDON	Cancer in donor?	VARCHAR2 (1)	Y/N or null
CANTYPE	Cancer type - refer codes	NUMBER (2)	1-11
TYPEDESCR	Cancer type - description type	VARCHAR2 (16)	
CANSITE *	Cancer site - refer codes	NUMBER (4)	
SITEDESCR	Cancer site - description site	VARCHAR2 (16)	

* Code from ICD 0 TOPOGRAPHY

Field added to Table and Screen 1.4.1998 to enable entry of more than one type of cancer in donor

SEQUNO	Sequence number for cancers in donor	NUMBER (2)
--------	--------------------------------------	------------

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

NONSKIN TABLE

(Screens 11)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
SEQUNO	Sequence of nonskin cancers (not Null)	NUMBER (2)	
CATYPE	Cancer type - Section A cancer form	NUMBER (2)	1-13
TYPEDESCR	Description of Other cancer type	VARCHAR2 (30)	
CADATE	Date of cancer diagnosis	DATE	
PRIMSITE *	Primary site - refer codes	NUMBER (4)	
PRIMDESCR	Primary site description	VARCHAR2 (16)	
CASTAGE	Cancer staging code - refer cancer form	NUMBER (2)	1-20
RX1	Type 1st treatment - refer cancer form	NUMBER (2)	1-13
RX2	Type 2nd treatment - refer cancer form	NUMBER (2)	1-13
RX3	Type 3rd treatment - refer cancer form	NUMBER (2)	1-13
RX4	Type 4th treatment - refer cancer form	NUMBER (2)	1-13
RX5	Type 5th treatment - refer cancer form	NUMBER (2)	1-13
RXOTHR	Description of Other Treatment	VARCHAR2 (30)	
LYMPDATE	Date spread to lymph nodes	DATE	
SYSTDAT	Date spread systemically	DATE	
RECURDATE	Date of local recurrence	DATE	
CAUSPRD	Did cancer cause renal failure?	VARCHAR2 (1)	Y or N or null
CAUSDEATH	Did cancer cause/contribute to death?	VARCHAR2 (1)	Y or N or null
UNCERTDIAG **	Uncertain date diagnosis	VARCHAR2 (1)	Y or null
UNCERTLYM **	Uncertain date of spread	VARCHAR2 (1)	Y or null
UNCERTREC **	Uncertain date of recurrence	VARCHAR2 (1)	Y or null
UNCERTSYS **	Uncertain date of spread	VARCHAR2 (1)	Y or null
	* Code from ICD 0 Topography		

Field added to Table and Screen from 1.4.1999

RXOTHR	Description of Other Treatment	VARCHAR2 (30)
--------	--------------------------------	---------------

Field added to Table and Screen from 1.4.1997

TYPEDESCR	Description of Other cancer type	VARCHAR2 (30)
-----------	----------------------------------	---------------

** Fields to remain on the Database but no Screen Display from 1.4.1997

UNCERTDIAG	Uncertain date diagnosis	VARCHAR2 (1)	Y or null
UNCERTLYM	Uncertain date of spread	VARCHAR2 (1)	Y or null
UNCERTSYS	Uncertain date of spread	VARCHAR2 (1)	Y or null
UNCERTREC	Uncertain date of recurrence	VARCHAR2 (1)	Y or null

NOTE: Melanoma data from OLDSKIN Table inserted into this Table 1.4.1997

Data inserted from Table OLDSKIN into SKIN where CATYPE=7 (Melanoma) to CATYPE 13 in NONSKIN

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

SKIN TABLE

(Screen 11)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
CATYPE	Cancer type (not Null)	NUMBER (2)	See CDSKIN
PREDATE	Date of first cancer of this type pre entry	DATE	
DXDATE	Date of first cancer of this type on dialysis	DATE	
POSTDATE	Date of first cancer of this type post transplant	DATE	
LYMPDATE	Date spread to lymph nodes	DATE	
SYSTDATE	Date spread systemically	DATE	
CAUSDEATH	Did cancer cause/contribute to death?	VARCHAR2 (1)	Y or N or null

Table and Screen from 1.4.1997 - Previous SKIN Table renamed OLDSKIN

CATYPE	4 =	SCC (Squamous Cell Carcinoma)
	5 =	BCC (Basal Cell Carcinoma)
	6 =	Merkel Cell
	7 =	Hutchison Freckle
	10 =	Spindle Cell
	11 =	Giant Cell
	12 =	Eccrine (Sweat Gland)
	13 =	Fibrous Histiocytoma
	14 =	Fibroanthoma

NOTE: Data from OLDSKIN Table inserted into new Table SKIN

Select PATIENT from OLDSKIN where CATYPE 4,5 and 9

From these CATYPES, select (min) CADATE and within three sections

PREDATE	(First diagnosis date of this type occurring prior to entry to ESRF PROGRAMME),
DXDATE	(First diagnosis date of this type occurring after entry to dialysis, but pre transplant)
POSTDATE	(First diagnosis date of this type occurring post primary transplant)

Select where PATIENT has an entry for LYMPDATE and SYSTDATE where CATYPE in 4,5 or 9 and
INSERT THESE Dates into the corresponding fields in the SKIN TABLE

Select where PATIENT has an entry Y in CAUSDEATH in OLDSKIN and CATYPE in 4,5, or 9 and
INSERT 'Y' into the corresponding CAUSDEATH field in the SKIN TABLE

If there is no 'Y' and PATIENT is deceased enter 'N' in this field

If PATIENT is not deceased leave as null

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

LYMPHOMA TABLE**(Screen 12)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
SEQUNO	Sequence number of cancer (not Null)	NUMBER (2)	
CATYPE	Cancer type - Section A cancer form	NUMBER (2)	5,9,12 or null
DIFFUSE	Diffuse?	VARCHAR2 (1)	Y,N,U or null
NODULAR	Nodular?	VARCHAR2 (1)	Y,N,U or null
FOLLICULAR	Follicular?	VARCHAR2 (1)	Y,N,U or null
OTHER	Other description	VARCHAR2 (10)	
HISTIOCYTIC	Hystiocytic?	VARCHAR2 (1)	Y,N,U or null
LYMPHOCYTIC	Lymphocytic?	VARCHAR2 (1)	Y,N,U or null
MIXED	Mixed?	VARCHAR2 (1)	Y,N,U or null
UNDIFF	Undifferentiated?	VARCHAR2 (1)	Y,N,U or null
BCELL	B Cell?	VARCHAR2 (1)	Y,N,U or null
TCELL	T Cell?	VARCHAR2 (1)	Y,N,U or null
LARGECELL	Large Cell?	VARCHAR2 (1)	Y,N,U or null
SMALLCELL	Small Cell?	VARCHAR2 (1)	Y,N,U or null
OTHER1	Other description	VARCHAR2 (15)	
COMMENTS	Comments	VARCHAR2 (50)	

TABLE and SCREEN from 1.4.1997

Existing data held in the old COMMENTS field from CANCERPATS entered in COMMENTS1, 2 or 3 from 1.4.1997

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

CANCERPATS TABLE**(Screen 12)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
COMMENTS1	Comments (First line)	VARCHAR2 (50)	
COMMENTS2	Comments (Second line)	VARCHAR2 (50)	
COMMENTS3	Comments (Third line)	VARCHAR2 (50)	

Fields added to this Screen are automatically displayed for convenience

These FIELDS are protected from UPDATE

DATE DEATH	RXCODE 'Z' = RXDATE from TREATMENTS TABLE
CAUSE DEATH	CAUSDEATH from DEATH TABLE

Fields removed from Screen and Table from 1.4.1997 as data now irrelevant and not used or collected for years

SCREATPRECA	Creatinine pre cancer diagnosis?	NUMBER (4)	
CANTXKID	Cancer in transplant kidney?	VARCHAR2 (1)	Y/N or null

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

TABLES REMAINING ON THE DATABASE – NO SCREEN DISPLAY
INFORMATION NO LONGER COLLECTED

EPO2 TABLE

Name	Description	Range/Values	Type and Size
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
TDATE	Dates of Eposeq events	DATE	
ROUTE	Route given	VARCHAR2 (1)	I or S
FREQ	Number doses per week	NUMBER (4,2)	
HLVL	Haemoglobin level	NUMBER (5,2)	
EPOSEQ	# Sequence of events	VARCHAR2 (1)	* See CDEPOSEQ
WEIGHT	Patient body weight	NUMBER (4,1)	
DOSEWEEK	Total units EPO given each week	NUMBER (8,2)	Value or null
	# I=Initial S=Survey T=Temporary Withdrawal R=Restart P=Permanent Withdrawal		

* See List of Values from CDCODES Tables

Data not collected in this format from 1.4.1994

This Table remains on the main Database and the User Database but no Screen Display

EPO2A TABLE

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
TDATE	Dates of Eposeq events	DATE	
COMP1	Complications of therapy (first reason)	NUMBER (2)	* See CDEPOCOMP
COMP2	Complications of therapy (second reason)	NUMBER (2)	* See CDEPOCOMP
COMPOTHR	Other complications	VARCHAR2 (25)	
REASON1	Reason for temporary/permanent withdrawal	NUMBER (2)	*See CDEPOREASON
REASONOTHR	Other reason for ceasing EPO treatment	VARCHAR2 (25)	

* See List of Values from CDCODES Tables or F9 (if using Screen)

Data not collected in this format from 1.4.1994

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

TABLE REMAINING ON THE DATABASE – NO SCREEN DISPLAY**INFORMATION NO LONGER COLLECTED****ATG TABLE**

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number (not Null)	NUMBER (1)	1 - 5
SEQUNO	Sequence number of courses (not Null)	NUMBER (1)	
ATGDATE	Date of administration of ATG/OKT3 etc	DATE	
AGENT	Type of agent	NUMBER (1)	
AGENTOTH	Name of other agent	VARCHAR (10)	
DOSES	Number doses	NUMBER (1)	
DOSESOTHR	Reason why < 5 doses given	VARCHAR2 (20)	
TIME	Time of commencement	NUMBER (1)	
TIMEOTHR	Specify other therapy	VARCHAR2 (15)	

Data for this Table not collected in this format from 1.4.1997

Selected fields from this ATG Table decoded and inserted into the Table MONOCLONAL

OLDPARENTHOOD TABLE

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
SEQUNO	Sequence number (not Null)	NUMBER (1)	1 - 9
PARECODE	Outcome code	NUMBER (1)	* See CDPARE
PAREOTHR	Other (Causes birth defects, twins etc)	VARCHAR2 (30)	
PAREDATE	Date birth/abortion	DATE	

- See List of Values from CDPARE or Key F9 (if using Screen)

THIS TABLE RENAMED OLDPARENTHOOD – formally PARENTHOOD

Data for this Table ceased to be collected from 1.10.2000 (Data from 1.10.2000 now to be entered into PARENTHOOD)

PARECODE and PAREDATE information inserted into PARENTHOOD Table (See Parenthood instructions)

PAREOTHR data to be inserted in COMMENTS in PARENTHOOD Table

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

TABLE REMAINING ON THE DATABASE – NO SCREEN DISPLAY
INFORMATION NO LONGER COLLECTED

AMYLOID TABLE			(Table only)
Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
PRESENT	Is Amyloid associated condition present?	VARCHAR2 (1)	Y/S/N or null
ANALGESIC	** Treatment used?	VARCHAR2 (1)	Y/N or null
ARTICULAR	** Type of steroid treatment used?	VARCHAR2 (1)	Y/N or null
BACK	** Back affected?	VARCHAR2 (1)	Y/S/N or null
CARPEL	* Carpel Tunnel affected?	VARCHAR2 (1)	Y/S/N or null
ELBOWS	** Elbows affected?	VARCHAR2 (1)	Y/S/N or null
FINGERS	** Fingers affected?	VARCHAR2 (1)	Y/S/N or null
HIPS	** Hips affected?	VARCHAR2 (1)	Y/S/N or null
JOINTS	* Joints affected?	VARCHAR2 (1)	Y/S/N or null
KNEES	** Knees affected?	VARCHAR2 (1)	Y/S/N or null
NECK	** Neck affected?	VARCHAR2 (1)	Y/S/N or null
NSAID	** Treatment used?	VARCHAR2 (1)	Y/N or null
OTHERJOINT	** Other joint affected?	VARCHAR2 (1)	Y/S/N or null
OTHERJOINT1	** Specify other joint (1)	VARCHAR2 (15)	
OTHERJOINT2	** Specify other joint (2)	VARCHAR2 (15)	
OTHERSITE	* Other site affected?	VARCHAR2 (1)	Y/S/N or null
OTHERSITE1	* Specify other site (1)	VARCHAR2 (23)	
OTHERSITE2	* Specify other site (2)	VARCHAR2 (23)	
OTHERTREAT	** Other treatment used?	VARCHAR2 (1)	Y/N or null
OTHERTREAT1	** Specify other treatment (1)	VARCHAR2 (23)	
OTHERTREAT2	** Specify other treatment (2)	VARCHAR2 (23)	
SHOULDER	** Shoulder affected?	VARCHAR2 (1)	Y/S/N or null
SYSTEMIC	** Type of steroid treatment used?	VARCHAR2 (1)	Y/N or null
WRISTS	** Wrists affected?	VARCHAR2 (1)	Y/S/N or null

Data collected for this Table from 1.4.1995

Data no longer collected from 1.10.2000 – No Screen Display but to remain on the database as a Table

Fields not collected after 31.3.1999 but remain on the Table

JOINTS	*	Joints affected?	VARCHAR2 (1)	Y/S/N or null
CARPEL	*	Carpel Tunnel affected?	VARCHAR2 (1)	Y/S/N or null
OTHERSITE	*	Other site affected?	VARCHAR2 (1)	Y/S/N or null
OTHERSITE1	*	Specify other site (1)	VARCHAR2 (23)	
OTHERSITE2	*	Specify other site (2)	VARCHAR2 (23)	

** Fields not collected after 31.3.1997 but remain on the Table

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

TABLE REMAINING ON THE DATABASE – NO SCREEN DISPLAY
INFORMATION NO LONGER COLLECTED

CANCER DATABASE

OLDSKIN TABLE

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
SEQUNO	Sequence number of skin cancers	NUMBER (3)	
CATYPE	Cancer type - Section B cancer form	NUMBER (2)	1-11
CADATE	Date of cancer diagnosis	DATE	
UNCERTDIAG	Uncertain date diagnosis	VARCHAR2 (1)	Y or null
PRIMSITE *	Primary site - refer codes	NUMBER (4)	
PRIMDESCR	Primary site description	VARCHAR2 (16)	
CASTAGE	Cancer staging code - refer cancer form	NUMBER (1)	1-5
RX1	Type 1st treatment - refer cancer form	NUMBER (2)	1-13
RX2	Type 2nd treatment - refer cancer form	NUMBER (2)	1-13
RX3	Type 3rd treatment - refer cancer form	NUMBER (2)	1-13
RX4	Type 4th treatment - refer cancer form	NUMBER (2)	1-13
RX5	Type 5th treatment - refer cancer form	NUMBER (2)	1-13
LYMPDATE	Date spread to lymph nodes	DATE	
UNCERTLYM	Uncertain date of spread	VARCHAR2 (1)	Y or null
SYSTDAT	Date spread systemically	DATE	
UNCERTSYS	Uncertain date of spread	VARCHAR2 (1)	Y or null
RECURDATE	Date of local recurrence	DATE	
UNCERTREC	Uncertain date of recurrence	VARCHAR2 (1)	Y or null
CAUSPRD	Did cancer cause renal failure?	VARCHAR2 (1)	Y or N
CAUSDEATH	Did cancer cause/contribute to death?	VARCHAR2 (1)	Y or N
	* Code from ICD 0 Topography		

TABLE renamed from SKIN to OLDSKIN from 1.4.1997

This Table remains on the Database but data not collected in this format after 31.3.1997

Relevant information from this Table inserted in the new Table SKIN from 1.4.1997

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

Post Survey Tables Processed by the Registry at the End of Each Survey

SQL (Structured Query Language) Access Tables

TXDATA TABLE

Name		Description	Type and Size	Range/Values
PATIENT		Patient Number (not Null)	NUMBER (6)	100001 - 999999
GRAFTNO		Graft number	NUMBER (1)	1-5
ENDTXCODE		(I,Z,K) from Treatments Table or Code S if went to end of the Survey	VARCHAR2 (1)	I,K,S,Z
ENDTXDATE		Date of ENDTXCODE from Treatments Table or Survey Date if ENDTXCODE is S	DATE	
LASTCODE	*	(Z,K,J) from Treatments Table or Code S if went to end of Survey	VARCHAR2 (1)	J,K,S,Z
LASTDATE	*	Date of LASTCODE from Treatments Table or Survey if LASTCODE = S	DATE	
AGE		Age at transplant	NUMBER (2)	
TXSTATUS		0 = functioning (ENDTXCODE=K,S) I = failed (ENDTXCODE=I,Z)	VARCHAR2 (1)	I,K,S,Z
TXPERIOD		In days ENDTXDATE minus TXDATE (Graft Table)	NUMBER (5)	
LSTATUS	*	0 = alive (LASTCODE=K,J,S) 1 = dead (LASTCODE=Z)	VARCHAR2 (1)	K,J,S,Z
LPERIOD	*	In days LASTDATE minus TXDATE (Graft Table)	NUMBER (5)	
MISA		Number mismatches A	NUMBER (3)	
MISB		Number mismatches B	NUMBER (3)	
MISDR		Number mismatches DR	NUMBER (3)	
MISDQ		Number mismatches DQ	NUMBER (3)	(99=no coding)
	*	= PATIENT SURVIVAL		

LASTRX TABLE

Name		Description	Type and Size	Range/Values
PATIENT		Patient Number (not Null)	NUMBER (6)	100001 - 999999
SEQUNO		Sequence from Treatments Table If Alive=RXCODE – If Dead or Lost = Sequence Number of LAST	NUMBER (2)	
RXSEQ		Sequence number of RXCODE	NUMBER (2)	Alive, Dead, Lost
RXCODE		Rxcode from Treatments Table	VARCHAR2 (1)	A,B,C,D,E,F,G,H,
RXDATE		Rxdate from Treatments Table	DATE	
LASTSEQ		Sequence number of LAST	NUMBER (2)	
LAST		Rxcode (Z,J,K) or S if patient alive at end of Survey	VARCHAR2 (1)	J,K,S,Z
DATDEATH		Date of 'LAST' above	DATE	

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

DXBDF TABLE (Haemodialysis only)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
SEQUNO)	From Treatments Table where RXCODE	NUMBER (2)	
RXDATE)	is B,D or F	DATE	
HOSPCODE)	From Histy Table, at time of RXDATE	VARCHAR2 (4)	
STATE)		NUMBER (1)	0,1,2,3,4,5,6,7,8
TXNUM	Graft number preceding RXDATE	NUMBER (1)	1-5
RXCODE)	From Treatments Table where RXCODE	VARCHAR2 (1)	
LASTDATE)	no longer B,D or F. Can be S and	DATE	
	Survey Date, where patient still on B,D or F		
RECNUM	Record (or sequence) number for patient	NUMBER (2)	
TECH	0 = technique censored where	NUMBER (1)	
	RXCODE is G, S, J or K		
	1 = technique failed where RXCODE is any		
	dialysis code (A,C,E,L,M) or death Z		
LIFE	0 = alive end this haemodialysis where	NUMBER (1)	
	RXCODE not Z		
	1 = dead RXCODE = Z		

DXLM TABLE (C.A.P.D only)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
SEQUNO)	From Treatments Table where RXCODE	NUMBER (2)	
RXDATE)	is L or M	DATE	
HOSPCODE)	From Histy Table, at time of RXDATE	VARCHAR2 (4)	
STATE)		NUMBER (1)	0,1,2,3,4,5,6,7,8
TXNUM	Graft number preceding RXDATE	NUMBER	1-5
RXCODE)	From Treatments Table where RXCODE	VARCHAR2 (1)	
LASTDATE)	no longer L or M. Can be S and	DATE	
	survey date, where patient still on L or M.		
RECNUM	Record (or sequence) number for patient	NUMBER (2)	
TECH	0 = technique censored where	NUMBER (1)	
	RXCODE is G, S, J or K		
	1 = technique failed where RXCODE is any		
	dialysis code (A,C,E,B,D,F) or death Z		
LIFE	0 = alive end this CAPD where RXCODE not Z	NUMBER (1)	
	1 = dead RXCODE = Z		

DXPD TABLE (PD and C.A.P.D combined)

Name	Description	Type and Size	Range/Values
PATIENT	Patient Number (not Null)	NUMBER (6)	100001 - 999999
SEQUNO)	From Treatments Table where RXCODE	NUMBER (2)	
RXDATE)	is A,C,E,L or M	DATE	
HOSPCODE)	From Histy Table, at time of RXDATE	VARCHAR2 (4)	
STATE)		NUMBER (1)	0,1,2,3,4,5,6,7,8
TXNUM	Graft number preceding RXDATE	NUMBER	1-5
RXCODE)	From Treatments Table where RXCODE	VARCHAR2 (1)	
LASTDATE)	no longer A,C,E,L or M. Can be S and	DATE	
	survey date, where patient still on A,C,E,L or M.		
RECNUM	Record (or sequence) number for patient	NUMBER (1)	
TECH	0 = technique censored where	NUMBER (1)	
	RXCODE is G, S, J or K		
	1 = technique failed where RXCODE is any		
	dialysis code (A,C,E,B,D,F) or death Z		
LIFE	0 = alive end this CAPD where RXCODE not Z	NUMBER (1)	
	1 = dead RXCODE = Z		

ANZDATA REGISTRY DATA DICTIONARY - MAY 2002

LIST OF CD CODES TABLES

CODE TABLE NAME	DESCRIPTION	
CDALOCUS		A LOCUS VALUES
CDASSESS	(T)	PAEDIATRIC ASSESSMENT AT END OF SURVEY (from 1.4.1994)
CDATGAGENT	(T) *	ATG AGENT CODE DESCRIPTION
CDATGCOM	(T) *	ATG TIME COMMENCING CODE DESCRIPTION
CDATGDOS	(T) *	ATG DOSE CODE DESCRIPTION
CDBLOCUS		B LOCUS VALUES
CDBRAND	(T)	DIALYSER BRANDS-MODEL-MEMBRANES-AREA-FLUX
CDCENTRES	(T)	HOSPITAL CODES AND SITES
CDCONNECT	(T)	PERITONEAL CONNECTION SYSTEMS CODE DESCRIPTION
CDCOUNTRY	(T)	COUNTRY OF BIRTH CODE DESCRIPTION
CDCYA	(T) *	CYA SPARING DRUG AT SPECIFIED INTERVALS (Not used from 1.4.1997)
CDDEATH	(T)	CAUSES OF DEATH CODE DESCRIPTION
CDDIALYSIS	(T)	TYPES OF DIALYSIS CODE DESCRIPTION
CDDISEASE	(T)	DISEASE CODE DESCRIPTION
CDDRB1		DRB1 FULL TYPING DNA VALUES
CDDRB3		DRB3 FULL TYPING DNA VALUES
CDDRB4		DRB4 FULL TYPING DNA VALUES
CDDRB5		DRB5 FULL TYPING DNA VALUES
CDDQA1		DQA1 FULL TYPING DNA VALUES
CDDQB1		DQB1 FULL TYPING DNA VALUES
CDDPB1		DPB1 FULL TYPING DNA VALUES
CDDQLOCUS		DQ LOCUS VALUES
CDDRLOCUS		DR LOCUS VALUES
CDDRUG	(T)	DRUG CODE AND DESCRIPTION
CDEPOCOMP	(T) *	EPO COMPLICATIONS
CDEPOREASON	(T) *	EPO REASONS FOR WITHDRAWAL
CDEPOSEQ	(T) *	EPO SEQUENCE CODE DESCRIPTION
CDGFAIL	(T)	CAUSES OF GRAFT FAILURE CODE DESCRIPTION
CDFOETAL	(T)	FOETAL OUTCOME (from 1.10.00)
CDGRAFT	(T)	MULTIPLE ORGAN CODE DESCRIPTION
CDLIFE	(T) *	QUALITY OF LIFE CODE DESCRIPTION
CDLIKEHOOD	(T)	LIKELIHOOD OF TRANSPLANT CODE DESCRIPTION
CDMEDICAL	(T)	MEDICAL CONDITIONS ACQUIRED DURING PREGNANCY (From 1.10.00)
CDMETHOD	(T)	METHODS OF UREA AND KT/V COLLECTION
CDMONOAGENT	(T)	MONOCLONAL AGENT CODE (from 1.4.1997)
CDNONSkin	(T) *	TYPES OF NON SKIN TUMOURS
CDPOUTCOME	(T)	PREGNANCY OUTCOME DESCRIPTION (from 1.10.00)
CDPARE	(T) *	PARENTHOOD CODE DESCRIPTION
CDPHYSICIAN	(T)	PHYSICIAN NAMES
CDPRESI	(T) *	INITIAL KIDNEY PERFUSION CODE DESCRIPTION
CDPRESM	(T) *	MACHINE PERFUSED KIDNEY PRESERVATION
CDRACE	(T)	RACIAL ORIGIN CODE DESCRIPTION
CDREHAB	(T) *	REHABILITATION CODE DESCRIPTION
CDRISK	(T)	CDRISK OTHER CODE DESCRIPTION
CDSKIN	(T)	TYPES OF SKIN CANCER COLLECTED (from 1.4.1997)
CDSOURCE	(T)	SOURCE OF DONOR KIDNEY CODE DESCRIPTION
CDTRANSFER	(T)	REASON FOR TRANSFER FROM CAPD/CCPD (from 1.4.1994)
CDTREAT	(T)	TYPE OF TREATMENTS CODE DESCRIPTION
CDTYPECODE	(T)	METHOD CODE FOR A LOCUS-B LOCUS-DR LOCUS-DQ LOCUS METHOD CODE FOR DRB1-DRB3-DRB4-DRB5-DQA1-DQB1-DPB1

* Data no longer collected but remains on the database.

(T) = Text

These Tables may be accessed and printed [through the SQL query](#) facility

EXAMPLE: (Type in) (For CD LOCUS Tables)

```
SELECT CODE
FROM CDALOCUS;
```

EXAMPLE: (Type in) (For (T) Text Tables)

```
SELECT CODE,TEXT
FROM CDATGAGENT;
```

ANZDATA REGISTRY LIST OF CENTRES AS AT MAY 2002

STATE	STATE		
HOSP	CODE	COUNTRY	HOSPITAL
-----	-----	-----	-----
OTHR	0	OVERSEAS	OTHER HOSPITAL - OVERSEAS
ALIC	1	NT	ALICE SPRINGS HOSPITAL - NORTHERN TERRITORY
BISL			BATHURST ISLAND - NORTHERN TERRITORY
DARW			ROYAL DARWIN HOSPITAL - NORTHERN TERRITORY
GROO			GROOTE EYLANDT - NORTHERN TERRITORY
JABR			JABIRU HEALTH CENTRE - NORTHERN TERRITORY
KATH			KATHERINE SATELLITE - NORTHERN TERRITORY
NTCL			NIGHTCLIFF DIALYSIS CENTRE - DARWIN - NT
ALBU	2	NSW	ALBURY HOSPITAL - NEW SOUTH WALES
ARMD			ARMIDALE HOSPITAL - NEW SOUTH WALES
AUBN			AUBURN HOSPITAL - NEW SOUTH WALES
BALM			BALMAIN HOSPITAL - NEW SOUTH WALES
BANK			BANKSTOWN HOSPITAL - NEW SOUTH WALES
BATH			BATHURST BASE HOSPITAL - NEW SOUTH WALES
BLAK			BLACKTOWN REGIONAL DIALYSIS - NSW
BLKT			BLACKTOWN HOSPITAL - NEW SOUTH WALES
BLNA			BALLINA HOSPITAL - NEW SOUTH WALES
BREW			BREWARRINA HOSPITAL - NEW SOUTH WALES
BRKE			BOURKE HOSPITAL - NEW SOUTH WALES
BROK			BROKEN HILL HOSPITAL - NEW SOUTH WALES
BSTV			BATHURST ST VINCENTS - NEW SOUTH WALES
CALN			CALLEN PARK HOSPITAL - NEW SOUTH WALES
CAMB			CAMPBELLTOWN HOSPITAL - NEW SOUTH WALES
CANT			CANTERBURY HOSPITAL - NEW SOUTH WALES
CATH			CATHERINE COTTAGE - ST GEORGE HOSPITAL - NSW
CHAT			CHATSWOOD SATELLITE - NEW SOUTH WALES
COFF			COFFS HARBOUR HOSPITAL - NEW SOUTH WALES
CONC			CONCORD HOSPITAL - NEW SOUTH WALES
COON			COONAMBLE HOSPITAL - NEW SOUTH WALES
DALC			DALCROSS PRIVATE HOSPITAL - NEW SOUTH WALES
DEWE			DAME EADITH WALKER ESTATE - NEW SOUTH WALES
DUBB			DUBBO BASE HOSPITAL - NEW SOUTH WALES
EORA			EORA COTTAGE - KINGSFORD - NEW SOUTH WALES
GALL			GALLARGAMBONE HOSPITAL - NEW SOUTH WALES
GOSF			GOSFORD HOSPITAL - NEW SOUTH WALES
GOUL			GOULBOURN HOSPITAL - NEW SOUTH WALES
GRFT			GRAFTON HOSPITAL - NEW SOUTH WALES
GRIF			GRIFFITH BASE HOSPITAL - NEW SOUTH WALES
HDIS			HASTINGS DISTRICT HOSPITAL - NEW SOUTH WALES
HORN			HORNSBY HOSPITAL - NEW SOUTH WALES
HUNT			JOHN HUNTER HOSPITAL - NEW SOUTH WALES
KARE			KAREENA PRIVATE HOSPITAL - NEW SOUTH WALES
KEMP			KEMPSEY HOSPITAL - NEW SOUTH WALES
LAKE			LAKE HAVEN SATELLITE - NEW SOUTH WALES
LANC			LANCELEY COTTAGE - NEW SOUTH WALES
LCOM			LIVERPOOL COMMUNITY - NEW SOUTH WALES
LIDC			LIDCOMBE HOSPITAL - NEW SOUTH WALES
LISM			LISMORE HOSPITAL - NEW SOUTH WALES
LRDS			LOURDES HOSPITAL - NEW SOUTH WALES
LVPL			LIVERPOOL HOSPITAL - NEW SOUTH WALES
MAIT			MAITLAND HOSPITAL - NEW SOUTH WALES
MATR			MATER HOSPITAL - NEW SOUTH WALES
MNDE			MENINDEE HEALTH CENTRE - NEW SOUTH WALES
MNLY			MANLY HOSPITAL - NEW SOUTH WALES
MNVL			MONA VALE HOSPITAL - NEW SOUTH WALES
MRCK			MARRICKVILLE SATELLITE - NEW SOUTH WALES
MTDR			MT DRUITT HOSPITAL - NEW SOUTH WALES

ANZDATA REGISTRY LIST OF CENTRES AS AT MAY 2002

STATE	STATE	
HOSP	CODE	COUNTRY HOSPITAL
----	-----	-----
NARR		NARROMINE HOSPITAL - NEW SOUTH WALES
NEPN		NEPEAN HOSPITAL - NEW SOUTH WALES
NEWC		NEW CHILDRENS HOSPITAL - NEW SOUTH WALES
NITA		NITA REED HOUSE - TAREE -NEW SOUTH WALES
NMAT		NEWCASTLE MATER HOSPITAL - NEW SOUTH WALES
NORF		NORFOLK ISLAND HOSPITAL - NORFOLK ISLAND
NOWR		NOWRA HOSPITAL - NEW SOUTH WALES
ORAN		ORANGE HOSPITAL - NEW SOUTH WALES
PARA		PARRAMATTA HOSPITAL - NEW SOUTH WALES
PCOM		PT MACQUARIE COMMUNITY - NEW SOUTH WALES
PENR		PENRITH HOSPITAL - NEW SOUTH WALES
PHEN		PRINCE HENRY HOSPITAL - NEW SOUTH WALES
PMPH		PT MACQUARIE PRIVATE - NEW SOUTH WALES
POWH		PRINCE OF WALES HOSPITAL - NEW SOUTH WALES
PRIV		PRIVATE HOSPITAL - NEW SOUTH WALES
PTMQ		PORT MACQUARIE HOSPITAL - NEW SOUTH WALES
RNSH		ROYAL NORTH SHORE HOSPITAL - NEW SOUTH WALES
RNSP		ROYAL NORTH SHORE PRIVATE - NEW SOUTH WALES
RPAH		ROYAL PRINCE ALFRED HOSPITAL - NEW SOUTH WALES
RSYD		ROYAL SOUTH SYDNEY HOSPITAL - NEW SOUTH WALES
RYDE		RYDE HOSPITAL - NEW SOUTH WALES
SADV		SYDNEY ADVENTIST HOSPITAL - NEW SOUTH WALES
SCHL		SYDNEY CHILDRENS HOSPITAL - NEW SOUTH WALES
SHEL		SHELLHARBOUR - NEW SOUTH WALES
SHOA		SHOALHAVEN SATELLITE - NOWRA - NEW SOUTH WALES
SHVN		SHOALHAVEN HOSPITAL - NEW SOUTH WALES
SING		SINGLETON SATELLITE CENTRE - NEW SOUTH WALES
SSYD		SOUTH WEST SYDNEY RENAL SERVICE - NEW SOUTH WALES
STGH		ST GEORGE HOSPITAL - NEW SOUTH WALES
STVI		ST VINCENTS HOSPITAL - NEW SOUTH WALES
STVP		ST VINCENTS PRIVATE HOSPITAL - NEW SOUTH WALES
SUTH		SUTHERLAND HOSPITAL - NEW SOUTH WALES
SWRS		STATEWIDE RENAL SERVICES - NEW SOUTH WALES
SYDC		SYDNEY DIALYSIS CENTRE - NEW SOUTH WALES
SYHL		SYDNEY HOSPITAL - NEW SOUTH WALES
TAMW		TAMWORTH HOSPITAL - NEW SOUTH WALES
TARE		TAREE HOSPITAL - NEW SOUTH WALES
TEMO		TEMORRA HOSPITAL - NEW SOUTH WALES
TERG		TERRIGAL MEDICAL CENTRE - NEW SOUTH WALES
TWHD		TWEED HEADS HOSPITAL - NEW SOUTH WALES
URAN		URANA HOSPITAL - NEW SOUTH WALES
WAGG		WAGGA HOSPITAL - NEW SOUTH WALES
WANS		WANSEY SATELLITE CENTRE - NEW SOUTH WALES
WEST		WESTMEAD HOSPITAL - NEW SOUTH WALES
WGNG		WOLLONGONG HOSPITAL - NEW SOUTH WALES
WGTN		WELLINGTON HOSPITAL - NEW SOUTH WALES
WSUB		WESTERN SUBURBS HOSPITAL - NEW SOUTH WALES
Y		NEW SOUTH WALES
ABAY	3 VIC	APOLLO BAY HOSPITAL - VICTORIA
ALEX		ALEXANDRA HOSPITAL - VICTORIA
ALFD		ALFRED HOSPITAL - VICTORIA
ANGL		ANGLISS HOSPITAL - VICTORIA
ARAR		ARARAT HOSPITAL - VICTORIA
ASAT		AUSTIN SATELLITE TRAINING - VICTORIA
AUST		AUSTIN HOSPITAL - VICTORIA
BACC		BACCHUS MARSH HOSPITAL - VICTORIA
BAIR		BAIRNSDALE HOSPITAL - VICTORIA
BALL		BALLARAT HOSPITAL - VICTORIA
BEND		BENDIGO HOSPITAL - VICTORIA

ANZDATA REGISTRY LIST OF CENTRES AS AT MAY 2002

STATE	STATE		
HOSP	CODE	COUNTRY	HOSPITAL
----	-----	-----	-----
BERW			BERWICK HOSPITAL - VICTORIA
BIRC			BIRCHIP HOSPITAL - VICTORIA
BNLA			BENALLA HOSPITAL - VICTORIA
BOXH			BOX HILL HOSPITAL - VICTORIA
BRDM			BROADMEADOWS SATELLITE - VICTORIA
BRIG			BRIGHTON DIALYSIS UNIT - VICTORIA
BRUN			BRUNSWICK SATELLITE CENTRE - VICTORIA
BURW			BURWOOD SATELLITE CENTRE - VICTORIA
CABR			CABRINI HOSPITAL - VICTORIA
CAST			CASTERTON HOSPITAL - VICTORIA
CAUL			CAULFIELD SATELLITE CENTRE - VICTORIA
CGPH			CENTRAL GIPPSLAND HOSPITAL - VICTORIA
CHEL			CHELSEA HOSPITAL - VICTORIA
CHRL			CHARLTON CAMPUS - VICTORIA
COHU			COHUNA HOSPITAL - VICTORIA
COLA			COLAC HOSPITAL - VICTORIA
CRAN			CRANBOURNE SATELLITE - VICTORIA
DAND			DANDENONG HOSPITAL - VICTORIA
DAYL			DAYLESFORD HOSPITAL - VICTORIA
DONA			DONALD HOSPITAL - VICTORIA
DVPH			DIAMOND VALLEY HOSPITAL - VICTORIA
ECHU			ECHUCA HOSPITAL - VICTORIA
EDEN			EDENHOPE HOSPITAL - VICTORIA
EPWT			EPWORTH HOSPITAL - VICTORIA
ESSE			ESSENDON HOSPITAL - VICTORIA
EYES			LIONS EYE BANK - VICTORIA
FRAN			FRANKSTON HOSPITAL - VICTORIA
FRFD			FAIRFIELD HOSPITAL - VICTORIA
GDIA			GAMBRO DIAMOND VALLEY UNIT - VICTORIA
GLNG			GEE LONG HOSPITAL - VICTORIA
GLPR			GEE LONG PRIVATE HOSPITAL - VICTORIA
GVAL			GOULBURN VALLEY HOSPITAL - VICTORIA
HAML			HAMILTON HOSPITAL - VICTORIA
HEDG			HEIDELBERG HOSPITAL - VICTORIA
HENT			HENTY HOSPITAL - VICTORIA
HEPB			HEPBURN HEALTH SATELLITE - VICTORIA
HORS			HORSHAM HOSPITAL - VICTORIA
HSTG			HASTINGS HOSPITAL - VICTORIA
KILM			KILMORE HOSPITAL - VICTORIA
KING			KINGSBURY DIALYSIS UNIT - VICTORIA
KNOX			KNOX PRIVATE HOSPITAL - VICTORIA
KOOW			KOO WEE RUP HOSPITAL - VICTORIA
LATR			LATROBE REGIONAL SATELLITE - VICTORIA
LAVE			LAVERTON HOSPITAL - VICTORIA
LEON			LEONGATHA HOSPITAL - VICTORIA
LORN			LORNE HOSPITAL - VICTORIA
MANS			MANSFIELD HOSPITAL - VICTORIA
MDAH			MAROONDAH HOSPITAL - VICTORIA
MILD			MILDURA HOSPITAL - VICTORIA
MITC			MITCHAM HOSPITAL - VICTORIA
MMCA			MONASH MEDICAL (ADULTS) - VICTORIA
MMCP			MONASH MEDICAL (PAEDIATRIC) - VICTORIA
MOOR			MOORABBIN SATELLITE - VICTORIA
MPRV			MELBOURNE PRIVATE HOSPITAL - VICTORIA
MRYB			MARYBOROUGH DISTRICT HEALTH SERVICE - VICTORIA
MYRT			MYRTLEFORD HOSPITAL - VICTORIA
NALF			NAURU SATELLITE (ALFRED) - NAURU
NAUR			NAURU SATELLITE (MONASH MEDICAL) - NAURU
NAUS			NAURU SATELLITE (AUSTIN HOSPITAL) - NAURU
NCOM			NEWCOMB SATELLITE - VICTORIA

ANZDATA REGISTRY LIST OF CENTRES AS AT MAY 2002

STATE	STATE	
HOSP	CODE	COUNTRY HOSPITAL
NEKS		NORTH EAST KIDNEY SERVICE - VICTORIA
NMEL		NORTH MELBOURNE SATELLITE CENTRE - VICTORIA
NORT		NORTHERN HOSPITAL - VICTORIA
NRMB		NAURU (ROYAL MELBOURNE) - NAURU
NWDS		NORTH WEST DIALYSIS SERVICE - VICTORIA
OMEO		OMEO DISTRICT HOSPITAL - VICTORIA
ORBO		ORBOST HOSPITAL - VICTORIA
PJAM		PETER JAMES CENTRE - VICTORIA
PORT		PORTLAND HOSPITAL - VICTORIA
PRES		PRESTON AND NORTHCOTE HOSPITAL - VICTORIA
RCHL		ROYAL CHILDRENS HOSPITAL - VICTORIA
RMBH		ROYAL MELBOURNE HOSPITAL - VICTORIA
ROBV		ROBINVALE HOSPITAL - VICTORIA
ROSE		ROSEBUD HOSPITAL - VICTORIA
SALE		SALE HOSPITAL - VICTORIA
SARN		ST ARNAUD HOSPITAL - VICTORIA
SEAL		SEALAKES DISTRICT HEALTH - VICTORIA
SEYM		SEYMOUR HOSPITAL - VICTORIA
SNDR		SANDRINGHAM SATELLITE - VICTORIA
SUNS		SUNSHINE SATELLITE - VICTORIA
SVIN		ST VINCENTS HOSPITAL - VICTORIA
SVPR		ST VINCENTS PRIVATE HOSPITAL - VICTORIA
SWAN		SWAN HILL HOSPITAL - VICTORIA
TERA		TERANG HOSPITAL - VICTORIA
TISS		TISSUE BANK - VICTORIA
TRAR		TRARALGON HOSPITAL - VICTORIA
UMEL		UNIVERSITY OF MELBOURNE - VICTORIA
WALW		WALWA HOSPITAL - VICTORIA
WANG		WANGARATTA HOSPITAL - VICTORIA
WARI		WARRINGAL PRIVATE HOSPITAL - VICTORIA
WARN		WARNAMBOOL HOSPITAL - VICTORIA
WDGA		WODONGA HOSPITAL - VICTORIA
WEGH		WESTERN HOSPITAL - VICTORIA
WEHI		WALTER AND ELIZA HALL INSTITUTE - VICTORIA
WERR		WERRIBEE MERCY HOSPITAL - VICTORIA
WFTC		WESTERN FOOTSCRAY HOSPITAL - VICTORIA
WGIP		WEST GIPPSLAND - VICTORIA
WHFC		WESTERN HOSPITAL - FOOTSCRAY - VICTORIA
WILL		WILLIAMSTOWN SATELLITE - VICTORIA
WONT		WONTHAGGI HOSPITAL - VICTORIA
WPOR		WESTERN PORT HOSPITAL - VICTORIA
Y		VICTORIA
YARA		YARAWONGA HOSPITAL - VICTORIA
YARM		YARRAM HOSPITAL - VICTORIA
ALLA	4 QLD	ALLAMANDA PRIVATE HOSPITAL - QUEENSLAND
ATHR		ATHERTON HOSPITAL - QUEENSLAND
AUGA		AUGATHELLA HOSPITAL - QUEENSLAND
AYRH		AYR HOSPITAL - QUEENSLAND
BIRD		BIRDSVILLE HEALTH CARE CLINIC - QUEENSLAND
BUND		BUNDABERG HOSPITAL - QUEENSLAND
CAIR		CAIRNS HOSPITAL - QUEENSLAND
CHAR		CHARLEVILLE HOSPITAL - QUEENSLAND
CLVY		CALVARY HOSPITAL - CAIRNS - QUEENSLAND
CUNN		CUNNAMULLA HOSPITAL - QUEENSLAND
FLYN		JOHN FLYNN HOSPITAL - QUEENSLAND
GLAD		GLADSTONE HOSPITAL - QUEENSLAND
GOLD		GOLDCOAST HOSPITAL - QUEENSLAND
GREN		GREENSLOPES PRIVATE HOSPITAL - QUEENSLAND
HERV		HERVEY BAY HOSPITAL - QUEENSLAND

ANZDATA REGISTRY LIST OF CENTRES AS AT MAY 2002

STATE	STATE	HOSP	CODE	COUNTRY	HOSPITAL
		HILL			HOME HILL SATELLITE - TOWNSVILLE - QUEENSLAND
		HOLY			HOLY SPIRIT HOSPITAL - QUEENSLAND
		INNI			INNISFAIL HOSPITAL - QUEENSLAND
		IPSW			IPSWICH HOSPITAL - QUEENSLAND
		KEPR			KEPERRA (ROYAL BRISBANE) - QUEENSLAND
		LOGN			LOGAN SATELLITE CENTRE - QUEENSLAND
		MACH			MATER CHILDRENS HOSPITAL - QUEENSLAND
		MACK			MACKAY HOSPITAL - QUEENSLAND
		MARY			MARYBOROUGH HOSPITAL - QUEENSLAND
		MATP			MATER PRIVATE HOSPITAL - QUEENSLAND
		MISA			MT ISA HOSPITAL - QUEENSLAND
		MROC			MATER PRIVATE ROCKHAMPTON - QUEENSLAND
		NAMB			NAMBOUR HOSPITAL - QUEENSLAND
		NOOS			NOOSA SATELLITE - QUEENSLAND
		PRCH			PRINCE CHARLES HOSPITAL - QUEENSLAND
		PSAH			PRINCESS ALEXANDRA HOSPITAL - QUEENSLAND
		QMAT			MATER HOSPITAL - QUEENSLAND
		QQEH			QUEEN ELIZABETH HOSPITAL - QUEENSLAND
		QRCH			ROYAL CHILDRENS HOSPITAL - QUEENSLAND
		QUNI			QUEENSLAND UNIVERSITY - QUEENSLAND
		RBSH			ROYAL BRISBANE HOSPITAL - QUEENSLAND
		REDC			REDCLIFFE HOSPITAL - QUEENSLAND
		REDL			REDLANDS HOSPITAL - QUEENSLAND
		RIVE			RIVERVIEW PRIVATE HOSPITAL - QUEENSLAND
		ROCK			ROCKHAMPTON HOSPITAL - QUEENSLAND
		SAND			SANDGATE SATELLITE CENTRE - QUEENSLAND
		STAN			ST ANDREWS PRIVATE HOSPITAL - QUEENSLAND
		STVR			ST VINCENTS - ROBINA - QUEENSLAND
		TOWN			TOWNSVILLE HOSPITAL - QUEENSLAND
		TWMB			TOOWOOMBA HOSPITAL - QUEENSLAND
		VINC			VINCENT SATELLITE - TOWNSVILLE - QUEENSLAND
		WSLY			WESLEY HOSPITAL - QUEENSLAND
		Y			QUEENSLAND
		ASHF	5	SA	ASHFORD HOSPITAL - SOUTH AUSTRALIA
		BERI			BERRI SATELLITE - SOUTH AUSTRALIA
		CEDU			CEDUNA HOSPITAL - SOUTH AUSTRALIA
		CGRO			COLLEGE GROVE SATELLITE - SOUTH AUSTRALIA
		FMDC			FLINDERS MEDICAL CENTRE - SOUTH AUSTRALIA
		HART			HARTLEY HOSPITAL - SOUTH AUSTRALIA
		LYEL			LYELL MC EWIN HOSPITAL - SOUTH AUSTRALIA
		MEMO			MEMORIAL HOSPITAL - SOUTH AUSTRALIA
		MODB			MODBURY HOSPITAL - SOUTH AUSTRALIA
		MURR			MURRAY BRIDGE HOSPITAL - SOUTH AUSTRALIA
		NASC			NORTH ADELAIDE SATELLITE - SOUTH AUSTRALIA
		NOAR			NOARLUNGA SATELLITE UNIT - SOUTH AUSTRALIA
		PTAG			PORT AUGUSTA SATELLITE - SOUTH AUSTRALIA
		QEZB			THE QUEEN ELIZABETH HOSPITAL - SOUTH AUSTRALIA
		RADL			ROYAL ADELAIDE HOSPITAL - SOUTH AUSTRALIA
		WAYV			WAYVILLE SATELLITE - SOUTH AUSTRALIA
		WCHL			WOMENS AND CHILDRENS - SOUTH AUSTRALIA
		Y			SOUTH AUSTRALIA

ANZDATA REGISTRY LIST OF CENTRES AS AT MAY 2002

STATE	STATE		
HOSP	CODE	COUNTRY	HOSPITAL
----	-----	-----	-----
ALBA	6	WA	ALBANY COMMUNITY UNIT - WESTERN AUSTRALIA
ARMA			ARMADALE SATELLITE - WESTERN AUSTRALIA
BRME			BROOME HOSPITAL - WESTERN AUSTRALIA
BUNB			BUNBURY SATELLITE - WESTERN AUSTRALIA
FREM			FREMANTLE HOSPITAL - WESTERN AUSTRALIA
GRLD			GERALDTON HOSPITAL - WESTERN AUSTRALIA
JOHN			ST JOHN OF GOD HOSPITAL - WESTERN AUSTRALIA
JOON			JOONDALUP SATELLITE UNIT - WESTERN AUSTRALIA
KALG			KALGOORLIE HOSPITAL - WESTERN AUSTRALIA
LION			LIONS EYE INSTITUTE - WESTERN AUSTRALIA
LORA			LEONORA HOSPITAL - WESTERN AUSTRALIA
MAND			PEEL HEALTH CAMPUS - WESTERN AUSTRALIA
MELV			MELVILLE SATELLITE - WESTERN AUSTRALIA
MIDL			MIDLAND SATELLITE - WESTERN AUSTRALIA
MNTH			MOUNT HOSPITAL - WESTERN AUSTRALIA
PBTB			PERTH BONE AND TISSUE BANK - WESTERN AUSTRALIA
PMHC			PRINCESS MARGARET HOSPITAL - WESTERN AUSTRALIA
PTHD			PORT HEDLAND HOSPITAL - WESTERN AUSTRALIA
RLPT			ROYAL PERTH HOSPITAL - WESTERN AUSTRALIA
ROEB			ROEBOURNE DISTRICT HOSPITAL - WESTERN AUSTRALIA
RPAT			REPATRIATION GENERAL HOSPITAL - WESTERN AUSTRALIA
RPRH			ROYAL PERTH REHABILITATION HOSPITAL - WESTERN AUSTRALIA
SCGH			SIR CHARLES GAIRDNER HOSPITAL - WESTERN AUSTRALIA
Y			WESTERN AUSTRALIA
BURN	7	TAS	BURNIE HOSPITAL - TASMANIA
CALV			CALVARY HOSPITAL - TASMANIA
LAUN			LAUNCESTON HOSPITAL - TASMANIA
MERS			MERSEY HOSPITAL - TASMANIA
NWRU			NORTH WEST RENAL UNIT - TASMANIA
RHBT			ROYAL HOBART HOSPITAL - TASMANIA
Y			TASMANIA

ANZDATA REGISTRY LIST OF CENTRES AS AT MAY 2002

STATE	STATE		
HOSP	CODE	COUNTRY	HOSPITAL

AUCK	8	NZ	AUCKLAND HOSPITAL - NEW ZEALAND
BLN			BLNHEIM HOSPITAL - NEW ZEALAND
CARR			CARRINGTON HOSPITAL - NEW ZEALAND
CHCH			CHRISTCHURCH HOSPITAL - NEW ZEALAND
DARG			DARGAVILLE HOSPITAL - NEW ZEALAND
DUDN			DUNEDIN HOSPITAL - NEW ZEALAND
GISB			GISBORNE HOSPITAL - NEW ZEALAND
GLNE			GREENLANE HOSPITAL - NEW ZEALAND
GORE			GORE HOSPITAL - NEW ZEALAND
GREY			GREYMOUTH HOSPITAL - NEW ZEALAND
HAST			HASTINGS HOSPITAL - NEW ZEALAND
HAW			HAWERA HOSPITAL - NEW ZEALAND
HAWK			HAWKES BAY HOSPITAL - NEW ZEALAND
HUTT			LOWER HUTT HOSPITAL - NEW ZEALAND
INVC			INVERCARGILL HOSPITAL - NEW ZEALAND
KAO			KAO HOSPITAL - NEW ZEALAND
KAIT			KAITAIA HOSPITAL - NEW ZEALAND
KAWA			KAWAKAWA HOSPITAL - NEW ZEALAND
KERI			KERIKERI HOSPITAL - NEW ZEALAND
KOHE			KAIKOHE HOSPITAL - NEW ZEALAND
MAST			MASTERTON HOSPITAL - NEW ZEALAND
MIDM			MIDDLEMORE HOSPITAL - NEW ZEALAND
NAPR			NAPIER HOSPITAL - NEW ZEALAND
NELS			NELSON HOSPITAL - NEW ZEALAND
NEYE			NATIONAL EYE BANK - NEW ZEALAND
NTSH			NORTHSHORE HOSPITAL - NEW ZEALAND
OHAK			OHAKUNE HOSPITAL - NEW ZEALAND
PALM			PALMERSTON HOSPITAL - NEW ZEALAND
PATH			PATHOLOGY SCHOOL OF MEDICINE - NEW ZEALAND
PLYM			NEW PLYMOUTH HOSPITAL - NEW ZEALAND
PORI			PORIRUA COMMUNITY DIALYSIS - NEW ZEALAND
RAWE			RAWENE HOSPITAL - NEW ZEALAND
ROTO			ROTORUA HOSPITAL - NEW ZEALAND
STAR			STARSHIP CHILDRENS HOSPITAL - NEW ZEALAND
TAPA			TAPANUI HOSPITAL - NEW ZEALAND
TAUM			TAUMARUNUI HOSPITAL - NEW ZEALAND
TAUR			TAURANGA HOSPITAL - NEW ZEALAND
TIMA			TIMARU HOSPITAL - NEW ZEALAND
WELN			WELLINGTON HOSPITAL - NEW ZEALAND
WGAN			WANGANUI HOSPITAL - NEW ZEALAND
WHAK			WHAKATANE HOSPITAL - NEW ZEALAND
WHAN			WHANGAREI HOSPITAL - NEW ZEALAND
WKTO			WAIKATO HOSPITAL - HAMILTON - NEW ZEALAND
Y			NEW ZEALAND
CANB	9	ACT	CANBERRA HOSPITAL - ACT
CSAT			CANBERRA COMMUNITY SATELLITE CENTRE - ACT
N			NO = NOT FROM INTERSTATE OR ELSEWHERE
X			= UNKNOWN HOSPITAL AND/OR STATE

Y = Yes N = No X = Unknown

**Symbols used in the past to describe whether a kidney
was shipped from Interstate or not.**

ANZDATA REGISTRY LIST OF COUNTRIES AS AT MAY 2002

CODE	NAME OF COUNTRY	CODE	NAME OF COUNTRY
81	AFGHANISTAN	155	MARTINIQUE
80	ALBANIA	163	MAURITIUS
161	ANGOLA	173	MOROCCO
147	ARGENTINA	23	NAURU
79	ARMENIA	22	NEW CALEDONIA
82	ASSYRIA	11	NEW ZEALAND
36	ATIU ISLAND	153	NICARAGUA
10	AUSTRALIA	177	NIGERIA
57	AUSTRIA	25	NIUE
18	BALI	30	NORFOLK ISLAND
122	BANGLADESH	47	NORWAY
158	BARBADOS	27	NOUMEA
58	BELGIUM	191	OCEAN ISLAND
154	BERMUDA	118	PAKISTAN
151	BOLIVIA	98	PALESTINE
128	BORNEO	15	PAPUA NEW GUINEA
146	BRAZIL	156	PARAGUAY
127	BRUNEI	152	PERU
76	BULGARIA	121	PHILIPPINES
126	BURMA	72	POLAND
113	CAMBODIA	44	PORTUGAL
143	CANADA	78	ROMANIA
62	CHANNEL ISLES	35	ROTOMA ISLAND
141	CHILE	75	RUSSIA
110	CHINA	14	SAMOA
31	CHRISTMAS ISLAND	103	SAUDI ARABIA
32	COCOS ISLANDS	41	SCOTLAND
142	COLUMBIA	166	SEYCHELLES
19	COOK ISLANDS	83	SIBERIA
100	CYPRUS	61	SICILY
70	CZECHOSLOVAKIA	120	SINGAPORE
55	DENMARK	26	SOLOMON ISLANDS
139	DOMINICAN REPUBLIC	172	SOMALIA
21	EAST TIMOR	160	SOUTH AFRICA
145	ECUADOR	150	SOUTH AMERICA
97	EGYPT	45	SPAIN
149	EL SALVADOR	124	SRI LANKA
38	ELLIS ISLAND	168	SUDAN
40	ENGLAND	51	SWEDEN
169	ERITREA	48	SWITZERLAND
54	ESTONIA	92	SYRIA
12	FIJI	33	TAHITI
59	FINLAND	111	TAIWAN
46	FRANCE	176	TANZANIA
50	GERMANY	125	THAILAND
164	GHANA	39	THURSDAY ISLAND
90	GREECE	20	TIMOR
71	GREEK MACEDONIA	34	TOBALANAH
159	GUATEMALA	28	TOKELAU
138	GUYANA	17	TONGA
52	HOLLAND	170	TRIPOLI
112	HONG KONG	99	TURKEY
73	HUNGARY	37	TUVALU ISLAND
63	ICELAND	162	UGANDA
117	INDIA	77	UKRAINE
16	INDONESIA	43	UNITED KINGDOM
94	IRAN	140	UNITED STATES
93	IRAQ	144	URUGUAY
56	IRELAND	85	UZBECHISTAN
101	ISRAEL	24	VANUATU
49	ITALY	114	VIETNAM
148	JAMAICA	42	WALES
116	JAPAN	29	WALLIS ISLAND
104	JORDAN	178	WEST AFRICA
84	KAZAKHSTAN	157	WEST INDIES
171	KENYA	13	WESTERN SAMOA
115	KOREA	74	YUGOSLAVIA/STATES
190	KOSRAE ISLAND	167	ZAMBIA
102	KUWAIT	165	ZIMBABWE
123	LAOS		
53	LATVIA		
91	LEBANON		
174	LIBERIA		
95	LIBYA		
60	LITHUANIA		
175	MALAWI		
119	MALAYSIA		
96	MALTA		

147 rows selected.

LIST OF PAST SURVEY DATES

UPDATED FOR SURVEY MARCH 2002

HISTORY SEQUENCE		SURVEY DATES
0	=	1.10.01 – 31.3.02
1	=	1.4.01 – 30.9.01
2	=	1.10.00 – 31.3.01
3	=	1.4.00 – 30.9.00
4	=	1.10.99 – 31.3.00
5	=	1.4.99 – 30.9.99
6	=	1.10.98 – 31.3.99
7	=	1.4.98 – 30.9.98
8	=	1.10.97 – 31.3.98
9	=	1.4.97 - 30.9.97
10	=	1.10.96 - 31.3.97
11	=	1.4.96 – 30.9.96
12	=	1.10.95 - 31.3.96
13	=	1.4.95 - 30.9.95
14	=	1.10.94 - 31.3.95
15	=	1.4.94 - 30.9.94
16	=	1.10.93 - 31.3.94
17	=	1.4.93 - 30.9.93
18	=	1.10.92 - 31.3.93
19	=	1.4.92 - 30.9.92
20	=	1.10.91 - 31.3.92
21	=	1.4.91 - 30.9.91
22	=	1.11.90 - 31.3.91
23	=	1.5.90 - 31.10.90
24	=	1.11.89 - 30.4.90
25	=	1.5.89 - 31.10.89
26	=	1.11.88 - 30.4.89
27	=	1.5.88 - 31.10.88
28	=	1.11.87 - 30.4.88
29	=	1.5.87 - 31.10.87
30	=	1.11.86 - 30.4.87
31	=	1.5.86 - 31.10.86
32	=	1.11.85 - 30.4.86
33	=	1.5.85 - 31.10.85
34	=	1.11.84 - 30.4.85
35	=	1.5.84 - 31.10.84
36	=	1.11.83 - 30.4.84
37	=	1.5.83 - 31.10.83
38	=	1.11.82 - 30.4.83
39	=	1.5.82 - 31.10.82
40	=	1.11.81 - 30.4.82
41	=	1.5.81 - 31.10.81
42	=	1.11.80 - 30.4.81