# **ANZDATA REGISTRY DATABASE**

# **DATA DICTIONARY**

INCORPORATING ALTERATIONS, ADDITIONS AND INSTRUCTIONS

ANZDATA REGISTRY

THE QUEEN ELIZABETH HOSPITAL

WOODVILLE 5011

**JANUARY 2008** 

# ANZDATA REGISTRY - JANUARY 2008

**PROJECT** - MAIN DATABASE ALTERATION AND ADDITIONS

**DATA DICTIONARY** - ANZDATA REGISTRY

**PROGRAMME** - ANZDATA REGISTRY DATABASE

**DESIGNER'S NAME** - LEE EXCELL

**DATE OF ISSUE** - JANUARY 2008

**COMPUTER** - INTEL(R) - PENTIUM (R/4) - 2 GHZ

OPERATING SYSTEM - WINDOWS 2000

**DATABASE** - ORACLE Version 9i

# **General Description of the Programme** -

This programme is for use by the Anzdata Registry for data entry purposes through the collection of Screens and for access in analysing the data through the enclosed Tables, as described in the Data Dictionary, using the Structured Query Language (SQL). This data is available for distribution to participating units or for approved research purposes via an ASCII comma delimited file.

New fields and amendments have been added to the Tables and data entry screens as at January 2008. These have been linked and tested and have produced a working programme for the Anzdata Registry.

# **CONTENTS**

|  | PAGE     |
|--|----------|
| PROGRAMME DETAILS AND DESCRIPTION                  | 2        |
| DATABASE TABLES                                    |          |
| IDENTITY TABLE                                     | 4        |
| DEMOGRAPHIC TABLE                                  | 5        |
| COMORBID TABLE                                     | 6        |
| COHISTRY TABLE                                     | 7        |
| CORISK TABLE                                       | 8        |
| HISTRY TABLE                                       | 9-10     |
| TRANSFER TABLE                                     | 10       |
| LOCATION TABLE                                     | 10       |
| TREATMENTS TABLE                                   | 11       |
| DEATH TABLE  | 11       |
| DIALYSIS TABLE                                     | 12-14    |
| PERITONITIS TABLE                                  | 15       |
| GRAFT TABLE  | 16-17    |
| MULTIPLE TABLE                                     | 18       |
| REJECTION TABLE<br>MONOCLONAL TABLE                | 19<br>20 |
| DRUG TABLE   | 20       |
| CYADRUG TABLE                                      | 22       |
| WEIGHT TABLE                                       | 23       |
| SCREAT TABLE                                       | 24       |
| DONOR TABLE  | 25       |
| HLA TABLE  | 26       |
| PAEDIATRIC TABLE                                   | 27       |
| PARENTHOOD TABLE                                   | 28       |
| CANDONOR TABLE                                     | 29       |
| NONSKIN TABLE                                      | 30       |
| SKIN TABLE   | 31       |
| LYMPHOMA TABLE AND CANCERPATS TABLE                | 32       |
| CTSPRETRANSPLANT TABLE                             | 33       |
| CTSFOLLOWUP TABLE                                  | 34       |
| AUSTWAIT AND NZWAIT TABLES                         | 35       |
| EPOSURVEY TABLE (Discontinued from 01-Oct-1998)    | 36       |
| EPO2 AND EPO2A TABLES (No longer collected)        | 37       |
| HBS87 TABLE (Discontinued from 01-May-1987)        | 38       |
| HIST87 TABLE (Discontinued from 01-May-1987)       | 39       |
| ATG AND OLDPARENTHOOD TABLES (No longer collected) | 40       |
| AMYLOID TABLE (No longer collected)                | 41       |
| OLDSKIN TABLE (No longer collected)                | 42       |
| SQL (STRUCTURED QUERY LANGUAGE) ACCESS TABLES      |          |
| TXDATA TABLE AND LASTRX TABLE                      | 43       |
| DXBDF TABLE, DXLM TABLE AND DXPDTABLE              | 44       |
| APPENDIX   |          |
| CD CODES TABLES AND DESCRIPTIONS (How to access)   | 45       |
| ANZDATA REGISTRY - LIST OF CENTRES                 | 46-52    |
| ANZDATA LIST OF HISTORY SEQUENCES AND SURVEY DATES | 53       |
| DEMOGRAPHIC - CODES LIST OF COUNTRIES              | 54       |
| ANZDATA FORM AND INSTRUCTIONS ON BACK OF FORM      |          |
| REJECTION FORM                                     |          |
| CANCER FORM  |          |
| CTS PRE TRANSPLANT FORM AND FOLLOW UP FORM         |          |
| PAEDIATRIC FORM                                    |          |
| PARENTHOOD OUTCOME FORM PERITONITIS FORM           |          |

#### **IDENTITY TABLE**

(Screen 1)

| Name            | Description  | Type and Size            | Range/Values    |
|-----------------|--|--------------------------|-----------------|
| PATIENT         | Patient Number (not Null)  | NUMBER (6)               | 100001 - 999999 |
| INITHOSP        | Initial hospital   | VARCHAR2 (4)             | *See CDCENTRES  |
| INITSTAT        | Initial state  | NUMBER (1)               | 0-8             |
| INITUNIT        | Initial hospital unit number   | VARCHAR2 (10)            |                 |
| CURRHOSP        | Current hospital   | VARCHAR2 (4)             | *See CDCENTRES  |
| CURRSTAT        | Current state  | NUMBER (1)               | 0-8             |
| CURRUNIT        | Current hospital unit number   | VARCHAR2 (10)            |                 |
| PHYSICIAN       | Surname of caring physician  | VARCHAR2 (20)            |                 |
| SURNAME         | Surname  | VARCHAR2 (30)            |                 |
| GIVNAME         | Given name   | VARCHAR2 (30)            |                 |
| DATBIRTH        | Date of birth  | DATE                     | < Date of entry |
| SEX             | Sex (M or F)   | VARCHAR2 (1)             | M or F          |
| RACE            | Racial origin  | NUMBER (2)               | * See CDRACE    |
| RACEOTHR        | Racial origin other  | VARCHAR2 (15)            |                 |
| DISEASE         | Primary renal disease  | NUMBER (3)               | * See CDDISEASE |
| DISOTHR         | Disease other  | VARCHAR2 (35)            |                 |
| BIOPSY          | Was native kidney biopsied?  | VARCHAR2 (1)             | Y/N or null     |
| SERCREAT        | Serum creatinine at entry  | NUMBER (4)               |                 |
| STATRESIDENT ** | Resident State of Aboriginal patients within the two years before starting treatment | NUMBER (1)               | 0-9             |
| NTRESIDENT **   | Northern Territory resident?   | VARCHAR2 (1)             | Y or null       |
| TASRESIDENT **  | Tasmanian resident?  | VARCHAR2 (1)             | Y or null       |
|                 | * See List of Values from CDCODES Tables or Ke                                       | ey F9 (if using Screen). |                 |

#### New codes added for Primary Renal Disease from 1.1.2005

Primary focal sclerosing GN or focal glomerular sclerosis

112 Secondary focal sclerosing GN

Field added to Screen 1.4.1998

| SERCREAT -                | Serum creatinine at entry  | NUMBER (4)                 |               |
|---------------------------|--|----------------------------|---------------|
| Field added to Table and  | Screen 1.4.1998 – Field no longer collected from 1.1.2                               | 005                        |               |
| STATRESIDENT **           | Resident State of Aboriginal patients Within the two years before starting treatment | NUMBER (1)                 | 0-9           |
| Field added to Table and  | Screen 1.4.1997  |                            |               |
| BIOPSY                    | Was native kidney biopsied?  | VARCHAR2 (1)               | Y/N or null   |
| Field added to Table and  | Screen 1.4.1994 – Field no longer relevant since Re-                                 | fhosp and Refstat added to | Graft in 1998 |
| TASRESIDENT **            | Tasmanian resident?  | VARCHAR2 (1)               | Y or null     |
| Field no longer collected | or relevant since Postcode collection began in 1993                                  |                            |               |
| NTRESIDENT **             | Northern Territory resident?   | VARCHAR2 (1)               | Y or null     |

Previous collection ceased 31.3.1991 – but all old data remains on the Table

#### **Screen Key Directions**

Show Keys-Ctrl F1 Enter Query-F7 Execute Query-F8 F10-Commit Entry (Accept)

**F5-Return to Menu** New Record –F6 List Values=F9

(Ctrl) Enter or F12=Page Down or next Screen (Shift) Enter or F11=Page Up or earlier Screen

Exit the program=Exit or Ctrl Q Display Error-Shift F1

# **DEMOGRAPHIC TABLE**

(Screen 1)

| Name               |          | Description  | Range/Values             | Type and Size                            |
|--------------------|----------|--|--------------------------|--|
| PATIENT<br>COUNTRY |          | Patient Number (not Null) Country of birth                     | NUMBER (6)<br>NUMBER (3) | 100001 - 999999<br>10 onwards or null    |
| POSTCODE           |          | Postcode at Entry-Australian patients                          | NUMBER (4)               | * See CDCOUNTRY<br>2050, 5011 or null    |
| YEAR<br>YEARNZ     | **<br>** | Year of arrival in Australia<br>Year of arrival in New Zealand | NUMBER (4)<br>NUMBER (4) | 1940, 1960 or null<br>1940, 1960 or null |

# Data for this Table collected from 1.4.1993

# Fields not collected from 1.4.1995 but remain on the Table

| ** YEAR   | Year of arrival in Australia   | NUMBER (4) | 1940, 1960 or null |
|-----------|--------------------------------|------------|--------------------|
| ** YEARNZ | Year of arrival in New Zealand | NUMBER (4) | 1940, 1960 or null |

<sup>\*</sup> See List of Values from CDCODES Tables or Key F9 (if using Screen)

| COMORBID TABLE   |  |                             | (Screen 1)          |  |
|--|--|-----------------------------|---------------------|--|
| Name   | Description  | Type and Size               | Range/Values        |  |
| PATIENT  | Patient Number (not Null)  | NUMBER (6)                  | 100001 - 999999     |  |
| REFERRAL3  | Late referral seen <3 mths before 1st treatment  | VARCHAR2 (1)                | Y/N/U or null       |  |
| HEIGHT   | Height of patient, at entry, in cms  | NUMBER (4,1)                | eg 175.5            |  |
| WEIGHT   | Weight of patient, at entry, in kgs  | NUMBER (4,1)                | eg 100.5            |  |
| CIG  | Cigarette smoking  | VARCHAR2 (1)                | N/F/C/U or null     |  |
| HT **  | Hypertension requiring treatment   | VARCHAR2 (1)                | Y/N/U or null       |  |
| DURATION **  | Duration of known renal failure in years   | NUMBER (4,2)                | eg .5-20.75 yrs     |  |
| IMMOTHR **   | Description of drugs given   | VARCHAR2 (20)               |                     |  |
| IMMUNO **  | Pre Dialysis Immunosuppression duration >3/12  | VARCHAR2 (1)                | Y/N/X or null       |  |
| REFERRAL **  | Late referral seen <6 mths before 1st treatment  | VARCHAR2 (1)                | Y/N/U or null       |  |
|  | Data collected from 1.4.1991 (but retrospective da   | ata entered from some l     | nospitals)          |  |
| Fields moved to COHIS  | STRY Table from 1.10.2000. This is a history table to e  | enable these fields to be u | updated each Survey |  |
| LUNG   | Chronic lung disease present?  | VARCHAR2 (1)                | Y/N/S/U or null     |  |
| CORONARY   | Coronary artery disease present?   | VARCHAR2 (1)                | Y/N/S/U or null     |  |
| PVD  | Peripheral vascular disease present?   | VARCHAR2 (1)                | Y/N/S/U or null     |  |
| CVD  | Cerebrovascular disease present?   | VARCHAR2 (1)                | Y/N/S/U or null     |  |
| DIABETES   | Diabetes present?  | VARCHAR2 (1)                | N/O/P/Q or null     |  |
| Fields moved to CORIS  | SK Table from 1.10.2000 . This is a history table to enab  | ole these fields to be adde | ed to each Survey   |  |
| RISK1  | Coding of first Other Comorbid Condition   | NUMBER (2)                  | * See CDRISK        |  |
| RISK2  | Coding of second Other Comorbid Condition  | NUMBER (2)                  | * See CDRISK        |  |
| RISK3  | Coding of third Other Comorbid Condition   | NUMBER (2)                  | * See CDRISK        |  |
| RISKOTHR   | Description of any other risk factor(s)  | VARCHAR2 (40)               |                     |  |
| Previous Table CORM  | ORBID with all the above data has been renamed COM on the database for reference, but not used from 1.10 |                             | IS                  |  |
| Field added to Table an  | nd Screen from 1.4.1997  |                             |                     |  |
| REFERRAL3  | Late referral seen <3 mths before first treatment  | VARCHAR2 (1)                | Y/N/U or null       |  |
| Field added from 1.4.19  | 995 but not collected after 31.3.1997 but remains on Tal   | <u>ole</u>                  |                     |  |
| ** REFERRAL  | Late referral seen <6 mths before 1st treatment  | VARCHAR2 (1)                | Y/N/U or null       |  |
| Fields not collected after   | er 31.3.1997 - but remain on Table   |                             |                     |  |
| ** IMMUNO  | Pre Dialysis Immunosuppression - duration >3/12  | VARCHAR2 (1)                | Y/N/X or null       |  |
| ** IMMOTHR   | Description of drugs given   | VARCHAR2 (20)               |                     |  |
| Field added to Table and Screen from 1.4.1994 - No longer collected from 1.1.2005 but remains in the Table |  |                             |                     |  |
| HT **  | Hypertension requiring treatment   | VARCHAR2 (1)                | Y/N/U or null       |  |
| -  | )  | (1)                         |                     |  |
| Field not collected after  | r 31.3.1995 - but remains on Table   |                             |                     |  |
|  | - · · · · · · · · · · · · · · · · · · ·  | 3 H D CD CD (4 A)           |                     |  |

\*\* DURATION Duration of known renal failure in years

NUMBER (4,2) eg .5-20.75 yrs

#### **COHISTRY TABLE**

(Screen 1)

| Name         | Description                          | Type and Size | Range/Values    |
|--------------|--------------------------------------|---------------|-----------------|
| PATIENT      | Patient Number (not Null)            | NUMBER (6)    | 100001 - 999999 |
| CODATE       | Date of first entry – Date of Survey | DATE          |                 |
| LUNG         | Chronic lung disease present?        | VARCHAR2 (1)  | Y/N/S/U or null |
| CORONARY     | Coronary artery disease present?     | VARCHAR2 (1)  | Y/N/S/U or null |
| PVD          | Peripheral vascular disease present? | VARCHAR2 (1)  | Y/N/S/U or null |
| CVD          | Cerebrovascular disease present?     | VARCHAR2 (1)  | Y/N/S/U or null |
| DIABETES     | Diabetes present?                    | VARCHAR2 (1)  | N/O/P/Q or null |
| CURRPOSTCODE | Current Postcode at end of Survey    | NUMBER (4)    |                 |

This is a History Table to enable the initial entry and subsequent updating of the above Comorbid conditions for each patient every Survey from 1.10.2000

The above Fields have been moved from the COMORBID Table (with all existing data) from 1.10.2000

New Field collected from 1.1.2005

CURRPOSTCODE Current Postcode at end of Survey NUMBER (4)

Note:

Survey dates have changed from nine months to twelve months from (1.1.2005-31.12.2005) Survey dates have changed from six monthly to nine months from (1.4.2004 to 31.12..2004)

Field from 1.10.2000

CODATE Date of first entry – Date of Survey DATE

CODATE = Date of Entry for New Patients, and for existing patients, subsequent End of Survey Dates (inserted by the computer) for updating each Survey, eg 31.12.2005 will be the latest update

CODATE will have the Current Survey Date entered ie 31.12.2005 (for the December 2005 Survey)

Last Survey CODATE will have the Survey Date entered as 31.12.2004 (for the December 2004 Survey)

and 31.3.2004 will become the previous Survey Date etc.

Data collection for the above fields commenced from 1.10.1991 Some retrospective data has been entered by hospitals and appears in the above fields.

#### **CORISK TABLE**

(Screen 1)

| Name      | Description                             | Type and Size | Range/Values    |
|-----------|---|---------------|-----------------|
| PATIENT   | Patient Number (not Null)               | NUMBER (6)    | 100001 - 999999 |
| CODATE    | Date of first entry – Date of Survey    | DATE          |                 |
| RISK      | Coding of Other Comorbid Condition      | NUMBER (2)    |                 |
| RISKOTHER | Description of Other Comorbid Condition | VARCHAR2 (40) |                 |

# This Table enables these fields to be added to each Survey from 1.10.2000

#### Fields from 1.10.2000

CODATEDate of first entry – Date of SurveyDATERISKCoding of Other Comorbid ConditionNUMBER (2)RISKOTHERDescription of Other Comorbid ConditionVARCHAR2 (40)

CODATE = Date of Entry for New Patients, and for existing patients, subsequent End of Survey Dates (inserted by the computer) for updating each Survey, eg 31.12.2007 will be the latest update

#### Note:

Survey dates changed from nine months to twelve months from (1.1.2005-31.12.2005) Survey dates changed from six monthly to nine months from (1.4.2004 to 31.12.2004)

CODATE will have the Current Survey Date entered ie 31.12.2007 (for the December 2007 Survey)

Last Survey CODATE will have the Survey Date entered as 31.12.2006 (for the December 2006 Survey)

and 31.12.2005 will become the previous Survey Date etc.

Code and Text Description of Risk found in CDCODES Table CDRISK

#### Code 70 = Far North Queensland patient

(a record of those patients commencing treatment in the Cairns area, before Cairns was an official Registry centre in 1993. These patients have Townsville listed as their Initial Hospital, as there was no renal physician appointed in Cairns until 1993)

#### Fields moved from COMORBID Table from 1.10.2000

#### Data entered into the following fields from 1.10.1994

Some retrospective data has been entered by hospitals and appears in the above fields.

RISK1 Coding of first Other Comorbid Condition NUMBER (2)
RISK2 Coding of second Other Comorbid Condition NUMBER (2)
RISK3 Coding of third Other Comorbid Condition NUMBER (2)
RISKOTHR Description of any other risk factor(s) VARCHAR2 (40)

Data from Fields RISK1, RISK2 and RISK3 has been inserted into the new Field RISK

Data from RISKOTHR has been inserted into new Field RISKOTHER

All existing data as at 30.9.2000 has been retained in the Table COMORBIDOLD (not used from 30.9.2000)

# HISTRY TABLE (Screen 2) Type and Size Range/Values

| Name          | Description                                   | Type and Size | Range/Values     |
|---------------|---|---------------|------------------|
| PATIENT       | Patient Number (not Null)                     | NUMBER (6)    | 100001 - 999999  |
| HISTSEQ #     | Sequence number (not Null)                    | NUMBER (2)    |                  |
| HOSPCODE      | Hospital code                                 | VARCHAR2 (4)  | * See CDCENTRES  |
| STATE         | State code                                    | NUMBER (1)    |                  |
| CENTRECODE    | Centre of geographical location end of survey | VARCHAR2 (4)  | * See CDCENTRES  |
| CENTRESTATE   | Centre State code                             | NUMBER (1)    |                  |
| ANTIBODY      | Hepatitis C Antibody                          | VARCHAR2 (1)  | 1,2,3 or null    |
| WAITING **    | Is patient on the Waiting List                | VARCHAR2 (1)  | Y/N/X or null    |
| LIKEHOOD**    | Likelihood of transplant                      | NUMBER (2)    | * See CDLIKEHOOD |
| TRANOTHR**    | Likelihood transplant other reasons           | VARCHAR2 (20) |                  |
| EXDIALTYPE ** | Dialysis Type                                 | NUMBER (2)    | * See CDDIALYSIS |
| PCRTEST **    | Hepatitis C-RNA P.C.R. Test                   | VARCHAR2 (1)  | 1,2,3 or null    |
| QUALCODE **   | Quality of life code                          | NUMBER (3)    | * See CDLIFE     |
| WORKCODE **   | Rehabilitation code                           | NUMBER (2)    | * See CDREHAB    |

<sup>\*</sup> See List of Values from CDCODES Tables or Key F9 (if using Screen).

# HISTSEQ 58 is the current Survey (ie 1.1.2007 – 31.12.2007)

HISTSEQ 57 is data from the most recent Survey (ie 1.1.2006 – 31.12.2006)

All other records are historical with Histseq 56 being second most recent survey 1.1.2005 – 31.12.2005 through to oldest Histseq 8 (1.11.1980-30.4.1981)

Note: Survey dates changed from nine months to twelve months from (1.1.2005-31.12.2005) Survey dates changed from six monthly to nine months from (1.4.2004 to 31.12..2004)

#### See list of Survey Dates accompanying this issue on Page 53

HISTSEQ - Is updated before data entry each Survey NUMBER (2)

to reflect the new Survey period dates of data collection

HEPATITIS COLLECTION BEGAN AT SURVEY 31 CENTRECODE COLLECTION BEGAN AT SURVEY 29

Field added to Table and Screen from 1.10.2000 but no longer collected from 1.1.2005

WAITING \*\* Is Patient on the Waiting List VARCHAR2 (1) Y/N/X and null

Fields not collected from 1.10.2000 but to remain on the Table and Screen

LIKEHOOD Likelihood of transplant NUMBER (2) \* See CDLIKEHOOD

TRANOTHR Likelihood transplant other reasons VARCHAR2 (20)

Fields from HistoryTable Hepatitis moved to Histry Table – Hepatitis Table discontinued from 1.4.1999

ANTIBODY Hepatitis C Antibody VARCHAR2 (1) 1,2,3 or null PCRTEST \*\* Hepatitis C-RNA P.C.R. Test VARCHAR2 (1) 1,2,3 or null

Data for Hepatitis collected from 1.4.1992. PCRTEST not collected after 31.3.1994 but remained on old Hepatitis Table and now transferred to Histry

Field not collected from 1.4.1998 but remains on the Table.

\*\* QUALCODE Quality of life code NUMBER (3) \* See CDLIFE

# **HISTRY TABLE (Continued)**

(Screen 2)

Field values changed from 1.10.1994 onwards - Old Codes merged to the new Codes where possible

LIKEHOOD Likelihood of transplant NUMBER (2) \* See CDLIKEHOOD

Field not collected from 1.4.1994 but remains on the Table

\*\* WORKCODE All data remains in HISTRY Table NUMBER (2)

WORKCODE remains on CDCODES Table.

Field not collected from 1.4.1991 but remains on the Table

DIALTYPE from Hist87 appears in that Table and Histry Table from Sequence 8-20 DIALTYPE was renamed EXDIALTYPE in Histry Table from Sequence 21 onwards

\*\* EXDIALTYPE Renamed field (Old name was DIALTYPE) NUMBER (2)

All data remains in HISTRY Table

Data from 1.4.1991 stored in DIALYSIS Table

EXDIALTYPE and DIALTYPE to continue to share same CDCODES Table

#### TRANSFER TABLE

(Screen 2)

| Name                                      | Description  | Type and Size                                    | Range/Values    |
|---|--|--|-----------------|
| PATIENT<br>SEQUNO<br>HOSPCODE<br>HOSPDATE | Patient Number (not Null) Sequence number (not Null) Hospital of transfer Date of transfer | NUMBER (6)<br>NUMBER (2)<br>VARCHAR2 (4)<br>DATE | 100001 – 999999 |

Data collected for this Table from 1.10.1999, though retrospective data has been entered

to the beginning in 1963

Allows more accurate assessment of patient movements between hospitals

#### Field added to Table and Screen from 1.1.07 (but access greyed out) – Computer generated sequence number

SEQUNO Sequence number (not Null)

NUMBER (2)

Sequno (sequence number) added to allow preemptive transplants to be allocated to the Referring Hospital but having both Referring Hospital and Transplant Hospital with dates on the same day (as treatment started at the Transplanting Hospital).

# **LOCATION TABLE**

(Screen 2)

| Name                                     | Description  | Type and Size   | Range/Values                              |
|--|--|---|---|
| PATIENT<br>KEYHOSP<br>KEYSTAT<br>KEYUNIT | Patient Number (not Null) Key hospital (not Null) Key state Key hospital unit number | NUMBER (6)<br>VARCHAR2 (4)<br>NUMBER (1)<br>VARCHAR2 (10) | 100001 - 999999<br>* See CDCENTRES<br>0-8 |

<sup>\*</sup> See list of values from CDCENTRES or Key F9 (if using Screen)

#### Data collected for this Table from 1.4.1994

Allows entry of a unit's unique number for each patient.

Patients having treatment in a particular unit and returning to their Caring unit

or transferring, have the unit number stored permanently for access to files or Databases.

# TREATMENTS TABLE (Screen 3)

| Name                               | Description   | Type and Size                       | Range/Values                        |
|------------------------------------|---|-------------------------------------|-------------------------------------|
| PATIENT<br>SEQUNO                  | Patient Number (not Null) Sequence number (not Null)  | NUMBER (6)<br>NUMBER (2)            | 100001 - 999999                     |
| RXCODE                             | Treatment code  | VARCHAR2 (1)                        | A,B,C,D,E,F,G,H,<br>I,J,K,L,M,X,Z * |
| RXDATE<br>TRANSFER<br>TRANSFEROTHR | Treatment date Reason transfer from dialysis during survey Description of reason for transfer | DATE<br>NUMBER (2)<br>VARCHAR2 (40) | * See CDTRANSFER                    |

<sup>\*</sup> See List of Values from CDTREAT Table or Key F9 (if using Screen).

#### Fields added to Table and Screen from 1.1.2007

| TRANSFER     | Reason transfer from dialysis during survey | NUMBER (2)    | * See CDTRANSFER |
|--------------|---|---------------|------------------|
| TRANSFEROTHR | Description of reason for transfer          | VARCHAR2 (40) |                  |

Transfer1, Transfer2, Transfer3, Transfer4 and TransferOthr in DIALYSIS Table have been transferred to the Treatments Table for the 2008 data collection and are now named TRANSFER and TRANSFEROTHR

# DEATH TABLE (Screen 3)

| Name     | Description                        | Type and Size | Range/Values    |
|----------|------------------------------------|---------------|-----------------|
| PATIENT  | Patient Number (not Null)          | NUMBER (6)    | 100001 - 999999 |
| CANCDIAG | Cancer ever diagnosed?             | VARCHAR2 (1)  | Y/N/X           |
| CAUSDETH | Cause of death                     | NUMBER (3)    | * See CDDEATH   |
| DETHOTHR | Other causes of death              | VARCHAR2 (35) |                 |
| GRAFTSUS | Was graft sustaining life          | VARCHAR2 (1)  | Y/N/X           |
|          | without dialysis at time of death? |               |                 |

• See List of Values from CDDEATH Table or Key F9 (if using Screen).

New codes 40,45,46,47,48 and 49 for Withdrawal from Dialysis as a Cause of Death added from 1.10.2003

Length of fields changed from 1.10.2000

DETHOTHR Other causes of death VARCHAR2 (35)

# **DIALYSIS TABLE**

# (Screen 4)

| Name           | Description  | Type and Size  | Range/Values            |
|----------------|--|----------------|-------------------------|
| PATIENT        | Patient Number (not Null)  | NUMBER (6)     | 100001 - 999999         |
| DIALSEQ #      | Sequence number (not Null)   | NUMBER (2)     |                         |
| DIALTYPE       | Dialysis type  | NUMBER (2)     | * See CDDIALYSIS        |
| DRYWEIGHT      | Dry Weight on last dialysis: End Survey,<br>Transplantation or Death | NUMBER (3)     | eg 70, 199 (nearest kg) |
| CALCIUM        | Uncorrected calcium levels (mmol/l)                                  | NUMBER $(3,2)$ | Range $0.25 - 6.00$     |
| PHOSPHATE      | Phosphate levels (mmol/l)  | NUMBER $(3,2)$ | Range $0.25 - 6.00$     |
| HB             | Haemoglobin level nearest end Survey                                 | NUMBER (3)     | Range 50-250 or null    |
| EPO            | EPO Agent  | VARCHAR2 (1)   | Y/N or null             |
| FERRITIN       | Within last 3 months of Survey                                       | NUMBER (4)     | 0-9000 or null          |
| TRANSFERRIN    | Within last 3 months of Survey                                       | NUMBER (3)     | % or null               |
| DIALBRAND      | Dialyser brand, model, membrane, surface area                        | VARCHAR2 (5)   | A-Z, 0-9 *See CDBRANI   |
| FLOWRATE       | Blood flow rate (mls/min)  | NUMBER (3)     |                         |
| FREQUENCY      | Frequency of dialysis per week                                       | NUMBER $(3,2)$ |                         |
| HOURS          | Hours per session  | NUMBER $(4,2)$ |                         |
| METHOD         | Urea reduction on Kt/V   | VARCHAR2(1)    | *See CDMETHOD           |
| METHODOTHR     | Description of Kt/V other method                                     | VARCHAR2 (40)  |                         |
| UREA           | Urea reduction ratio %   | NUMBER (2)     | 0-99 or null            |
| KTVHD          | Kt/V value on HD   | NUMBER (4,2)   | Range 0.5–3 or null     |
| FIRSTACCESS    | Access at first haemodialysis  | NUMBER (1)     | 1, 2, 3, 4 or null      |
| PRESENT        | Vascular access in use at present?                                   | NUMBER (1)     | 1, 2, 3, 4 or null      |
| DECLOTTED      | Vascular access declotted during survey?                             | VARCHAR2 (1)   | Y/N/D or null           |
| REVISED        | Vascular access revised during survey?                               | VARCHAR2 (1)   | N/S/A/B or null         |
| PET            | PET test for PD-within first 6 mths starting?                        | NUMBER (3,2)   | Range 0.1-2.5 or null   |
| CONNECTION     | Type of Peritoneal Connection System                                 | NUMBER (2)     | *See CDCONNECT          |
| PERITONITIS    | Date first episode of peritonitis - all PD                           | DATE           |                         |
| CONNECTFIRST   | Connection System (first episode peritonitis)                        | NUMBER (2)     | *See CDCONNECT          |
| EPISODES       | Number of episodes peritonitis during survey                         | NUMBER (2)     |                         |
| LITRES         | Total volume weekly exchanges-All PD                                 | NUMBER (3)     | Range 5-250 or null     |
| CLEARANCE      | Creatinine Clearance (litres per week)                               | NUMBER (6,2)   | Range 10-499 or null    |
| KTVPD          | Kt/V value on PD   | NUMBER (4,2)   | Range 0.1 – 8           |
| RESIDUAL       | Residual renal clearance (GFR)                                       | NUMBER (5,2)   | Range 0-400 or null     |
| GLUCOSE        | PD Solution Glucose  | VARCHAR2 (1)   | Y/N or null             |
| IODEXTRIN      | PD Solution Iodextrin  | VARCHAR2 (1)   | Y/N or null             |
| LOWLACTATE     | PD Solution Low GDP Lactate  | VARCHAR2 (1)   | Y/N or null             |
| LOWBICARB      | PD Solution Low GDP Bicarbonate                                      | VARCHAR2 (1)   | Y/N or null             |
| PDOTHER1       | PD Solution Other (Specify)  | VARCHAR2 (25)  | 1/1 Of Hall             |
| PDOTHER2       | PD Solution Other (Specify)  | VARCHAR2 (25)  |                         |
| 1 DOTTIER2     | 1D Solution Other (Specify)  | VARCHARZ (23)  |                         |
| BICARBONATE ** | Bicarbonate Based Dialysate  | VARCHAR2 (1)   | Y/N or null             |
| DIASTOLIC **   | Blood pressure – minimum (mmHg)                                      | NUMBER (3)     | eg 90 or null           |
| NIGHT **       | Night time single exchange device                                    | VARCHAR2 (1)   | Y/N or null             |
| REUSE **       | Does patient reuse dialyser  | VARCHAR2 (1)   | Y/N or null             |
| SYSTOLIC **    | Blood pressure – maximum (mmHg)                                      | NUMBER (3)     | eg 140 or null          |

<sup>\*</sup> See List of Values CDCODES Tables or Key F9 (if using Screen).

(Continued next page)

#### **DIALYSIS TABLE (Continued)**

(Screen 4)

#### **DIALYSIS SEQUENCES BEGAN AT SURVEY 29**

#### **Data for this Table collected from 1.4.1991**

Date of First Episode of Peritonitis collected from 1.4.1991 onwards

Note: Survey dates changed from nine months to twelve months from (1.1.2005-31.12.2005) Survey dates changed from six monthly to nine months from (1.4.2004 to 31.12..2004)

# DIALSEQ 58 will be data from the current Survey (ie 1.1.2007 – 31.12.2007)

DIALSEQ 57 will be data from the most recent Survey (ie 1.1.2006 – 31.12.2006)

DIALSEQ 56 will be data from the previous Survey (ie 1.1.2005–31.12.2005)

DIALSEQ 29 is the oldest sequence (ie 1.4.1991 - 30.9.1991)

Within last 3 months of Survey

**TRANSFERRIN** 

DIALSEQ - Is forwarded before data entry each Survey to reflect the new Survey period

| Fields added to Table an GLUCOSE  | nd Screen from 1.1.2007 PD Solution Glucose    | VARCHAR2 (1)  | Y/N or null          |
|-----------------------------------|--|---------------|----------------------|
| IODEXTRIN                         | PD Solution Iodextrin                          | VARCHAR2 (1)  | Y/N or null          |
| LOWLACTATE                        | PD Solution Low GDP Lactate                    | VARCHAR2 (1)  | Y/N or null          |
| LOWBICARB                         | PD Solution Low GDP Bicarbonate                | VARCHAR2 (1)  | Y/N or null          |
| PDOTHER1                          | PD Solution Other (Specify)                    | VARCHAR2 (25) |                      |
| PDOTHER2                          | PD Solution Other (Specify)                    | VARCHAR2 (25) |                      |
| Fields amalgamated and to         | ransferred to the Treatments Table from 1.1.07 |               |                      |
| TRANSFER1                         | 1st reason transfer CAPD/APD during survey     | NUMBER (2)    | *See CDTRANSFER      |
| TRANSFER1OTHR                     | Description of 1st reason for transfer         | VARCHAR2 (40) | SVV CB TIUTI (BI EIC |
| TRANSFER2                         | 2nd reason transfer CAPD/APD during survey     | NUMBER (2)    | *See CDTRANSFER      |
| TRANSFER2OTHR                     | Description of 2nd reason for transfer         | VARCHAR2 (40) |                      |
| TRANSFER3                         | 3rd reason transfer CAPD/APD during survey     | NUMBER (2)    | *See CDTRANSFER      |
| TRANSFER3OTHR                     | Description of 3rd reason for transfer         | VARCHAR2 (40) |                      |
| TRANSFER4                         | 4th reason transfer CAPD/APD during survey     | NUMBER (2)    | *See CDTRANSFER      |
| TRANSFER4OTHR                     | Description of 4th reason for transfer         | VARCHAR2 (40) |                      |
|                                   |  | ,             |                      |
| Fields added to Table and         | <u>Screen from 1.1.2005</u>                    |               |                      |
| TRANSFER3                         | 3rd reason transfer CAPD/APD during survey     | NUMBER (2)    | *See CDTRANSFER      |
| TRANSFER3OTHR                     | Description of 3rd reason for transfer         | VARCHAR2 (40) |                      |
| TRANSFER4                         | 4th reason transfer CAPD/APD during survey     | NUMBER (2)    | *See CDTRANSFER      |
| TRANSFER4OTHR                     | Description of 4th reason for transfer         | VARCHAR2 (40) |                      |
| Navy and added to Type            | of Dialysis from 1.1.2004                      |               |                      |
| • •                               | •  |               |                      |
| 19 C.V.V.HD (Inter                | nsive Care Unit)                               |               |                      |
| Eiglde edded to Toble and         | Company from 1 10 2002                         |               |                      |
| Fields added to Table and CALCIUM | Uncorrected calcium levels (mmol/l)            | NUMBER (3,2)  | Range $0.25 - 6.00$  |
| PHOSPHATE                         | Phosphate levels (mmol/l)                      | NUMBER (3,2)  | Range 0.25 – 6.00    |
| FIRSTACCESS                       | Access at first haemodialysis                  | NUMBER (3,2)  | 1, 2, 3, 4 or null   |
| FIRSTACCESS                       | Access at first flaemodiarysis                 | NUMBER (1)    | 1, 2, 3, 4 of fluif  |
| Field not collected from 1        | .4.2002 but to remain on the Table             |               |                      |
| CONNECTFIRST                      | Connection System (first episode peritonitis)  | NUMBER (2)    | *See CDCONNECT       |
|                                   | 10 10 10 10 10 10 10 10 10 10 10 10 10 1       |               |                      |
| New fields added to Tabl          | e and Screen from 1.10.2000                    |               |                      |
| HB                                | Haemoglobin level nearest end Survey           | NUMBER (3)    | Range 50-250 or null |
| EPO                               | EPO Agent                                      | VARCHAR (1)   | Y/N or null          |
| FERRITIN                          | Within last 3 months of Survey                 | NUMBER (4)    | 0-5000               |

NUMBER (3)

# **DIALYSIS TABLE (Continued)**

(Screen 4)

| New fields added to Tab     | ele and Screen from 1.4.1999                           |                      |                         |
|-----------------------------|--|----------------------|-------------------------|
| METHOD                      | Urea reduction on Kt/V                                 | VARCHAR2 (1)         | *See CDMETHOD           |
| METHODOTH                   | Description of Kt/V other method                       | VARCHAR2 (40)        |                         |
| KTVHD                       | Kt/V value on HD                                       | NUMBER $(2,1)$       | Range 0.5–3 or null     |
| PRESENT                     | Vascular access present?                               | NUMBER (1)           | 1, 2, 3, 4 or null      |
| DECLOTTED                   | Vascular access declotted during survey?               | VARCHAR2 (1)         | Y/N/D or null           |
| REVISED                     | Vascular access revised during survey?                 | VARCHAR2 (1)         | N/S/A /B or null        |
| PET                         | PET test for PD-within first 6 mths starting?          | NUMBER (3,2)         | Range 0.1-2.5 or null   |
| CLEARANCE                   | Creatinine Clearance (litres per week)                 | NUMBER (6,2)         | Range 10-400 or null    |
| KTVPD                       | Kt/V value on PD                                       | NUMBER (4,2)         | Range 0.1 – 8           |
| RESIDUAL                    | Residual renal clearance (GFR)                         | NUMBER (5,2)         | Range 0-25              |
| TRANSFER1OTHR               | Description of 1st reason for transfer                 | VARCHAR2 (40)        |                         |
| TRANSFER2OTHR               | Description of 2nd reason for transfer                 | VARCHAR2 (40)        |                         |
| Fields not collected from   | 1.4.1999 but to remain on the Table                    |                      |                         |
| ** REUSE                    | Does patient reuse dialyser                            | VARCHAR2 (1)         | Y/N or null             |
| ** NIGHT                    | Night time single exchange device                      | VARCHAR2 (1)         | Y/N or null             |
|                             |  | ( )                  |                         |
|                             |  |                      |                         |
| Fields added to Table and   | d Screen from 1.4.1998 and not collected from 1.10.200 | 0 onwards. To remain | on the Table            |
| SYSTOLIC                    | Blood pressure – maximum (mmHg)                        | NUMBER (3)           | eg 140 or null          |
| DIASTOLIC                   | Blood pressure – minimum (mmHg)                        | NUMBER (3)           | eg 90 or null           |
|                             |  |                      |                         |
| E' 11 11 1                  | 10 0 141007  |                      |                         |
| Fields added to Table and   |  | ) H H (DED (A)       | 0.00                    |
| UREA                        | Urea reduction ratio %                                 | NUMBER (2)           | 0-99 or null            |
| NIGHT                       | Night time single exchange device                      | VARCHAR2 (1)         | Y/N or null             |
| Field not collected after 3 | 31.3.1997 - but remains on Table.                      |                      |                         |
| ** BICARBONATE              | Bicarbonate Based Dialysate                            | VARCHAR2 (1)         | Y/N or null             |
|                             | ·  | ,                    |                         |
| Field added to Table and    | Screen from 1.4.1995                                   |                      |                         |
| DRYWEIGHT                   | Dry Weight on last dialysis: End Survey                | NUMBER (3)           | eg 70, 199 (nearest kg) |
|                             |  | . ,                  | <i>2</i> ,              |
| Fields added to Table and   | d Screen from 1.4.1994                                 |                      |                         |
| LITRES                      | Total volume weekly exchanges-All PD                   | NUMBER (3)           | Range5-200 litres week  |
| TRANSFER1                   | 1st reason transfer CAPD/CCPD during survey            | NUMBER (2)           | *See CDTRANSFER         |
| TRANSFER2                   |  | NUMBER (2)           | *See CDTRANSFER         |
| 110 11 101 12102            | 2nd reason transfer CAPD/CCPD during survey            | NUMBER (2)           | See CDIKANSFER          |

# Field (NAME ONLY) moved from another Table and Screen

DIALTYPE This field stores and displays data collected from 1.4.1991 onwards

(See HISTRY Table instructions and renaming for Dialysis data collected before 1.4.1991)

|                | PERITONITIS TABLE                                |               | (Screen 5)          |
|----------------|--|---------------|---------------------|
| Name           | Description                                      | Type and Size | Range/Values        |
| PATIENT        | Patient Number (not Null)                        | NUMBER (6)    | 100001 - 999999     |
| INFDATE        | Date of infection (not Null)                     | DATE          |                     |
| ORG1           | Name of first organism                           | NUMBER (2)    | See CDOrganism      |
| ORG2           | Name of second organism                          | NUMBER (2)    | See CDOrganism      |
| ORG3           | Name of third organism                           | NUMBER (2)    | See CDOrganism      |
| INITREG1       | Name of initial regimen first antibiotic given   | NUMBER (2)    | See CDAntibiotic    |
| INITREG2       | Name of initial regimen second antibiotic given  | NUMBER (2)    | See CDAntibiotic    |
| INITREG3       | Name of initial regimen third antibiotic given   | NUMBER (2)    | See CDAntibiotic    |
| INITDATE       | Date initial regimen started                     | DATE          |                     |
| SECONDREG1     | Name of second regimen first antibiotic given    | NUMBER (2)    | See CDAntibiotic    |
| SECONDREG2     | Name of second regimen second antibiotic         | NUMBER (2)    | See CDAntibiotic    |
| SECONDREG3     | Name of second regimen third antibiotic given    | NUMBER (2)    | See CDAntibiotic    |
| SECONDDATE     | Date second regimen started                      | DATE          |                     |
| THIRDREG1      | Name of third regimen first antibiotic given     | NUMBER (2)    | See CDAntibiotic    |
| THIRDREG2      | Name of third regimen second antibiotic given    | NUMBER (2)    | See CDAntibiotic    |
| THIRDREG3      | Name of third regimen third antibiotic given     | NUMBER (2)    | See CDAntibiotic    |
| THIRDDATE      | Date third regimen started                       | DATE          |                     |
| LASTGIVEN      | Name of last antibiotic given                    | NUMBER (2)    | See CDAntibiotic    |
| LASTDOSEDATE   | Date of last dose of last antibiotic given       | DATE          |                     |
| ADDTHERAPY     | Additional therapy given                         | NUMBER (1)    | See CDTherapy       |
| ADDTHERAPYOTH  | Additional therapy (other) specify               | VARCHAR2 (30) |                     |
| THERAPYDATE    | Date last therapy started                        | DATE          |                     |
| RECURRENCE     | Was there a recurrence of peritonitis?           | VARCHAR2 (1)  | Y=Yes, N=No or null |
| HOSPITAL       | Was patient hospitalised?                        | VARCHAR2 (1)  | Y=Yes, N=No or null |
| ADMITDATE1     | Date of first admission to hospital              | DATE          |                     |
| DISCHARGEDATE1 | Date of first discharge from hospital            | DATE          |                     |
| ADMITDATE2     | Date of second admission to hospital             | DATE          |                     |
| DISCHARGEDATE2 | Date of second discharge from hospital           | DATE          |                     |
| CATHETER       | Was catheter removed?                            | VARCHAR2 (1)  | Y=Yes, N=No or null |
| CATHDATE       | Date catheter was removed                        | DATE          |                     |
| INTERIMHD      | Did patient have interim haemodialysis?          | VARCHAR2 (1)  | Y=Yes, N=No or null |
| FIRSTDXDATE    | Date of first interim haemodialysis              | DATE          |                     |
| LASTDXDATE     | Date of last interim haemodialysis               | DATE          |                     |
| PERMANENT      | Did patient transfer to permanent haemodialysis? | VARCHAR2 (1)  | Y=Yes, N=No or null |
| PERMDATE       | Date of permanent transfer to haemodialysis      | DATE          |                     |
| COMMENTS       | Any Comments                                     | VARCHAR2 (80) |                     |

# Table to record each episode, treatment and outcome of peritonitis from 1.10.2003

Episodes of peritonitis will be recorded for only those hospitals wishing to participate

#### NOTE: Data for this Table is collected on a SEPARATE PERITONITIS FORM

Number of episodes of peritonitis on the main Data Form indicates whether the Peritonitis Form needs to be entered If this question has an entry of 1 or more, this Table and Screen capture the Peritonitis data

<sup>\*</sup> See List of Values from CDCODES Tables or Key F9 (if using Screen)

|                  |            | GRAFT TABLE                                      |                          | (Screen 6)                   |
|------------------|------------|--|--------------------------|------------------------------|
| Name             |            | Description                                      | Type and Size            | Range/Values                 |
| PATIENT          |            | Patient Number (not Null)                        | NUMBER (6)               | 100001 - 999999              |
| GRAFTNO          |            | Graft number (not Null)                          | NUMBER (1)               | 1 - 5                        |
| TXDATE           |            | Date of this transplant                          | DATE                     |                              |
| REFHOSP          |            | Referring hospital before transplantation        | VARCHAR2 (4)             | * See CDCENTRES              |
| REFSTAT          |            | Referring State before transplantation           | NUMBER (1)               |                              |
| DONHOSP          |            | Donor hospital                                   | VARCHAR2 (4)             | * See CDCENTRES              |
| DONSTAT          |            | Donor state                                      | NUMBER (1)               | 1 a an an impera             |
| TRANHOSP         |            | Transplant hospital                              | VARCHAR2 (4)             | * See CDCENTRES              |
| TRANSTAT         |            | Transplant state                                 | NUMBER (1)               | * C CDCOIDITDY               |
| TRANCTRY         |            | Transplant Country for overseas transplants      | NUMBER (3)               | * See CDCOUNTRY              |
| CMV              |            | Recipient CMV antibody status                    | NUMBER (1)               | 1 - 3 or null                |
| EBV<br>DONSOURC  |            | Recipient EBV antibody status  Donor source      | NUMBER (1)<br>NUMBER (2) | 1 - 3 or null * See CDSOURCE |
| DONOTHR          |            | Donor other (If Code 8 entered)                  | VARCHAR2 (25)            | · See CDSOURCE               |
| DONAGE           |            | Donor age  | NUMBER (2)               |                              |
| DONSEX           |            | Donor sex  | VARCHAR2 (1)             | M or F                       |
| ISCHEMIA         |            | Total ischaemia (to nearest hour)                | NUMBER (2)               | 141 01 1                     |
| FUNCTION         |            | Immediate function                               | NUMBER (1)               | 1, 2, 3, 4 or null           |
| PRDRECUR         |            | Disease in graft kidney                          | VARCHAR2 (1)             | Y, D, G, N or null           |
| PRDDATE          |            | Date disease in graft kidney first proven        | DATE                     | , , ,                        |
| CAUSFAIL         |            | Cause of graft failure                           | NUMBER (2)               | * See CDGFAIL                |
| CAUSOTHR         |            | Other causes of graft failure                    | VARCHAR2 (25)            |                              |
| MULTIPLE         |            | Has recipient had another organ transplanted?    | VARCHAR2 (1)             | Y or null                    |
| DATENEPH         | **         | Date of graft nephrectomy                        | DATE                     |                              |
| BLTRANA          | **         | Ever transfused (before <b>first</b> graft only) | NUMBER (1)               | 1 - 3                        |
| BLTRANB          | **         | Number units transfused                          | NUMBER (2)               | 1 - 99                       |
| DATRANF          | **         | Date last transfusion                            | DATE                     |                              |
| INSITU           | **         | Insitu Y?  | VARCHAR                  | 2 (1) Y or null              |
| KIDPRESI         | **         | Initial kidney preservation                      | NUMBER (2)               | * See CDPRESI                |
| KIDPRESM         | **         | Machine kidney preservation                      | NUMBER (1)               | * See CDPRESM                |
|                  |            | * See List of Values from CDCODES Tables or Ko   | ey F9 (if using Screen)  |                              |
| Field added to T | able and   | Screen from 1.1.2007                             |                          |                              |
| TRANCTRY         |            | Transplant Country for overseas transplants      | NUMBER (3)               | * See CDCOUNTRY              |
| New code added   | d to Caus  | e of Graft Failure from 1.1.2005                 |                          |                              |
| 05 BK vir        | us nephro  | opathy   |                          |                              |
| New code added   | d to Disea | ase in Graft from 1.1.2005                       |                          |                              |
| B = BK  Virus r  |            |  |                          |                              |
| Fields added to  | Table and  | d Screen from 1.4.1998                           |                          |                              |
| REFHOSP          |            | Referring hospital before transplantation        | VARCHAR2 (4)             | * See CDCENTRES              |
| REFSTAT          |            | Referring State before transplantation           | NUMBER (1)               | See Spelitikes               |
|                  |            |  | 1,01,1221(1)             |                              |

**GRAFT TABLE (Continued)** 

(Screen 6)

Field added to Table and Screen from 1.4.1997

**PRDDATE** DATE Date recurrence first proven

Fields not collected after 31.3.1997 but remain on the Table

\*\* BLTRANA Ever transfused (before **first** graft only) 1 - 3 NUMBER (1)

\*\* KIDPRESI Initial kidney preservation NUMBER (2) \* See CDPRESI

Range of values changed from 1.4.1995

**PRDRECUR** Disease in graft kidney VARCHAR2 (1) Y, D, G, N or null

See Codes on back of ANZDATA data form

Screen changes from 1.4.1995

**DATENEPH** Date of graft nephrectomy DATE

Field added to Table and Screen 1.4.1994

**FUNCTION** Immediate function NUMBER (1) 1, 2, 3, 4 or null

Field added to Table and Screen 1.4.1991

**CMV** Recipient CMV antibody status NUMBER (1) 1 - 3 or null **EBV** Recipient EBV antibody status 1 - 3 or null NUMBER (1)

Fields retained on this Table - data not collected since 1.4.1991

\*\* BLTRANB Number units transfused No Screen Display NUMBER (2) \*\* DATRANF -Date of last transfusion No Screen Display DATE

\*\* KIDPRESM -Machine kidney preservation No Screen Display NUMBER (1)

\*\* DATENEPH -Date graft nephrectomy DATE

Insitu Y? \*\* INSITU No Screen Display VARCHAR2 (1)

Field added to Table and Screen 1.10.1987

**PRDRECUR** Disease in graft kidney VARCHAR2 (1) Y, D, G, N or null

# **MULTIPLE TABLE**

(Screen 6)

| Name               | Description   | Type and Size            | Range/Values    |
|--------------------|---|--------------------------|-----------------|
| PATIENT<br>MULTSEQ | Patient Number (not Null) Sequence of multiple (not Null) | NUMBER (6)<br>NUMBER (2) | 100001 - 999999 |
| ORGAN<br>MULTDATE  | Code of organ transplanted Date of other organ graft      | NUMBER (2)<br>DATE       | * See CDORGAN   |

<sup>\*</sup> See List of Values from CDORGAN Table or Key F9 (if using Screen)

This data does not appear on the Anzdata Registry collection form

Entry of data into this Table is based upon information supplied by the Australia and New Zealand Organ Donation Registry

Currently only simultaneous Kidney/Heart, Kidney/Pancreas, Kidney/Liver, Kidney/Lung entered

#### **REJECTION TABLE**

# (Screen 7)

| Name       | Description                             | Type and Size | Range/Values    |
|------------|---|---------------|-----------------|
| PATIENT    | Patient Number (not Null)               | NUMBER (6)    | 100001 - 999999 |
| GRAFTNO    | Graft number (not Null)                 | NUMBER (1)    | 1 - 5           |
| REJSEQ     | Sequence number of episodes (not Null)  | NUMBER (2)    | 1-20 or null    |
| REJDATE    | Date of this rejection episode          | DATE          |                 |
| BIOPSY     | Was a biopsy performed?                 | VARCHAR2 (1)  | C,P,D,N or null |
| CELLULAR   | If biopsy is Yes ?Cellular              | NUMBER (1)    | 1,2,3,4 or null |
| VASCULAR   | If biopsy is Yes ?Vascular              | NUMBER (1)    | 1,2,3,4 or null |
| GLOMERULAR | If biopsy is Yes ?Glomerular            | NUMBER (1)    | 1,2,3,4 or null |
| HUMORAL    | Humoral Rejection                       | VARCHAR2 (1)  | Y, N or null    |
| BANFFG     | If biopsy is Yes and Banff g is known   | NUMBER (1)    | 0,1,2,3 or null |
| BANFFI     | If biopsy is Yes and Banff i is known   | NUMBER (1)    | 0,1,2,3 or null |
| BANFFT     | If biopsy is Yes and Banff t is known   | NUMBER (1)    | 0,1,2,3 or null |
| BANFFV     | If biopsy is Yes and Banff v is known   | NUMBER (1)    | 0,1,2,3 or null |
| BXNO       | If NOT BIOPSY proven $=$ N              | NUMBER (1)    | 1,2,3 or null   |
| PRIMRX1    | Primary treatment of rejection - 1      | VARCHAR2 (1)  | See CDPrimaryRx |
| PRIMRX2    | Primary treatment of rejection - 2      | VARCHAR2 (1)  | See CDPrimaryRx |
| PRIMRX3    | Primary treatment of rejection - 3      | VARCHAR2 (1)  | See CDPrimaryRx |
| OTHER      | Other primary treatment specified       | VARCHAR2 (20) |                 |
| RESPONSE   | Response of this rejection to treatment | VARCHAR2 (1)  | See CDResponse  |
| COMMENTS   | Comments on rejection episodes          | VARCHAR2 (40) | •               |

#### Table and Screen containing data collected from 1.4.1997

NOTE: Rejection episodes at any time post transplant collected from 1.10.2003

#### NOTE: Data for this Table is collected on a SEPARATE REJECTION FORM

Question 48 on the main Data Form indicates whether the Rejection Form needs to be entered If Question 48 has an entry, this Table and Screen capture the Rejection form data

Field REJSEQ is automatically updated with sequence numbers after an entry is committed

#### Look Up Tables CDPrimaryRx and CDResponse created from 1.10.2003

| Field | upda | ted fr | om 1. | .1.08 |
|-------|------|--------|-------|-------|
|       |      |        |       |       |

| BIOPSY                     | Was a biopsy performed?           | VARCHAR2 (1)       | C,P,D,N or null |
|----------------------------|-----------------------------------|--------------------|-----------------|
|                            | C =Yes (Clinical Suspicion)       | P = Yes (Protocol) |                 |
|                            | D =Yes (Delayed Graft Function)   | $N = N_0$          |                 |
|                            |                                   |                    |                 |
| Field added to the Table a | nd Screen from 1.1.2005           |                    |                 |
| HUMORAL                    | Humoral Rejection                 | VARCHAR2 (1)       | Y, N or null    |
|                            | -                                 | , ,                |                 |
| Field added to Table from  | 1.4.1999                          |                    |                 |
| OTHER                      | Other primary treatment specified | VARCHAR2 (20)      |                 |

<sup>\*</sup> See List of Values from CDCODES Tables or Key F9 (if using Screen)

#### MONOCLONAL TABLE

#### (Screen 7)

| Name       | Description                                 | Type and Size | Range/Values     |
|------------|---|---------------|------------------|
| PATIENT    | Patient Number (not Null)                   | NUMBER (6)    | 100001 - 999999  |
| GRAFTNO    | Graft number (not Null)                     | NUMBER (1)    | 1 - 5            |
| SEQUNO     | Sequence number of courses given (not Null) | NUMBER (1)    |                  |
| MONODATE   | Date of Monoclonal/Polyclonal therapy       | DATE          |                  |
| AGENT      | Type of agent                               | NUMBER (1)    | *See CDMONOAGENT |
| AGENTOTHR  | Other types of agent                        | VARCHAR2 (27) |                  |
| DOSES      | Actual number of doses given                | NUMBER (2)    | 1-50 or null     |
| REASON     | Reason for use                              | NUMBER (1)    | 1-9 or null      |
| REASONOTHR | Specify other reason                        | VARCHAR2 (27) |                  |

<sup>\*</sup> See List of Values from CDCODES Tables or Key F9 (if using Screen)

#### Table and Screen with fields containing data from 1.4.1997

Field SEQUNO automatically updated with sequence numbers after an entry is committed

Field REASONOTHR changed from VARCHAR (15) to VARCHAR(27) from 1.10.2002

NOTE: Relevant data from the old ATG Table has been inserted into the MONOCLONAL Table

Data for ATG Table not collected in that format after 31.3.1997 ATG Table to remain on Database but no Screen Display

#### OLD ATG TABLE (Data from ATG to Monoclonal)

 $INSERT\ ATG.PATIENT\ (MONOCLONAL.PATIENT), ATG.GRAFTNO\ (MONOCLONAL.GRAFTNO),$ 

ATG.SEQUNO (MONOCLONAL.SEQUNO), ATG.ATGDATE (MONOCLONAL.MONODATE),

ATG.AGENT (DECODE, 1, 8, 2, 8, 3, 8, 4, 4, 5, 8, 6, 8, 7, 8, 9, 8) (MONOCLONAL.AGENT),

ATG.TIME (DECODE,1,1,2,7,3,7,4,7,5,7,6,8,7,8,9,8) (MONOCLONAL.REASON),

ATG.TIMOTHR (MONOCLONAL.REASONOTHR)

NOTE: MONOCLONAL.AGENTOTHR (only new information to be entered)

DOSES (New information to be entered, as existing DOSES are <5 and >5 or uncertain)

#### OLD ATG TABLE - NEW MONOCLONAL TABLE

| e) |
|----|
|    |
|    |
|    |
|    |
|    |

#### **DRUG TABLE**

(Screen 8)

| Name           |      | Description               |                            | Type and S | Size        | Range/Values      |
|----------------|------|---------------------------|----------------------------|------------|-------------|-------------------|
| PATIENT        |      | Patient Number (not Nu    | <br>ill)                   | NUMBER     | . (6)       | 100001 - 999999   |
| GRAFTNO        |      | Graft number (not Null)   |                            | NUMBER     | (1)         | 1 - 5             |
| DRUG           | #    | Initial of drug given (no | t Null)                    | VARCHA     | R2(1)       | * See CDDRUG      |
| DOSE0M         |      | Dose at 0 months          |                            | NUMBER     | (6,2)       | or null           |
| DOSE1M         |      | Dose at 1 month           |                            | NUMBER     | (6,2)       | or null           |
| DOSE2M         |      | Dose at 2 months          |                            | NUMBER     | (6,2)       | or null           |
| DOSE3M         |      | Dose at 3 months          |                            | NUMBER     | (6,2)       | or null           |
| DOSE6M         |      | Dose at 6 months          |                            | NUMBER     | (6,2)       | or null           |
| DOSE1Y         |      | Dose at 1 year            |                            | NUMBER     | (6,2)       | or null           |
| DOSE2Y         |      | Dose at 2 years           |                            | NUMBER     | (6,2)       | or null           |
| DOSE3Y         |      | Dose at 3 years           |                            | NUMBER     | (6,2)       | or null           |
| DOSE5Y         |      | Dose at 5 years           |                            | NUMBER     | (6,2)       | or null           |
| DOSE7Y         |      | Dose at 7 years           |                            | NUMBER     | (6,2)       | or null           |
| DOSE10Y        |      | Dose at 10 years          |                            | NUMBER     | (6,2)       | or null           |
| DOSE15Y        |      | Dose at 15 years          |                            | NUMBER     | (6,2)       | or null           |
| DOSE20Y        |      | Dose at 20 years          |                            | NUMBER     | (6,2)       | or null           |
| DOSE25Y        |      | Dose at 25 years          |                            | NUMBER     | (6,2)       | or null           |
| DOSE30Y        |      | Dose at 30 years          |                            | NUMBER     | (6,2)       | or null           |
| DOSE35Y        |      | Dose at 35 years          |                            | NUMBER     | (6,2)       | or null           |
| DOSE40Y        |      | Dose at 40 years          |                            | NUMBER     | (6,2)       | or null           |
| DOSE4M **      |      | Dose at 4 months          |                            | NUMBER     | (6,2)       | or null           |
| #B=Belatacept  |      |                           | H = Aza                    |            | R = Chlora  | mbucil            |
| S = Cyclophosp |      | de                        | V = Tacrolimus (FK506) (Pr | rograf)    | W = Sirolin | nus (Rapamycin)   |
|                |      | Mofetil (Cellcept)        | Y = Everolimus (Certican)  | - /        | F = FTY72   |                   |
| E = Myfortic-( | Myco | phenolate Sodium) (ERL)   | L = Leflunamide            |            | T = Beta N  | <b>1</b> ethasone |
| D = CyA (Cycl) |      |                           | P = Prednisolone           |            |             |                   |

<sup>\*</sup> See list of values from CDDRUG Table or Key F9 (if using Screen)

#### Doses are to one decimal place

A second decimal place with a value of 2 (ie .02, .52) indicates an alternate day dose Dose fields are uncoded (i.e null) where it is unknown if this drug was administered at any point Dose fields are coded as zero (0) where it is **known** that this drug was not used.

#### Field added to Table and Screen from 1.1.2007

|  | DOSE40Y | Dose at 40 years | NUMBER (6.2) | or null |
|--|---------|------------------|--------------|---------|
|--|---------|------------------|--------------|---------|

# Field added to Table and Screen from 1.4.1997

DOSE7Y - Dose at 7 years NUMBER (6,2) or null

#### Field not collected from 1.4.1991 but remains on the Table - No Screen Display

\*\* DOSE4M - Dose at 4 months NUMBER (6,2)

# **CYADRUG TABLE**

(Screen 8)

| Name       | Description                        | Type and Size | Range/Values  |
|------------|------------------------------------|---------------|---------------|
| PATIENT    | Patient Number (not Null)          | NUMBER (6)    | 100001-999999 |
| GRAFTNO    | Graft number (not Null)            | NUMBER (1)    | 1 - 5         |
| CYADRUG0M  | CyA sparing drug given at 0 months | NUMBER (2)    | 0 - 99        |
| CYADRUG1M  | CyA sparing drug given at 1 month  | NUMBER (2)    | 0 - 99        |
| CYADRUG2M  | CyA sparing drug given at 2 months | NUMBER (2)    | 0 - 99        |
| CYADRUG3M  | CyA sparing drug given at 3 months | NUMBER (2)    | 0 - 99        |
| CYADRUG6M  | CyA sparing drug given at 6 months | NUMBER (2)    | 0 - 99        |
| CYADRUG1Y  | CyA sparing drug given at 1 year   | NUMBER (2)    | 0 - 99        |
| CYADRUG2Y  | CyA sparing drug given at 2 years  | NUMBER (2)    | 0 - 99        |
| CYADRUG3Y  | CyA sparing drug given at 3 years  | NUMBER (2)    | 0 - 99        |
| CYADRUG5Y  | CyA sparing drug given at 5 years  | NUMBER (2)    | 0 - 99        |
| CYADRUG7Y  | CyA sparing drug given at 7 years  | NUMBER (2)    | 0 - 99        |
| CYADRUG10Y | CyA sparing drug given at 10 years | NUMBER (2)    | 0 - 99        |
| CYADRUG15Y | CyA sparing drug given at 15 years | NUMBER (2)    | 0 - 99        |
| CYADRUG20Y | CyA sparing drug given at 20 years | NUMBER (2)    | 0 - 99        |
| CYADRUG25Y | CyA sparing drug given at 25 years | NUMBER (2)    | 0 - 99        |
| CYADRUG30Y | CyA sparing drug given at 30 years | NUMBER (2)    | 0 - 99        |
| CYADRUG35Y | CyA sparing drug given at 35 years | NUMBER (2)    | 0 - 99        |
| CYADRUG40Y | CyA sparing drug given at 40 years | NUMBER (2)    | 0 - 99        |

#### Data for this Table collected from 1.4.1994

# Field added to Table and Screen from 1.1.2007

CYADRUG40Y CyA sparing drug given at 40 years NUMBER (2) 0 - 99

# From 1.4.1997 Cya Sparing Drugs recorded as -

CYADRUG CODE 0=Not given 1=Given

# Field added to Table and Screen from 1.4.1997

CYADRUG7Y CyA sparing drug given at 7 years NUMBER (2) 0 - 99

# **WEIGHT TABLE**

# (Screen 8)

| Name                | Description                                     | Type and Size | Range/Values    |
|---------------------|---|---------------|-----------------|
| PATIENT             | Patient Number (not Null)                       | NUMBER (6)    | 100001 - 999999 |
| GRAFTNO             | Graft number (not Null)                         | NUMBER (1)    | 1 - 5           |
| WTTX                | Weight at transplant                            | NUMBER (3)    | 1 - 200 or null |
| WT1M                | Weight 1 month                                  | NUMBER (3)    | 1 - 200 or null |
| WT2M                | Weight 2 months                                 | NUMBER (3)    | 1 - 200 or null |
| WT3M                | Weight 3 months                                 | NUMBER (3)    | 1 - 200 or null |
| WT6M                | Weight 6 months                                 | NUMBER (3)    | 1 - 200 or null |
| WT1Y                | Weight 1 year                                   | NUMBER (3)    | 1 - 200 or null |
| WT2Y                | Weight 2 years                                  | NUMBER (3)    | 1 - 200 or null |
| WT3Y                | Weight 3 years                                  | NUMBER (3)    | 1 - 200 or null |
| WT5Y                | Weight 5 years                                  | NUMBER (3)    | 1 - 200 or null |
| WT7Y                | Weight 7 years                                  | NUMBER (3)    | 1 - 200 or null |
| WT10Y               | Weight 10 years                                 | NUMBER (3)    | 1 - 200 or null |
| WT15Y               | Weight 15 years                                 | NUMBER (3)    | 1 - 200 or null |
| WT20Y               | Weight 20 years                                 | NUMBER (3)    | 1 - 200 or null |
| WT25Y               | Weight 25 years                                 | NUMBER (3)    | 1 - 200 or null |
| WT30Y               | Weight 30 years                                 | NUMBER (3)    | 1 - 200 or null |
| WT35Y               | Weight 35 years                                 | NUMBER (3)    | 1 - 200 or null |
| WT40Y               | Weight 40 years                                 | NUMBER (3)    | 1 - 200 or null |
| WT4M **             | Weight 4 months                                 | NUMBER (3)    | 1 - 200 or null |
| Field added to      | Table and Screen from 1.1.2007 Weight 40 years  | NUMBER (3)    | 1 - 200 or null |
| Field added to WT7Y | Table and Screen from 1.4.1997 - Weight 7 years | NUMBER (3)    | 1 - 200 or null |
|                     |   |               |                 |

Field not collected from 1.4.1991 but remains on the Table - No Screen Display

<sup>\*\*</sup> WT4M - Weight at 4 months NUMBER (3)

# **SCREAT TABLE**

(Screen 8)

| Name                | Description                  | Type and Size | Range/Values    |
|---------------------|------------------------------|---------------|-----------------|
| PATIENT             | Patient Number (not Null)    | NUMBER (6)    | 100001 - 999999 |
| GRAFTNO             | Graft number (not Null)      | NUMBER (1)    | 1 - 5           |
| SC1M                | Serum creatinine 1 months    | NUMBER (4)    | 20-2000 or null |
| SC2M                | Serum creatinine 2 months    | NUMBER (4)    | 20-2000 or null |
| SC3M                | Serum creatinine 3 months    | NUMBER (4)    | 20-2000 or null |
| SC6M                | Serum creatinine 6 months    | NUMBER (4)    | 20-2000 or null |
| SC1Y                | Serum creatinine 1 year      | NUMBER (4)    | 20-2000 or null |
| SC2Y                | Serum creatinine 2 years     | NUMBER (4)    | 20-2000 or null |
| SC3Y                | Serum creatinine 3 years     | NUMBER (4)    | 20-2000 or null |
| SC5Y                | Serum creatinine 5 years     | NUMBER (4)    | 20-2000 or null |
| SC7Y                | Serum creatinine 7 years     | NUMBER (4)    | 20-2000 or null |
| SC10Y               | Serum creatinine 10 years    | NUMBER (4)    | 20-2000 or null |
| SC15Y               | Serum creatinine 15 years    | NUMBER (4)    | 20-2000 or null |
| SC20Y               | Serum creatinine 20 years    | NUMBER (4)    | 20-2000 or null |
| SC25Y               | Serum creatinine 25 years    | NUMBER (4)    | 20-2000 or null |
| SC30Y               | Serum creatinine 30 years    | NUMBER (4)    | 20-2000 or null |
| SC35Y               | Serum creatinine 35 years    | NUMBER (4)    | 20-2000 or null |
| SC40Y               | Serum creatinine 40 years    | NUMBER (4)    | 20-2000 or null |
| SC4M **             | Serum creatinine 4 months    | NUMBER (4)    | 20-2000 or null |
| Field added to Tal  | ble and Screen from 1.1.2007 |               |                 |
| SC40Y               | Serum creatinine 40 years    | NUMBER (4)    | 20-2000 or null |
|                     |                              |               |                 |
| Field added to Tabl | e and Screen from 1.4.1997   |               |                 |
| SC7Y -              | Serum creatinine 7 years     | NUMBER (4)    | 20-2000 or null |

# Field not collected from 1.4.1991 but remains on the Table No Screen Display

\*\* SC4M - Serum creatinine 4 months NUMBER (4)

|  | DONOR TABLE  |  |  | (Screen 9)   |
|--|--------------|--|--|--|
| Name   |              | Description  | Type and Size  | Range/Values   |
| PATIENT GRAFTNO BLGROUP A1 A2 CODEA B1 B2 CODEB D1 D2 CODEDR DQ1 DQ2 CODEDQ MAXCYTO MAXTCELL MAXBCELL CURRCYTO CURRTCELL | #            | Patient Number (not Null) Graft number (not Null) Blood group (Recipient and/or donor) A locus (Recipient and/or donor) A locus (Recipient and/or donor) Method code for A locus B locus (Recipient and/or donor) B locus (Recipient and/or donor) Method code for B locus DR typing (Recipient and/or donor) DR typing (Recipient and/or donor) Method code for DR locus DQ typing (Recipient and/or donor) Method code for DR locus DQ typing (Recipient and/or donor) Method code for DQ locus Maximum cytotoxic antibodies Crossmatch T cell for Maxcyto Current (At transplant) antibodies Crossmatch T cell for Currcyto | NUMBER (6) NUMBER (1) VARCHAR2 (2) VARCHAR2 (2) VARCHAR2 (2) NUMBER (2) VARCHAR2 (2) VARCHAR2 (2) VARCHAR2 (2) NUMBER (2) VARCHAR2 (3) VARCHAR2 (3) VARCHAR2 (3) VARCHAR2 (2) VARCHAR2 (2) VARCHAR2 (2) VARCHAR2 (2) NUMBER (2) NUMBER (1) NUMBER (1) NUMBER (1) NUMBER (3) NUMBER (3) NUMBER (3) NUMBER (1) | 100001 - 999999 0 - 5 A,B,AB,O or null * See CDALOCUS * See CDALOCUS * See CDBLOCUS * See CDBLOCUS * See CDBLOCUS * See CDBLOCUS * See CDDRLOCUS * See CDDRLOCUS * See CDDRLOCUS * See CDDRLOCUS * See CDTYPECODE * See CDDQLOCUS * See CDDQLOCUS * See CDTYPECODE 0 - 100 or null 0,1,2 or null 0,1,2 or null 0,1,2 or null |
| CURRBCELL W4 **  |              | Crossmatch B cell for Curreyto  W4 (Recipient and/or donor)  | NUMBER (1)  VARCHAR2 (1)   | 0,1,2 or null 4 or null  |
| W6 **  | #<br>* See L | W6 (Recipient and/or donor)  0 (zero) = Recipient details  1-5 = Graft number = Donor details  ist of Values from CDCODES Tables or Key F9 (if   | VARCHAR2 (1)   | 6 or null  |
|  |              | een entered in the following fields from 1.4.1995 B, CODEDR, CODEDQ, MAXTCELL, MAXBCE  | ELL, CURRTCELL, CURF   | RBCELL   |
| Data for   | these fie    | elds is supplied by Tissue Typing Laboratories   |  |  |
| Field changed in D1 D2   | size Apri    | DR typing (Recipient and/or donor) DR typing (Recipient and/or donor)  | VARCHAR2 (3)<br>VARCHAR2 (3)   | * See CDDRLOCUS<br>* See CDDRLOCUS   |
| Field added to Ta  | able and S   | Screen from 1.4.1987   |  |  |
| DQ1<br>DQ2   |              | DQ typing (Recipient and/or donor) DQ typing (Recipient and/or donor)  | VARCHAR2 (2)<br>VARCHAR2 (2)   | * See CDDQLOCUS<br>* See CDDQLOCUS   |
| Fields not collect  ** W4  ** W6   | ed since     | 1989 but remain on the Table – No Screen Display W4 (Recipient and/or donor) W6 (Recipient and/or donor)   |  | VARCHAR2 (1)<br>VARCHAR2 (1)   |

# HLA TABLE

(Screen 9)

| Name     |   | Description                           | Type and Size | Range/Values    |
|----------|---|---------------------------------------|---------------|-----------------|
| PATIENT  |   | Patient Number (not Null)             | NUMBER (6)    | 100001 - 999999 |
| GRAFTNO  | # | Graft number (not Null)               | NUMBER (1)    | 0 - 5           |
| DRB1A    |   | HLA full typing-DNA (Recipient/donor) | VARCHAR2 (5)  | *See CDDRB1     |
| DRB1B    |   | HLA full typing-DNA (Recipient/donor) | VARCHAR2 (5)  | *See CDDRB1     |
| CODEDRB1 |   | Method code for DRB1 DNA full typing  | NUMBER (2)    | *See CDTYPECODE |
| DRB3A    |   | HLA full typing-DNA (Recipient/donor) | VARCHAR2 (5)  | *See CDDRB3     |
| DRB3B    |   | HLA full typing-DNA (Recipient/donor) | VARCHAR2 (5)  | *See CDDRB3     |
| CODEDRB3 |   | Method code for DRB3 DNA full typing  | NUMBER (2)    | *See CDTYPECODE |
| DRB4A    |   | HLA full typing-DNA (Recipient/donor) | VARCHAR2 (5)  | *See CDDRB4     |
| DRB4B    |   | HLA full typing-DNA (Recipient/donor) | VARCHAR2 (5)  | *See CDDRB4     |
| CODEDRB4 |   | Method code for DRB4-DNA full typing  | NUMBER (2)    | *See CDTYPECODE |
| DRB5A    |   | HLA full typing-DNA (Recipient/donor) | VARCHAR2 (5)  | *See CDDRB5     |
| DRB5B    |   | HLA full typing-DNA (Recipient/donor) | VARCHAR2 (5)  | *See CDDRB5     |
| CODEDRB5 |   | Method code for DRB5-DNA full typing  | NUMBER (2)    | *See CDTYPECODE |
| DQA1A    |   | HLA full typing-DNA (Recipient/donor) | VARCHAR2 (5)  | *See CDDQA1     |
| DQA1B    |   | HLA full typing-DNA (Recipient/donor) | VARCHAR2 (5)  | *See CDDQA1     |
| CODEDQA1 |   | Method code for DQA1 DNA full typing  | NUMBER (2)    | *See CDTYPECODE |
| DQB1A    |   | HLA full typing-DNA (Recipient/donor) | VARCHAR2 (5)  | *See CDDQB1     |
| DQB1B    |   | HLA full typing-DNA (Recipient/donor) | VARCHAR2 (5)  | *See CDDQB1     |
| CODEDQB1 |   | Method code for DQB1 DNA full typing  | NUMBER (2)    | *See CDTYPECODE |
| DPB1A    |   | HLA full typing-DNA (Recipient/donor) | VARCHAR2 (5)  | *See CDPB1      |
| DPB1B    |   | HLA full typing-DNA (Recipient/donor) | VARCHAR2 (5)  | *See CDPB1      |
| CODEDPB1 |   | Method code for DPB1-DNA full typing  | NUMBER (2)    | *See CDTYPECODE |
|          | # | 0 (zero) = Recipient details          |               |                 |
|          |   | 1-5 = Graft number                    |               |                 |

<sup>\*</sup> See List of Values from CDCODES Tables or Key F9 (if using Screen)

Data collection for this Table does not appear on the ANZDATA form

#### NO DATA HAS BEEN COLLECTED FOR THESE FIELDS

# **CDCODES Tables**

DNA codes have been entered in the following CDCODES Tables CDDRB1 - CDDRB3 - CDDRB4 - CDDRB5 - CDDQA1 - CDDQB1 - CDDPB1

#### **PAEDIATRIC TABLE**

(Screen 10)

| Name         |    | Description                                       | Type and Size  | Range/Values              |
|--------------|----|---|----------------|---------------------------|
| PATIENT      |    | Patient Number (not Null)                         | NUMBER (6)     | 100001 - 999999           |
| SEQUNO       |    | Sequence number (not Null)                        | NUMBER (2)     |                           |
| PDATE        |    | Date information                                  | DATE           |                           |
| HEIGHT       |    | Height  | NUMBER $(4,1)$ | eg 120.5                  |
| WEIGHT       |    | Weight  | NUMBER $(4,1)$ | eg 35.5                   |
| CHOLESTEROL  |    | Total cholesterol (Fasting-closest end of survey) | NUMBER $(3,1)$ | Range 0-25 mmol/l or null |
| LDL          |    | LDL cholesterol (Fasting-closest end survey)      | NUMBER $(3,1)$ | Range 0-10 mmol/l or null |
| HDL          |    | HDL cholesterol (Fasting-closest end survey)      | NUMBER $(2,1)$ | Range 0-5 mmol/l or null  |
| TRIGLYCERIDE |    | Triglyceride (Fasting – closest end survey)       | NUMBER $(3,1)$ | Range 0-20 mmol/l or null |
| STATINS      |    | Was patient receiving statins at end of survey?   | VARCHAR2 (1)   | Y, N or null              |
| ASSESS       |    | Paediatric Assessment at end of each Survey       | NUMBER (2)     | *See CDASSESS             |
| HEAD         | ** | Head circumference                                | NUMBER (3,1)   | 0 - 80.0                  |
| PUBERTYA #   | ** | Puberty status A                                  | NUMBER (1)     | 1 - 5 or null             |
| PUBERTYB #   | ** | Puberty status B                                  | NUMBER (1)     | 1 - 5 or null             |
| HORMONE      | ** | Growth hormone given each Survey period           | VARCHAR2 (1)   | Y, N or null              |
| BONEDISEASE  | ** | Bone disease                                      | NUMBER (1)     | 1 - 4 or null             |
| BONEAGE      | ** | Bone age  | NUMBER (3,1)   | 0 - 21.5                  |

<sup>\*</sup> See List of Values from CDCODES TABLES or Key F9 (if using Screen)

#### Fields added to Table and Screen from 1.10.2003

| CHOLESTEROL  | Total cholesterol (Fasting-closest end of survey) | NUMBER $(3,1)$ | Range 0-15 mmol/l or null |
|--------------|---|----------------|---------------------------|
| LDL          | LDL cholesterol (Fasting-closest end survey)      | NUMBER (3,1)   | Range 0-10 mmol/l or null |
| HDL          | HDL cholesterol (Fasting-closest end survey)      | NUMBER $(2,1)$ | Range 0-5 mmol/l or null  |
| TRIGLYCERIDE | Triglyceride (Fasting – closest end survey)       | NUMBER (3,1)   | Range 0-10 mmol/l or null |
| STATINS      | Was patient receiving statins at end of survey?   | VARCHAR2 (1)   | Y, N or null              |

# Fields no longer collected from 1.10.2003

| HEAD        | ** | Head circumference                      | NUMBER $(3,1)$ | 0 - 80.0      |
|-------------|----|---|----------------|---------------|
| PUBERTYA #  | ** | Puberty status A                        | NUMBER (1)     | 1 - 5 or null |
| PUBERTYB #  | ** | Puberty status B                        | NUMBER (1)     | 1 - 5 or null |
| HORMONE     | ** | Growth hormone given each Survey period | VARCHAR2 (1)   | Y, N or null  |
| BONEDISEASE | ** | Bone disease                            | NUMBER (1)     | 1 - 4 or null |
| BONEAGE     | ** | Bone age                                | NUMBER $(3,1)$ | 0 - 21.5      |

#### Not used from 1.10.2003

Refer to Tanner Scale 1 to 5 for boys and girls (Appendix pages at the back)

#### Field added to Table and Screen 1.4.1994

ASSESS Paediatric Assessment at end of each Survey NUMBER (2) \*See CDASSESS

Data from 31.Mar.1992 collected at end of each six monthly survey until patient turns 18 years of age Data previously was collected closest to the patient's birthday and continued till 20 years of age

#### PARENTHOOD TABLE

(Screen 10)

| Name        | Description                         | Type and Size                  | Range/Values     |
|-------------|-------------------------------------|--------------------------------|------------------|
| PATIENT     | Patient Number (not Null)           | NUMBER (6)                     | 100001 - 999999  |
| CONCEPDATE  | Estimated date of conception        | DATE                           |                  |
| PAREDATE    | Date of birth or termination        | DATE                           |                  |
| OUTCOME     | Pregnancy outcome                   | VARCHAR2 (1)                   | * See CDPOUTCOME |
| MEDICAL     | Medical conditions acquired         | VARCHAR2 (1)                   | * See CDMEDICAL  |
| FOETAL      | Foetal outcome                      | VARCHAR2 (1)                   | * See CDFOETAL   |
| NEONATAL    | Neonatal survival >28 days          | VARCHAR2 (1)                   | Y/N/E or null    |
| CREATPRIOR  | Creatinine prior to conception      | NUMBER (4)                     | 20-2000 or null  |
| CREATPOST   | Creatinine 3 mths post delivery     | NUMBER (4)                     | 20-2000 or null  |
| BIRTHWEIGHT | Weight at birth (gms)               | NUMBER $(5,1)$                 | gms or null      |
| COMMENTS    | Any comments                        | VARCHAR2 (50)                  | C                |
|             |                                     |                                |                  |
|             | * See List of Values from CDPOUTCOM | ME or Key F9 (if using Screen) |                  |
|             | * See List of Values from CDMEDICAL | or Key F9 (if using Screen)    |                  |

\* See List of Values from CDFOETAL or Key F9 (if using Screen)

#### New Table PARENTHOOD created with the above fields from 1.10.2001

Existing PARENTHOOD Table as at 30.9.2001 renamed OLDPARENTHOOD and data retained

Existing data from OLDPARENTHOOD inserted into new Table PARENTHOOD 1.10.2001

Insert into PARENTHOOD, PAREDATE all data from OLDPARENTHOOD, PAREDATE

Insert into OUTCOME data from OLDPARENTHOOD.PARECODE –

Where PARECODE=1 update OUTCOME =T

Where PARECODE=2 update OUTCOME=A

Where PARECODE=3 update OUTCOME=L

Where PARECODE=4 update OUTCOME=L

Where PARECODE=6 update OUTCOME=S

Where PARECODE=7 update OUTCOME=S

Where PARECODE=8 update OUTCOME=O

### Insert into new Field COMMENTS data from OLDPARENTHOOD.PAREOTHR

NOTE: Data for this Table is collected on a SEPARATE PARENTHOOD OUTCOME FORM from 1.10.2001

# CANDONOR TABLE

(Screen 11)

| Name  |   | Description   | Type and Size   | Range/Values                                  |
|---|---|---|---|---|
| PATIENT<br>GRAFTNO<br>SEQUNO<br>CANDON<br>CANTYPE<br>TYPEDESCR<br>CANSITE | * | Patient Number (not Null) Graft number (not Null) Sequence cancers (not Null) Cancer in donor? Cancer type - refer codes Cancer type - description type Cancer site - refer codes | NUMBER (6)<br>NUMBER (1)<br>NUMBER (2)<br>VARCHAR2 (1)<br>NUMBER (2)<br>VARCHAR2 (16)<br>NUMBER (4) | 100001 - 999999<br>1-5<br>Y/N or null<br>1-11 |
| CANTYPE<br>TYPEDESCR  | * | Cancer type - refer codes Cancer type - description type  | NUMBER (2)<br>VARCHAR2 (16)   |   |

\* Code from ICD 0 TOPOGRAPHY

Field added to Table and Screen 1.4.1998 to enable entry of more than one type of cancer in donor SEQUNO Sequence number for cancers in donor NUMBER (2)

# NONSKIN TABLE

(Screens 11)

| Name                   |            | Description   | Type and Size                | Range/Values    |
|------------------------|------------|---|------------------------------|-----------------|
| PATIENT                |            | Patient Number (not Null)                             | NUMBER (6)                   | 100001 - 999999 |
| SEQUNO                 |            | Sequence of nonskin cancers (not Null)                | NUMBER (2)                   |                 |
| CATYPE                 |            | Cancer type - Section A cancer form                   | NUMBER (2)                   | 1-13            |
| TYPEDESCR              |            | Description of Other cancer type                      | VARCHAR2 (30)                |                 |
| CADATE                 |            | Date of cancer diagnosis                              | DATE                         |                 |
| PRIMSITE               | *          | Primary site - refer codes                            | NUMBER (4)                   |                 |
| PRIMDESCR              |            | Primary site description                              | VARCHAR2 (16)                |                 |
| CASTAGE                |            | Cancer staging code - refer cancer form               | NUMBER (2)                   | 1-20            |
| RX1                    |            | Type 1st treatment - refer cancer form                | NUMBER (2)                   | 1-13            |
| RX2                    |            | Type 2nd treatment - refer cancer form                | NUMBER (2)                   | 1-13            |
| RX3                    |            | Type 3rd treatment - refer cancer form                | NUMBER (2)                   | 1-13            |
| RX4                    |            | Type 4th treatment - refer cancer form                | NUMBER (2)                   | 1-13            |
| RX5                    |            | Type 5th treatment - refer cancer form                | NUMBER (2)                   | 1-13            |
| RXOTHR                 |            | Description of Other Treatment                        | VARCHAR2 (30)                |                 |
| LYMPDATE               |            | Date spread to lymph nodes                            | DATE                         |                 |
| SYSTDATE               |            | Date spread systemically                              | DATE                         |                 |
| RECURDATE              |            | Date of local recurrence                              | DATE                         |                 |
| CAUSPRD                |            | Did cancer cause renal failure?                       | VARCHAR2 (1)                 | Y or N or null  |
| CAUSDEATH              |            | Did cancer cause/contribute to death?                 | VARCHAR2 (1)                 | Y or N or null  |
| UNCERTDIAG             | **         | Unaartain data diaanasia                              | VADCIIAD2 (1)                | Y or null       |
|                        | **         | Uncertain date diagnosis Uncertain date of spread     | VARCHAR2 (1)                 | Y or null       |
| UNCERTLYM<br>UNCERTREC | **         | Uncertain date of spread Uncertain date of recurrence | VARCHAR2 (1)<br>VARCHAR2 (1) | Y or null       |
|                        | **         |   |                              | Y or null       |
| UNCERTSYS              | 4-4-       | Uncertain date of spread                              | VARCHAR2 (1)                 | Y OF HUII       |
|                        | *          | Code from ICD 0 Topography                            |                              |                 |
| Field added to Ta      | able and S | Screen from 1.4.1999                                  |                              |                 |
| RXOTHER                |            | Description of Other Treatment                        | VARCHAR2 (30)                |                 |
|                        |            |   |                              |                 |
| •                      | able and S | Screen from 1.4.1997                                  |                              |                 |
| TYPEDESCR              |            | Description of Other cancer type                      | VARCHAR2 (30)                |                 |
| ቃ                      | d F        | N. I. A. G. D. I. C. 141007                           |                              |                 |
| <u> </u>               | on the L   | Database but no Screen Display from 1.4.1997          |                              |                 |
| UNCERTDIAG             |            | Uncertain date diagnosis                              | VARCHAR2 (1)                 | Y or null       |
| UNCERTLYM              |            | Uncertain date of spread                              | VARCHAR2 (1)                 | Y or null       |
| UNCERTSYS              |            | Uncertain date of spread                              | VARCHAR2 (1)                 | Y or null       |
| UNCERTREC              |            | Uncertain date of recurrence                          | VARCHAR2 (1)                 | Y or null       |

# NOTE: Melanoma data from OLDSKIN Table inserted into this Table 1.4.1997

Data inserted from Table OLDSKIN into SKIN where CATYPE=7 (Melanoma) to CATYPE 13 in NONSKIN

#### **SKIN TABLE**

(Screen 11)

| Name      | Description                                       | Type and Size | Range/Values    |
|-----------|---|---------------|-----------------|
| PATIENT   | Patient Number (not Null)                         | NUMBER (6)    | 100001 - 999999 |
| CATYPE    | Cancer type (not Null)                            | NUMBER (2)    | See CDSKIN      |
| PREDATE   | Date of first cancer of this type pre entry       | DATE          |                 |
| DXDATE    | Date of first cancer of this type on dialysis     | DATE          |                 |
| POSTDATE  | Date of first cancer of this type post transplant | DATE          |                 |
| LYMPDATE  | Date spread to lymph nodes                        | DATE          |                 |
| SYSTDATE  | Date spread systemically                          | DATE          |                 |
| CAUSDEATH | Did cancer cause/contribute to death?             | VARCHAR2 (1)  | Y or N or null  |

#### Table and Screen from 1.4.1997 - Previous SKIN Table renamed OLDSKIN

| CATYPE | 4 =  | SCC (Squamous Cell Carcinoma) |
|--------|------|-------------------------------|
|        | 5 =  | BCC (Basal Cell Carcinoma)    |
|        | 6 =  | Merkel Cell                   |
|        | 7 =  | Hutchison Freckle             |
|        | 10 = | Spindle Cell                  |
|        | 11 = | Giant Cell                    |

12 = Eccrine (Sweat Gland)
13 = Fibrous Histiocytoma
14 = Fibroxanthoma
15 = Pilomatrixoma

#### NOTE: Data from OLDSKIN Table inserted into new Table SKIN

Select PATIENT from OLDSKIN where CATYPE 4,5 and 9

From these CATYPES, select (min) CADATE and within three sections

PREDATE (First diagnosis date of this type occurring prior to entry to ESRF PROGRAMME),
DXDATE (First diagnosis date of this type occurring after entry to dialysis, but pre transplant)
POSTDATE (First diagnosis date of this type occurring post primary transplant)

Select where PATIENT has an entry for LYMPDATE and SYSTDATE where CATYPE in 4,5 or 9 and INSERT THESE Dates into the corresponding fields in the SKIN TABLE

Select where PATIENT has an entry Y in CAUSDEATH in OLDSKIN and CATYPE in 4,5, or 9 and INSERT 'Y' into the corresponding CAUSDEATH field in the SKIN TABLE

If there is no 'Y' and PATIENT is deceased enter 'N' in this field If PATIENT is not deceased leave as null

#### LYMPHOMA TABLE

(Screen 12)

| Name        | Description                          | Type and Size | Range/Values    |
|-------------|--------------------------------------|---------------|-----------------|
| PATIENT     | Patient Number (not Null)            | NUMBER (6)    | 100001 - 999999 |
| SEQUNO      | Sequence number of cancer (not Null) | NUMBER (2)    |                 |
| CATYPE      | Cancer type - Section A cancer form  | NUMBER (2)    | 5,9,12 or null  |
| DIFFUSE     | Diffuse?                             | VARCHAR2 (1)  | Y,N,U or null   |
| NODULAR     | Nodular?                             | VARCHAR2 (1)  | Y,N,U or null   |
| FOLLICULAR  | Follicular?                          | VARCHAR2 (1)  | Y,N,U or null   |
| OTHER       | Other description                    | VARCHAR2 (10) |                 |
| HISTIOCYTIC | Hystiocytic?                         | VARCHAR2 (1)  | Y,N,U or null   |
| LYMPHOCYTIC | Lymphocytic?                         | VARCHAR2 (1)  | Y,N,U or null   |
| MIXED       | Mixed?                               | VARCHAR2 (1)  | Y,N,U or null   |
| UNDIFF      | Undifferentiated?                    | VARCHAR2 (1)  | Y,N,U or null   |
| BCELL       | B Cell?                              | VARCHAR2 (1)  | Y,N,U or null   |
| TCELL       | T Cell?                              | VARCHAR2 (1)  | Y,N,U or null   |
| LARGECELL   | Large Cell?                          | VARCHAR2 (1)  | Y,N,U or null   |
| SMALLCELL   | Small Cell?                          | VARCHAR2 (1)  | Y,N,U or null   |
| OTHER1      | Other description                    | VARCHAR2 (15) |                 |
| COMMENTS    | Comments                             | VARCHAR2 (50) |                 |

#### TABLE and SCREEN from 1.4.1997

Existing data held in the old COMMENTS field from CANCERPATS entered in COMMENTS1, 2 or 3 from 1.4.1997

# **CANCERPATS TABLE**

(Screen 12)

| Name                                  | Description  | Type and Size   | Range/Values    |
|---------------------------------------|--|---|-----------------|
| PATIENT COMMENTS1 COMMENTS2 COMMENTS3 | Patient Number (not Null) Comments (First line) Comments (Second line) Comments (Third line) | NUMBER (6)<br>VARCHAR2 (50)<br>VARCHAR2 (50)<br>VARCHAR2 (50) | 100001 - 999999 |

# Fields added to this Screen are automatically displayed for convenience

#### These FIELDS are protected from UPDATE

DATE DEATH RXCODE 'Z' = RXDATE from TREATMENTS TABLE

CAUSE DEATH CAUSDEATH from DEATH TABLE

Fields removed from Screen and Table from 1.4.1997 as data now irrelevant and not used or collected for years

SCREATPRECA Creatinine pre cancer diagnosis? NUMBER (4)

CANTXKID Cancer in transplant kidney? VARCHAR2 (1) Y/N or null

# CTSPRETX TABLE

# (Screen 13)

| Name        | Description   | Type and Size | Range/Values                     |
|-------------|---|---------------|----------------------------------|
| PATIENT     | Patient Number (not Null)                           | NUMBER (6)    | 100001 – 999999                  |
| GRAFTNO     | Graft Number – populated from Graft Table at entry  | NUMBER (1)    | 1-6 (Not Null)                   |
| EVALUE      | General evaluation as candidate for transplantation | VARCHAR2 (1)  | G=Good M=Moderate<br>P=Poor Null |
| AGE         | Moderate or poor evaluation. Age?                   | VARCHAR2 (1)  | Y=Yes N=No Null                  |
| CARDIOVASC  | Moderate or poor evaluation. Cardiovascular?        | VARCHAR2 (1)  | Y=Yes N=No Null                  |
| COMPLIANCE  | Moderate or poor evaluation. Compliance             | VARCHAR2 (1)  | Y=Yes N=No Null                  |
| OBESITY     | Moderate or poor evaluation. Obesity?               | VARCHAR2 (1)  | Y=Yes N=No Null                  |
| EVALOTHR    | Other reason for moderate or poor evaluation        | VARCHAR2 (30) |                                  |
| SMOKING     | Currently smoking?                                  | VARCHAR2 (1)  | Y=Yes N=No Null                  |
| WHOLEBLOOD  | Number units ever given                             | NUMBER (3)    | eg 15, 0=If none, Null           |
| PACKED      | Number of packed cells given                        | NUMBER (3)    | eg 15, 0=If none, Null           |
| WASHED      | Number washed cells ever given                      | NUMBER (3)    | eg 15, 0=If none, Null           |
| FROZFILT    | Number frozen or filtered cells ever given          | NUMBER (3)    | eg 15, 0=If none, Null           |
| LASTTRANSF  | Date last transfused prior to transplant            | DATE          | Date or null                     |
| DONSPECIFIC | If living donor, number donor specific transfusions | NUMBER (3)    | eg 15, 0=If none, Null           |
| HIGHLYMPH   | Highest reactive serum of whole lymphocytes         | VARCHAR2 (1)  | P=Positive N=Neg Null            |
| LATELYMPH   | Latest serum of whole lymphocytes                   | VARCHAR2 (1)  | P=Positive N=Neg Null            |
| HIGHTCELLS  | Highest reactive serum                              | VARCHAR2 (1)  | P=Positive N=Neg Null            |
| LATETCELLS  | Latest serum T Cells                                | VARCHAR2 (1)  | P=Positive N=Neg Null            |
| HIGHBCELLS  | Highest reactive serum                              | VARCHAR2 (1)  | P=Positive N=Neg Null            |
| LATEBCELLS  | Latest serum B Cells                                | VARCHAR2 (1)  | P=Positive N=Neg Null            |
| HIGHFLOW    | Highest flow  | VARCHAR2 (1)  | P=Positive N=Neg Null            |
| LATEFLOW    | Latest flow   | VARCHAR2 (1)  | P=Positive N=Neg Null            |
| HIGHELISA   | Highest ELISA                                       | VARCHAR2 (1)  | P=Positive N=Neg Null            |
| LATEELISA   | Latest ELISA  | VARCHAR2 (1)  | P=Positive N=Neg Null            |
| HIGHAUTOT   | Highest Autologous X-match T Cells                  | VARCHAR2 (1)  | P=Positive N=Neg Null            |
| LATEAUTOT   | Latest Autologous X-match T Cells                   | VARCHAR2 (1)  | P=Positive N=Neg Null            |
| HIGHAUTOB   | Highest Autologous X-match B Cells                  | VARCHAR2 (1)  | P=Positive N=Neg Null            |
| LATEAUTOB   | Latest Autologous X-match B Cells                   | VARCHAR2 (1)  | P=Positive N=Neg Null            |
| HIGHDTT     | Highest DTT X-match                                 | VARCHAR2 (1)  | P=Positive N=Neg Null            |
| LATEDTT     | Latest DTT X-match                                  | VARCHAR2 (1)  | P=Positive N=Neg Null            |

This is a new Table to record each new transplant for Prof Opelz CTS Study from 1.10.2003

Data will be recorded for only those hospitals wishing to participate

# CTSFOLLOWUP TABLE

(Screen 13)

| Name            | Description  | Type and Size | Range/Values                              |
|-----------------|--|---------------|---|
| PATIENT         | Patient Number (not Null)                          | NUMBER (6)    | 100001 – 999999                           |
| GRAFTNO         | Graft number of current functioning transplant     | NUMBER (1)    | 1 - 6 (Not Null)                          |
| YEARPOST        | Number of years post transplant                    | NUMBER (2)    | 1 onwards (Not Null)                      |
| STABLE          | Stable renal function ≤ 20% during last 2 months   | VARCHAR2 (1)  | Y=Yes N=No Null                           |
| UNSTABLE        | Unstable renal function during last 2 months       | VARCHAR2 (1)  | Y=Yes N=No Null                           |
| SYSTOLIC        | Current highest blood pressure-maximum (mmHg)      | NUMBER (3)    | eg 140 or null                            |
| DIASTOLIC       | Current lowest blood pressure-minimum (mmHg)       | NUMBER (3)    | eg 100 or null                            |
| DRUGS           | Having antihypertensive drugs (excl diuretics)     | VARCHAR2 (1)  | Y=Yes N=No Null                           |
| ACE             | Does patient receive an ACE Inhibitor drug?        | VARCHAR2 (1)  | Y=Yes N=No Null                           |
| OSTEONEC        | Does patient show evidence of osteonecrosis        | VARCHAR2 (1)  | Y=Yes N=No Null                           |
| OSTEOPOR        | Does patient show evidence of osteoporosis         | VARCHAR2 (1)  | N=No M=Mild Null                          |
| D 0.1 T 0 T 1 D |  |               | O=Moderate S=Severe                       |
| BONEOTHR        | Does patient show evidence of other type bone pain | VARCHAR2 (1)  | Y=Yes N=No Null                           |
| CATARACT        | Has patient cataracts                              | VARCHAR2 (1)  | Y=Yes N=No Null                           |
| VISUAL          | If cataracts-visual impairment                     | VARCHAR2 (1)  | M=Mild O=Moderate<br>S=Severe Null        |
| INFECTION       | Has patient been hospitalised due to infection?    | VARCHAR2 (1)  | N=No V=Viral Null<br>B=Bacterial F=Fungal |
| SMOKING         | Is patient currently a smoker?                     | VARCHAR2 (1)  | Y=Yes N=No Null                           |
| CHOLESTEROL     | Current serum cholesterol                          | NUMBER (4,2)  | 1.00 - 30.00  mmol/l                      |
| STATIN          | Is patient on statin treatment                     | VARCHAR2 (1)  | Y=Yes N=No Null                           |

This is a new Table to record yearly follow up of transplanted patients for Prof Opelz CTS Study from 1.10.2003

Data will be recorded for only those hospitals wishing to participate

#### **AUSTWAIT TABLE**

# (No Screen Display)

| Name          | Description                    | Type and Size | Range/Values    |
|---------------|--------------------------------|---------------|-----------------|
| SURNAME       | Patient Surname                | VARCHAR2 (30) |                 |
| MIDDLENAME    | Patient Middle Name            | VARCHAR2 (30) |                 |
| GIVNAME       | Patient First Name             | VARCHAR2 (30) |                 |
| NOMSNUMBER    | NOMS ID Number                 | NUMBER (10)   |                 |
| DATBIRTH      | Date of Birth                  | DATE          |                 |
| HOSPITAL      | Current Hospital               | VARCHAR2 (50) |                 |
| ORGANS        | Which organs awaited           | VARCHAR2 (25) |                 |
| CURRENTSTATUS | Current Status on Waiting List | VARCHAR2 (25) |                 |
| WAITDATEON    | Date admitted to Waiting List  | DATE          |                 |
| WAITDATEOFF   | Date deleted from Waiting List | DATE          |                 |
| NOMSDATE      | Date reported to ANZDATA       | DATE          |                 |
| PATIENT       | ANZDATA Patient ID (not Null)  | NUMBER (6)    | 100001 - 999999 |

New Table created in JANUARY 2008 for Waiting List numbers for kidneys at any time and end of year survey

Waiting List data received from NOMS (National Organ Matching Service) and matched to data held on the ANZDATA Registry

#### **NZWAIT TABLE**

# (No Screen Display)

| Name     | Description                         | Type and Size | Range/Values    |
|----------|-------------------------------------|---------------|-----------------|
| SURNAME  | Patient Surname                     | VARCHAR2 (30) |                 |
| GIVNAME  | Patient First Name                  | VARCHAR2 (30) |                 |
| UNITNO   | NZ National ID Number (Hospital UR) | VARCHAR2 (10) |                 |
| BLGROUP  | Blood Group                         | VARCHAR2 (2)  |                 |
| HOSPITAL | Current Hospital                    | VARCHAR2 (50) |                 |
| ORGANS   | Which organs awaited                | VARCHAR2 (25) |                 |
| WAITDATE | Date Waiting                        | DATE          |                 |
| PATIENT  | ANZDATA Patient ID (not Null)       | NUMBER (6)    | 100001 - 999999 |

New Table created in JANUARY 2008 for Waiting List numbers for kidneys at any time and end of year survey

Waiting List data received from NZ Tissue Typing and matched to data held on the ANZDATA Registry

# <u>TABLES REMAINING ON THE DATABASE – NO SCREEN DISPLAY</u> <u>INFORMATION NO LONGER COLLECTED</u>

#### **EPOSURVEY TABLE**

(No Screen Display)

| Name         | Description  | Type and Size  | Range/Values               |
|--------------|--|----------------|----------------------------|
| PATIENT      | Patient Number (not Null)  | NUMBER (6)     | 100001 - 999999            |
| EPOSEQ #     | Sequence number (not Null)   | NUMBER (2)     |                            |
| HB           | Hb level at end of Survey  | NUMBER $(4,1)$ | eg. 6.5, 12.6, 7 or null   |
| EPOSURVEY    | Was EPO used at any time during the Survey?                                | VARCHAR2 (1)   | Y/N/U or null              |
| ROUTE        | Method of administration   | VARCHAR2 (2)   | S, I, (SI if both) or null |
| FREQ         | Number doses per week  | NUMBER (4,2)   | eg. 0.5,.75,1,2,3 or null  |
| DOSEWEEK     | Total units EPO given each week  | NUMBER (8,2)   | Value or null              |
| MANUFACTURER | Who supplies EPO?  | VARCHAR2 (1)   | Range A-Z or null          |
|              | A = (Amgen) $J = (Janssen Cilag)$  |                |                            |
| IRON         | Iron supplementation in past 3 months  I = IV R = IV/Oral  O = Oral N = No | VARCHAR2 (1)   | Range A-Z or null          |

This Table and Screen used to collect data at end of Survey from 1.4.1998 – 30.9.1998 but discontinued from 1.10.1998

#### Fields added to Table and Screen from 1.4.1998

| ROUTE        | Method of administration              | VARCHAR2 (2) | S, I, (SI if both) or null |
|--------------|---------------------------------------|--------------|----------------------------|
| FREQ         | Number doses per week                 | NUMBER (2,2) | eg. 0.5,.75,1,2,3 or null  |
| DOSEWEEK     | Total units EPO given each week       | NUMBER (6,2) | Value or null              |
| MANUFACTURER | Who supplies EPO?                     | VARCHAR2 (1) | Range A-Z or null          |
|              | A = (Amgen) $J = (Janssen Cilag)$     |              |                            |
| IRON         | Iron supplementation in past 3 months | VARCHAR2 (1) | Range A-Z or null          |
|              | I = IV $R = IV/Oral$                  |              |                            |
|              | O = Oral $N = No$                     |              |                            |

#### Data for this Table ceased to be collected from 1.10.1998

| EPOSEQ | 43 - Data collected from 1.4.1998 - 30.9.1998            |
|--------|--|
| EPOSEQ | 35-42 Data ceased to be collected from 1.4.1994          |
| EPOSEQ | 34 contains data from the Survey (1.10.1993 - 31.3.1994) |
| EPOSEO | 33 contains data from the Survey (1.4.1993 - 30.9.1993)  |

Data not collected in old format since 1.4.1994, but old data remains on Table

# <u>TABLES REMAINING ON THE DATABASE – NO SCREEN DISPLAY</u> <u>INFORMATION NO LONGER COLLECTED</u>

#### **EPO2 TABLE**

| Name     |   | Description                     |           | Type and Size         | Range/Values    |
|----------|---|---------------------------------|-----------|-----------------------|-----------------|
| PATIENT  |   | Patient Number (not Null)       |           | NUMBER (6)            | 100001 - 999999 |
| TDATE    |   | Dates of Eposeq events          |           | DATE                  |                 |
| ROUTE    |   | Route given                     |           | VARCHAR2 (1)          | I or S          |
| FREQ     |   | Number doses per week           |           | NUMBER (4,2)          |                 |
| HLVL     |   | Haemoglobin level               |           | NUMBER (5,2)          |                 |
| EPOSEQ   | # | Sequence of events              |           | VARCHAR2 (1)          | * See CDEPOSEQ  |
| WEIGHT   |   | Patient body weight             |           | NUMBER $(4,1)$        |                 |
| DOSEWEEK |   | Total units EPO given each week |           | NUMBER (8,2)          | Value or null   |
|          | # | I=Initial                       | S=Survey  |                       |                 |
|          |   | T=Temporary Withdrawal          | R=Restart | P=Permanent Withdrawa | al              |
|          |   |                                 |           |                       |                 |

<sup>\*</sup> See List of Values from CDCODES Tables

# Data not collected in this format from 1.4.1994

This Table remains on the main Database and the User Database but no Screen Display

#### **EPO2A TABLE**

| Name       | Description                               | Type and Size | Range/Values     |
|------------|---|---------------|------------------|
| PATIENT    | Patient Number (not Null)                 | NUMBER (6)    | 100001 - 999999  |
| TDATE      | Dates of Eposeq events                    | DATE          |                  |
| COMP1      | Complications of therapy (first reason)   | NUMBER (2)    | * See CDEPOCOMP  |
| COMP2      | Complications of therapy (second reason)  | NUMBER (2)    | * See CDEPOCOMP  |
| COMPOTHR   | Other complications                       | VARCHAR2 (25) |                  |
| REASON1    | Reason for temporary/permanent withdrawal | NUMBER (2)    | *See CDEPOREASON |
| REASONOTHR | Other reason for ceasing EPO treatment    | VARCHAR2 (25) |                  |
|            |   |               |                  |

<sup>\*</sup> See List of Values from CDCODES Tables or F9 (if using Screen)

Data not collected in this format from 1.4.1994

# <u>TABLE REMAINING ON THE DATABASE – NO SCREEN DISPLAY</u> <u>INFORMATION NO LONGER COLLECTED</u>

#### **HBS87 TABLE (Discontinued from 1.5.1987)**

| Name     | Description                | Type and Size | Range/Values    |
|----------|----------------------------|---------------|-----------------|
| PATIENT  | Patient Number (not Null)  | NUMBER (6)    | 100001 - 999999 |
| HBSTAT   | Hepatitis B Status         | VARCHAR2 (2)  |                 |
| DATHBS   | Date of change of status   | VARCHAR2 (6)  | Date eg 151186  |
| DATBILAT | Date bilateral nephrectomy | VARCHAR2 (6)  | Date eg 151186  |

This Table was discontinued from 1.5.1987.

The Table recorded the status and change of status of Hepatitis B in renal patients

Date format was 151186 and has not been changed to reflect Year 2000 changes

#### HBs Ag/Ab STATUS

- 1 Not tested
- 2 HBsAg negative (at no time positive) with anti HBs negative
- 3 HBsAg negative (at no time positive) with anti HBs currently positive
- 4 HBsAg positive at some time (most recent test negative) with anti HBs currently positive
- 5 HBsAg positive at some time (most recent test negative) with anti HBs currently negative
- 6 HBsAg persistently positive
- 7 HBsAg negative with anti HBs not tested
- 8 HBsAg positive anti HBs not tested
- 9 HBsAg always negative and anti HBs was positive now is negative
- 10 Anti HBc positive, previously HBsAg or anti HBs positive
- 11 Anti HBc positive, HBsAg or anti HBs never positive
- 12 HBV vaccinated, anti HBs positive
- 13 HBV vaccination course completed, anti HBs negative, never positive
- 14 HBV vaccination course completed, transient anti HBs positive

# <u>TABLE REMAINING ON THE DATABASE – NO SCREEN DISPLAY</u> INFORMATION NO LONGER COLLECTED

#### **HIST87 TABLE (Discontinued from 1987)**

| Name     | Description                | Type and Size | Range/Values    |
|----------|----------------------------|---------------|-----------------|
| PATIENT  | Patient Number (not Null)  | NUMBER (6)    | 100001 - 999999 |
| HISTSEQ  | Histry Sequence (not Null) | NUMBER(2)     |                 |
| DIALTYPE | Type of dialysis           | VARCHAR2 (2)  |                 |
| WATER    | Type of Water Preparation  | VARCHAR2 (2)  |                 |
| HOURS    | Hours per week on dialysis | VARCHAR2 (2)  |                 |

This Table was discontinued from 01-May-1987.

DIALTYPE (From Sequences 9-20 onwards) reflects Type of Dialysis (eg. Coil, Plate, Hollow Fibre etc)
This data was transferred to the Histry Table as well

DIALTYPE (Sequence 8) reflects the Type of Dialyser Brand (which was discontinued after this sequence)
This data was transferred to the Histry Table as well

HISTSEQ 8 = 01-Nov-1980 to 30-Apr-1981

HISTSEQ 20 = 01-Nov-1986 - 30-Apr-1987

#### **Water Preparation**

- 1 No preparation
- 2 Softening only
- 3 Deionisation
- 4 Reverse osmosis
- 5 Carbon filtration
- 6 Softening and reverse osmosis
- 7 Softening and deionisation
- 8 Deionisation and reverse osmosis
- 9 Softening and reverse osmosis and deionisation
- 10 Softening and carbon filtration
- 11 Reverse osmosis and carbon filtration
- 12 Deionisation and carbon filtration
- 13 Softening, reverse osmosis and carbon filtration
- 14 Softening, deionisation and carbon filtration
- 15 Deionisation, reverse osmosis and carbon filtration
- 16 Softening, deionisation, reverse osmosis and carbon filtration
- 17 Sorbsystem (Redy)

# <u>TABLE REMAINING ON THE DATABASE – NO SCREEN DISPLAY</u> <u>INFORMATION NO LONGER COLLECTED</u>

#### **ATG TABLE**

| Name      | Description                            | Type and Size | Range/Values    |
|-----------|--|---------------|-----------------|
|           |  |               |                 |
| PATIENT   | Patient Number (not Null)              | NUMBER (6)    | 100001 - 999999 |
| GRAFTNO   | Graft number (not Null)                | NUMBER (1)    | 1 - 5           |
| SEQUNO    | Sequence number of courses (not Null)  | NUMBER (1)    |                 |
| ATGDATE   | Date of administration of ATG/OKT3 etc | DATE          |                 |
| AGENT     | Type of agent                          | NUMBER (1)    |                 |
| AGENTOTH  | Name of other agent                    | VARCHAR (10)  |                 |
| DOSES     | Number doses                           | NUMBER (1)    |                 |
| DOSESOTHR | Reason why < 5 doses given             | VARCHAR2 (20) |                 |
| TIME      | Time of commencement                   | NUMBER (1)    |                 |
| TIMEOTHR  | Specify other therapy                  | VARCHAR2 (15) |                 |

Data for this Table not collected in this format from 1-Apr-1997

Selected fields from this ATG Table decoded and inserted into the Table MONOCLONAL

## **OLDPARENTHOOD TABLE**

| Name                                      | Description   | Type and Size   | Range/Values                             |
|---|---|---|--|
| PATIENT SEQUNO PARECODE PAREOTHR PAREDATE | Patient Number (not Null) Sequence number (not Null) Outcome code Other (Causes birth defects, twins etc) Date birth/abortion | NUMBER (6)<br>NUMBER (1)<br>NUMBER (1)<br>VARCHAR2 (30)<br>DATE | 100001 - 999999<br>1 - 9<br>* See CDPARE |

• See List of Values from CDPARE or Key F9 (if using Screen)

#### THIS TABLE RENAMED OLDPARENTHOOD – formally PARENTHOOD

<u>Data for this Table ceased to be collected from 1-Oct-2000 (Data from 1-Oct-2000 now to be entered into PARENTHOOD)</u>

PARECODE and PAREDATE information inserted into PARENTHOOD Table (See Parenthood instructions)
PAREOTHR data to be inserted in COMMENTS in PARENTHOOD Table

# <u>TABLE REMAINING ON THE DATABASE – NO SCREEN DISPLAY</u> <u>INFORMATION NO LONGER COLLECTED</u>

## **AMYLOID TABLE**

(Table only)

| Name        |    | Description                              | Type and Size | Range/Values    |
|-------------|----|--|---------------|-----------------|
| PATIENT     |    | Patient Number (not Null)                | NUMBER (6)    | 100001 - 999999 |
| PRESENT     |    | Is Amyloid associated condition present? | VARCHAR2 (1)  | Y/S/N or null   |
| ANALGESIC   | ** | Treatment used?                          | VARCHAR2 (1)  | Y/N or null     |
| ARTICULAR   | ** | Type of steroid treatment used?          | VARCHAR2 (1)  | Y/N or null     |
| BACK        | ** | Back affected?                           | VARCHAR2 (1)  | Y/S/N or null   |
| CARPEL      | *  | Carpel Tunnel affected?                  | VARCHAR2 (1)  | Y/S/N or null   |
| ELBOWS      | ** | Elbows affected?                         | VARCHAR2 (1)  | Y/S/N or null   |
| FINGERS     | ** | Fingers affected?                        | VARCHAR2 (1)  | Y/S/N or null   |
| HIPS        | ** | Hips affected?                           | VARCHAR2 (1)  | Y/S/N or null   |
| JOINTS      | *  | Joints affected?                         | VARCHAR2 (1)  | Y/S/N or null   |
| KNEES       | ** | Knees affected?                          | VARCHAR2 (1)  | Y/S/N or null   |
| NECK        | ** | Neck affected?                           | VARCHAR2 (1)  | Y/S/N or null   |
| NSAID       | ** | Treatment used?                          | VARCHAR2 (1)  | Y/N or null     |
| OTHERJOINT  | ** | Other joint affected?                    | VARCHAR2 (1)  | Y/S/N or null   |
| OTHERJOINT1 | ** | Specify other joint (1)                  | VARCHAR2 (15) |                 |
| OTHERJOINT2 | ** | Specify other joint (2)                  | VARCHAR2 (15) |                 |
| OTHERSITE   | *  | Other site affected?                     | VARCHAR2 (1)  | Y/S/N or null   |
| OTHERSITE1  | *  | Specify other site (1)                   | VARCHAR2 (23) |                 |
| OTHERSITE2  | *  | Specify other site (2)                   | VARCHAR2 (23) |                 |
| OTHERTREAT  | ** | Other treatment used?                    | VARCHAR2 (1)  | Y/N or null     |
| OTHERTREAT1 | ** | Specify other treatment (1)              | VARCHAR2 (23) |                 |
| OTHERTREAT2 | ** | Specify other treatment (2)              | VARCHAR2 (23) |                 |
| SHOULDER    | ** | Shoulder affected?                       | VARCHAR2(1)   | Y/S/N or null   |
| SYSTEMIC    | ** | Type of steroid treatment used?          | VARCHAR2(1)   | Y/N or null     |
| WRISTS      | ** | Wrists affected?                         | VARCHAR2 (1)  | Y/S/N or null   |

#### Data collected for this Table from 1.4.1995

## Data no longer collected from 1.10.2000 – No Screen Display but to remain on the database as a Table

## Fields not collected after 31.3.1999 but remain on the Table

| JOINTS     | * | Joints affected?        | VARCHAR2 (1)  | Y/S/N or null |
|------------|---|-------------------------|---------------|---------------|
| CARPEL     | * | Carpel Tunnel affected? | VARCHAR2 (1)  | Y/S/N or null |
| OTHERSITE  | * | Other site affected?    | VARCHAR2 (1)  | Y/S/N or null |
| OTHERSITE1 | * | Specify other site (1)  | VARCHAR2 (23) |               |
| OTHERSITE2 | * | Specify other site (2)  | VARCHAR2 (23) |               |

<sup>\*\*</sup> Fields not collected after 31.3.1997 but remain on the Table

# <u>TABLE REMAINING ON THE DATABASE – NO SCREEN DISPLAY</u> <u>INFORMATION NO LONGER COLLECTED</u>

#### **CANCER DATABASE**

## **OLDSKIN TABLE**

| Name       | Description                             | Type and Size | Range/Values    |
|------------|---|---------------|-----------------|
| PATIENT    | Patient Number (not Null)               | NUMBER (6)    | 100001 - 999999 |
| SEQUNO     | Sequence number of skin cancers         | NUMBER (3)    |                 |
| CATYPE     | Cancer type - Section B cancer form     | NUMBER (2)    | 1-11            |
| CADATE     | Date of cancer diagnosis                | DATE          |                 |
| UNCERTDIAG | Uncertain date diagnosis                | VARCHAR2 (1)  | Y or null       |
| PRIMSITE * | Primary site - refer codes              | NUMBER (4)    |                 |
| PRIMDESCR  | Primary site description                | VARCHAR2 (16) |                 |
| CASTAGE    | Cancer staging code - refer cancer form | NUMBER (1)    | 1-5             |
| RX1        | Type 1st treatment - refer cancer form  | NUMBER (2)    | 1-13            |
| RX2        | Type 2nd treatment - refer cancer form  | NUMBER (2)    | 1-13            |
| RX3        | Type 3rd treatment - refer cancer form  | NUMBER (2)    | 1-13            |
| RX4        | Type 4th treatment - refer cancer form  | NUMBER (2)    | 1-13            |
| RX5        | Type 5th treatment - refer cancer form  | NUMBER (2)    | 1-13            |
| LYMPDATE   | Date spread to lymph nodes              | DATE          |                 |
| UNCERTLYM  | Uncertain date of spread                | VARCHAR2 (1)  | Y or null       |
| SYSTDATE   | Date spread systemically                | DATE          |                 |
| UNCERTSYS  | Uncertain date of spread                | VARCHAR2 (1)  | Y or null       |
| RECURDATE  | Date of local recurrence                | DATE          |                 |
| UNCERTREC  | Uncertain date of recurrence            | VARCHAR2 (1)  | Y or null       |
| CAUSPRD    | Did cancer cause renal failure?         | VARCHAR2 (1)  | Y or N          |
| CAUSDEATH  | Did cancer cause/contribute to death?   | VARCHAR2 (1)  | Y or N          |

\* Code from ICD 0 Topography

#### TABLE renamed from SKIN to OLDSKIN from 1.4.1997

This Table remains on the Database but data not collected in this format after 31.3.1997

Relevant information from this Table inserted in the new Table SKIN from 1.4.1997

# Post Survey Tables Processed by the Registry at the End of Each Survey SQL (Structured Query Language) Access Tables

# TXDATA TABLE

| Name                           |   | Description   | Type and Size  | Range/Values           |
|--------------------------------|---|---|--|------------------------|
| PATIENT<br>GRAFTNO             |   | Patient Number (not Null)<br>Graft number   | NUMBER (6)<br>NUMBER (1)                             | 100001 - 999999<br>1-5 |
| ENDTXCODE                      |   | (I,Z,K) from Treatments Table or Code S if went to end of the Survey              | VARCHAR2 (1)   | I,K,S,Z                |
| ENDTXDATE                      |   | Date of ENDTXCODE from Treatments Table or Survey Date if ENDTXCODE is S          | DATE   |                        |
| LASTCODE                       | * | (Z,K,J) from Treatments Table or Code S if went to end of Survey                  | VARCHAR2 (1)   | J,K,S,Z                |
| LASTDATE                       | * | Date of LASTCODE from Treatments Table or Survey if LASTCODE = S                  | DATE   |                        |
| AGE                            |   | Age at transplant   | NUMBER (2)   |                        |
| TXSTATUS                       |   | 0 = functioning (ENDTXCODE=K,S)<br>I = failed (ENDTXCODE=I,Z)                     | VARCHAR2 (1)   | I,K,S,Z                |
| TXPERIOD                       |   | In days ENDTXDATE minus TXDATE (Graft Table)                                      | NUMBER (5)   |                        |
| LSTATUS                        | * | 0 = alive (LASTCODE=K,J,S)<br>1 = dead (LASTCODE=Z)                               | VARCHAR2 (1)   | K,J,S,Z                |
| LPERIOD                        | * | In days LASTDATE minus TXDATE (Graft Table)                                       | NUMBER (5)   |                        |
| MISA<br>MISB<br>MISDR<br>MISDQ |   | Number mismatches A Number mismatches B Number mismatches DR Number mismatches DQ | NUMBER (3)<br>NUMBER (3)<br>NUMBER (3)<br>NUMBER (3) | (99=no coding)         |
|                                | * | = PATIENT SURVIVAL  |  |                        |

# LASTRX TABLE

| Name     | Description   | Type and Size | Range/Values     |
|----------|---|---------------|------------------|
| PATIENT  | Patient Number (not Null)                             | NUMBER (6)    | 100001 - 999999  |
| SEQUNO   | Sequence from Treatments Table If Alive=RXCODE –      | NUMBER (2)    |                  |
|          | If Dead or Lost = Sequence Number of LAST             |               |                  |
| RXSEQ    | Sequence number of RXCODE                             | NUMBER (2)    | Alive, Dead,Lost |
| RXCODE   | Rxcode from Treatments Table                          | VARCHAR2 (1)  | A,B,C,D,E,F,G,H, |
| RXDATE   | Rxdate from Treatments Table                          | DATE          |                  |
| LASTSEQ  | Sequence number of LAST                               | NUMBER (2)    |                  |
| LAST     | Rxcode (Z,J,K) or S if patient alive at end of Survey | VARCHAR2 (1)  | J,K,S,Z          |
| DATDEATH | Date of `LAST' above                                  | DATE          |                  |

# **DXBDF TABLE (Haemodialysis only)**

| Name   |   | Description  | Type and Size  | Range/Values                         |
|--|---|--|--|--------------------------------------|
| PATIENT<br>SEQUNO<br>RXDATE<br>HOSPCODE<br>STATE | ) | Patient Number (not Null) From Treatments Table where RXCODE is B,D or F From Histry Table, at time of RXDATE  | NUMBER (6)<br>NUMBER (2)<br>DATE<br>VARCHAR2 (4)<br>NUMBER (1) | 100001 - 999999<br>0,1,2,3,4,5,6,7,8 |
| TXNUM<br>RXCODE<br>LASTDATE                      | ) | Graft number preceding RXDATE From Treatments Table where RXCODE no longer B,D or F. Can be S and Survey Date, where patient still on B,D or F   | NUMBER (1)<br>VARCHAR2 (1)<br>DATE                             | 1-5                                  |
| RECNUM<br>TECH                                   |   | Record (or sequence) number for patient<br>0 = technique censored where<br>RXCODE is G, S, J or K  | NUMBER (2)<br>NUMBER (1)                                       |                                      |
| LIFE   |   | 1 = technique failed where RXCODE is any dialysis code (A,C,E,L,M) or death Z 0 = alive end this haemodialysis where RXCODE not Z 1 = dead RXCODE = Z  | NUMBER (1)   |                                      |
|  |   | DXLM TABLE (C.A.P.)  | D only)  |                                      |
| Name   |   | Description  | Type and Size  | Range/Values                         |
| PATIENT<br>SEQUNO<br>RXDATE<br>HOSPCODE          | ) | Patient Number (not Null) From Treatments Table where RXCODE is L or M   | NUMBER (6)<br>NUMBER (2)<br>DATE                               | 100001 - 999999                      |
| STATE<br>TXNUM<br>RXCODE                         | ) | From Histry Table, at time of RXDATE  Graft number preceding RXDATE  From Treatments Table where RXCODE  | VARCHAR2 (4)<br>NUMBER (1)<br>NUMBER<br>VARCHAR2 (1)           | 0,1,2,3,4,5,6,7,8<br>1-5             |
| LASTDATE<br>RECNUM<br>TECH                       | ) | no longer L or M. Can be S and<br>survey date, where patient still on L or M.<br>Record (or sequence) number for patient<br>0 = technique censored where<br>RXCODE is G, S, J or K<br>1 = technique failed where RXCODE is any | DATE  NUMBER (2)  NUMBER (1)                                   |                                      |
| LIFE   |   | dialysis code (A,C,E,B,D,F) or death Z  0 = alive end this CAPD where RXCODE not Z  1 = dead RXCODE = Z  | NUMBER (1)   |                                      |
|  |   | DXPD TABLE (PD and C.A.P   | .D combined)   |                                      |
| Name   |   | Description  | Type and Size  | Range/Values                         |
| PATIENT<br>SEQUNO<br>RXDATE                      | ) | Patient Number (not Null) From Treatments Table where RXCODE is A,C,E,L or M   | NUMBER (6)<br>NUMBER (2)<br>DATE                               | 100001 - 999999                      |
| HOSPCODE<br>STATE<br>TXNUM<br>RXCODE             | ) | From Histry Table, at time of RXDATE  Graft number preceding RXDATE  From Treatments Table where RXCODE  | VARCHAR2 (4)<br>NUMBER (1)<br>NUMBER<br>VARCHAR2 (1)           | 0,1,2,3,4,5,6,7,8<br>1-5             |
| LASTDATE   | ) | no longer A,C,E,L or M. Can be S and survey date, where patient still on A,C,E,L or M.   | DATE   |                                      |
| RECNUM<br>TECH                                   |   | Record (or sequence) number for patient  0 = technique censored where  RXCODE is G, S, J or K  1 = technique failed where RXCODE is any  | NUMBER (1)<br>NUMBER (1)                                       |                                      |
| LIFE   |   | dialysis code (B,D,F) or death Z  0 = alive end this PD where RXCODE not Z NU  | MBER (1)   |                                      |

1 = dead RXCODE = Z

#### LIST OF CD CODES TABLES

| CODE TABLE NAME |     | DESCF | DESCRIPTION  |  |  |  |
|-----------------|-----|-------|--|--|--|--|
| CDALOCUS        |     |       | A LOCUS VALUES   |  |  |  |
| CDANTIBIOTIC    | (T) |       | TYPE OF ANTIBIOTICS ADMINISTERED FOR PERITONITIS (from 1.10.2003)          |  |  |  |
| CDASSESS        | (T) |       | PAEDIATRIC ASSESSMENT AT END OF SURVEY (from 1.4.1994)                     |  |  |  |
| CDATGAGENT      | (T) | *     | ATG AGENT CODE DESCRIPTION   |  |  |  |
| CDATGCOM        | (T) | *     | ATG TIME COMMENCING CODE DESCRIPTION                                       |  |  |  |
| CDATGDOS        | (T) | *     | ATG DOSE CODE DESCRIPTION  |  |  |  |
| CDBLOCUS        |     |       | B LOCUS VALUES   |  |  |  |
| CDBRAND         | (T) |       | DIALYSER BRANDS-MODEL-MEMBRANES-AREA-FLUX                                  |  |  |  |
| CDCENTRES       | (T) |       | HOSPITAL CODES AND SITES   |  |  |  |
| CDCONNECT       | (T) |       | PERITONEAL CONNECTION SYSTEMS CODE DESCRIPTION                             |  |  |  |
| CDCOUNTRY       | (T) |       | COUNTRY OF BIRTH CODE DESCRIPTION  |  |  |  |
| CDCYA           | (T) | *     | CYA SPARING DRUG AT SPECIFIED INTERVALS (Not used from 1.4.1997)           |  |  |  |
| CDDEATH         | (T) |       | CAUSES OF DEATH CODE DESCRIPTION   |  |  |  |
| CDDIALYSIS      | (T) |       | TYPES OF DIALYSIS CODE DESCRIPTION   |  |  |  |
| CDDISEASE       | (T) |       | DISEASE CODE DESCRIPTION   |  |  |  |
| CDDRB1, CDDRB3  |     |       | DRB1 AND DRB3 FULL TYPING DNA VALUES                                       |  |  |  |
| CDDRB4, CDDRB5  |     |       | DRB4 AND DRB5 FULL TYPING DNA VALUES                                       |  |  |  |
| CDDQA1, CDDQA1  |     |       | DQA1 AND DQA1 FULL TYPING DNA VALUES                                       |  |  |  |
| CDDPB1          |     |       | DPB1 FULL TYPING DNA VALUES  |  |  |  |
| CDDQLOCUS       |     |       | DQ LOCUS VALUES  |  |  |  |
| CDDRLOCUS       |     |       | DR LOCUS VALUES  |  |  |  |
| CDDRUG          | (T) |       | DRUG CODE AND DESCRIPTION  |  |  |  |
| CDEPOCOMP       | (T) | *     | EPO COMPLICATIONS  |  |  |  |
| CDEPOREASON     | (T) | *     | EPO REASONS FOR WITHDRAWAL   |  |  |  |
| CDEPOSEQ        | (T) | *     | EPO SEQUENCE CODE DESCRIPTION  |  |  |  |
| CDGFAIL         | (T) |       | CAUSES OF GRAFT FAILURE CODE DESCRIPTION                                   |  |  |  |
| CDFOETAL        | (T) |       | FOETAL OUTCOME (from 1.10.2000)  |  |  |  |
| CDLIFE          | (T) | *     | QUALITY OF LIFE CODE DESCRIPTION   |  |  |  |
| CDLIKEHOOD      | (T) |       | LIKELIHOOD OF TRANSPLANT CODE DESCRIPTION                                  |  |  |  |
| CDMEDICAL       | (T) |       | MEDICAL CONDITIONS ACQUIRED DURING PREGNANCY (From 1.10.2000)              |  |  |  |
| CDMETHOD        | (T) |       | METHODS OF UREA AND KT/V COLLECTION  |  |  |  |
| CDMONOAGENT     | (T) |       | MONOCLONAL AGENT CODE (from 1.4.1997)                                      |  |  |  |
| CDNONSKIN       | (T) | *     | TYPES OF NON SKIN TUMOURS  |  |  |  |
| CDORGANISM      | (T) |       | TYPES OF ORGANISMS CAUSING PERITONITIS (from 1.10.2003)                    |  |  |  |
| CDPOUTCOME      | (T) |       | PREGNANCY OUTCOME DESCRIPTION (from 1.10.2000)                             |  |  |  |
| CDPARE          | (T) | *     | PARENTHOOD CODE DESCRIPTION  |  |  |  |
| CDPHYSICIAN     | (T) |       | PHYSICIAN NAMES  |  |  |  |
| CDPRESI         | (T) | *     | INITIAL KIDNEY PERFUSION CODE DESCRIPTION                                  |  |  |  |
| CDPRESM         | (T) | *     | MACHINE PERFUSED KIDNEY PRESERVATION                                       |  |  |  |
| CDPRIMARYRX     | (T) |       | PRIMARY TREATMENT OF REJECTION (From 1.10.2003)                            |  |  |  |
| CDRACE          | (T) |       | RACIAL ORGIN CODE DESCRIPTION  |  |  |  |
| CDREHAB         | (T) | *     | REHABILITATION CODE DESCRIPTION  |  |  |  |
| CDRESPONSE      | (T) |       | RESPONSE RELATING TO CREATININE AFTER REJECTION TREATMENT (From 1.10.2003) |  |  |  |
| CDRISK          | (T) |       | CDRISK OTHER CODE DESCRIPTION  |  |  |  |
| CDSKIN          | (T) |       | TYPES OF SKIN CANCER COLLECTED (from 1.4.1997)                             |  |  |  |
| CDSOURCE        | (T) |       | SOURCE OF DONOR KIDNEY CODE DESCRIPTION                                    |  |  |  |
| CDTHERAPY       | (T) |       | TYPES OF ADDITIONAL THERAPY FOR PERITONITIS (from 1.10.2003)               |  |  |  |
| CDTRANSFER      | (T) |       | REASON FOR TRANSFER FROM CAPD/CCPD (from 1.4.1994)                         |  |  |  |
| CDTREAT         | (T) |       | TYPE OF TREATMENTS CODE DESCRIPTION  |  |  |  |
| CDTYPECODE      |     | (T)   | METHOD CODE FOR A LOCUS-B LOCUS-DR LOCUS-DQ LOCUS                          |  |  |  |
|                 |     |       | METHOD CODE FOR DRB1-DRB3-DRB4-DRB5-DQA1-DQB1-DPB1                         |  |  |  |

(T) = Text

These Tables may be accessed and printed through the SQL query facility

EXAMPLE: (Type in) (For CD LOCUS Tables)

SELECT CODE FROM CDALOCUS;

-----

EXAMPLE: (Type in) (For (T) Text Tables)

SELECT CODE, TEXT FROM CDATGAGENT;

-----

<sup>\*</sup> Data no longer collected but remains on the database.

| OTHR O OVERSEAS OTHER HOSPITAL - OVERSEAS  ALIC 1 NT  BISL  BISL  BATHURST ISLAND - NORTHERN TERRITORY  ROYAL DARWIN HOSPITAL - NORTHERN TERRITORY  ROYAL DARWIN HOSPITAL - NORTHERN TERRITORY  GROOG GROOTE EVIANDT - NORTHERN TERRITORY  JABRU JABRU HEALTH CENTRE - NORTHERN TERRITORY  KATH KATHERINE SATELLITE - NORTHERN TERRITORY  FINN FOR A LIBRURY HOSPITAL - NORTHERN TERRITORY  TENN TENN TENNANT CREEK HOSPITAL - NORTHERN TERRITORY  TENNANT CREEK HOSPITAL - NEW SOUTH WALES  ARMID ALE HOSPITAL - NEW SOUTH WALES  ARMID ALE HOSPITAL - NEW SOUTH WALES  AUBUR HOSPITAL - NEW SOUTH WALES  BALHAR HOSPITAL - NEW SOUTH WALES  BALHAR HOSPITAL - NEW SOUTH WALES  BALHAR HOSPITAL - NEW SOUTH WALES  BALK BALHARN HOSPITAL - NEW SOUTH WALES  BALK BALHARN HOSPITAL - NEW SOUTH WALES  BALK BALKAND HOSPITAL - NEW SOUTH WALES  BEGA BEGA DIALYSIS UNIT - NEW SOUTH WALES  BEGA BEGA DIALYSIS UNITI - NEW SOUTH WALES  BERDP BAULKAM HILLS PRIVATE HOSPITAL - NEW SOUTH WALES  BLKM BLIKAM HILLS PRIVATE HOW SOUTH WALES  BLKM BLIKAM HILLS PRIVATE HOW SOUTH WALES  BLKM BLIKAM HILLS PRIVATE HOW SOUTH WALES  BLKM BALKAM HILLS PRIVATE HOW SOUTH WALES  BLKM BALKAM HILLS PRIVATE HOW SOUTH WALES  BROK BROKEN HILL HOSPITAL - NEW SOUTH WALES  CAMP CAMPBELLITON DIALYSIS (SOUTH WALES  BROK BROKEN HILL HOSPITAL - NEW SOUTH WALES  CAN CALLEN PARK HOSPITAL - NEW SOUTH WALES  BROK BROKEN HILL HOSPITAL - NEW SOUTH WALES  CON CONDORD HOSPITAL - NEW SOUTH WALES  BROK BROKEN HILL HOSPITAL - NEW SOUTH WALES  BROK BROKEN HILL HOSPITAL - NEW SOUTH WALES  CON CONDORD HOSPITAL - NEW SOUTH WALES  BROK BROKEN HILL HOSPITAL - NEW SOUTH WALES  BROK BROW BROWN BR | HOSP  |   | STATE<br>COUNTRY | HOSPITAL   |
|--|---|---|------------------|--|
| BISL BATHURST ISLAND - NORTHERN TERRITORY GROO GROOTE EVLANDT - NORTHERN TERRITORY JABR JABRU HALIT - NORTHERN TERRITORY KATH KATHERINE SATELLITE - NORTHERN TERRITORY FOR THE SATELLITE - NORTHERN TERRITORY  ALBURY HOSPITAL - NEW SOUTH MALES BALM BALMIN HOSPITAL - NEW SOUTH MALES BALM BALMIN BAJUKAM HILLS PRIVATE HOSPITAL - NEW SOUTH WALES BLAK BLAK BLACKTOWN ROSPITAL - NEW SOUTH WALES BLAK BLACKTOWN HOSPITAL - NEW SOUTH WALES BLAK BLACKTOWN HOSPITAL - NEW SOUTH WALES BLAK BLACKTOWN HOSPITAL - NEW SOUTH WALES BREW BREWARINA HOSPITAL - NEW SOUTH WALES BREW BREWARINA HOSPITAL - NEW SOUTH WALES BREW BROKEN HILL HOSPITAL - NEW SOUTH WALES BREW BROKEN HILL HOSPITAL - NEW SOUTH WALES BROOK BROKEN HILL HOSPITAL - NEW SOUTH WALES CAMP CAMPBELLTONN HOSPITAL - NEW SOUTH WALES COST GOSTON CONTACT STATE OF THE SOUTH WALES COST GOSTON HOSPITAL - NEW SOUTH WALES COST GOSTON SATELLITE - NEW SOUTH WALES COST GOSTON HOSPITAL - NEW SOUTH WALES COST GOST | OTHR  | 0 | OVERSEAS         | OTHER HOSPITAL - OVERSEAS  |
| ARMID ARBIDALE HOSPITAL - NEW SOUTH WALES BALM BALMATN HOSPITAL - NEW SOUTH WALES BALM BALMATN HOSPITAL - NEW SOUTH WALES BANK BANKSTOWN HOSPITAL - NEW SOUTH WALES BATH BARHSTS BASE HOSPITAL - NEW SOUTH WALES BEGA BEGA DIALYSIS UNIT - NEW SOUTH WALES BEGA BEGA DIALYSIS UNIT - NEW SOUTH WALES BLAK BLAK BLACKTOWN REGIONAL DIALYSIS - NSW BLKM BAULKAM HILLS PRIVATE - NEW SOUTH WALES BLAK BLACKTOWN HOSPITAL - NEW SOUTH WALES BLAK BLACKTOWN HOSPITAL - NEW SOUTH WALES BREW BREWARRINA HOSPITAL - NEW SOUTH WALES BREW BREWARRINA HOSPITAL - NEW SOUTH WALES BROK BROKE HOSPITAL - NEW SOUTH WALES BROK BOURKE HOSPITAL - NEW SOUTH WALES CAIN CALLEN PARK HOSPITAL - NEW SOUTH WALES CAIN CALLEN PARK HOSPITAL - NEW SOUTH WALES CAMP CAMPBELLTOWN DIALYSIS CENTRE - NEW SOUTH WALES CAMP CAMPBELLTOWN DIALYSIS CENTRE - NEW SOUTH WALES CANT CANTERBURY HOSPITAL - NEW SOUTH WALES COPE CONC CONCORD HOSPITAL - NEW SOUTH WALES COPE COPES HARBOUR HOSPITAL - NEW SOUTH WALES CONC CONCORD HOSPITAL - NEW SOUTH WALES COSS GOSFORD SASE HOSPITAL - NEW SOUTH WALES COSS GOSFORD HOSPITAL - NEW SOUTH  | BISL<br>DARW<br>GROO<br>JABR<br>KATH<br>NTCL<br>PTON  | 1 |                  | BATHURST ISLAND - NORTHERN TERRITORY ROYAL DARWIN HOSPITAL - NORTHERN TERRITORY GROOTE EYLANDT - NORTHERN TERRITORY JABIRU HEALTH CENTRE - NORTHERN TERRITORY KATHERINE SATELLITE - NORTHERN TERRITORY NIGHTCLIFF DIALYSIS CENTRE - DARWIN - NT PALMERSTON DIALYSIS UNIT - NORTHERN TERRITORY  |
| NMAT NEWCASTLE MATER HOSPITAL - NEW SOUTH WALES NORF NORFOLK ISLAND HOSPITAL - NEW SOUTH WALES NORF NOWRA HOSPITAL - NEW SOUTH WALES ORAN ORANGE HOSPITAL - NEW SOUTH WALES PARA PARRAMATTA HOSPITAL - NEW SOUTH WALES PCOM PT MACQUARIE COMMUNITY - NEW SOUTH WALES PENR PENRITH HOSPITAL - NEW SOUTH WALES PHEN PRINCE HENRY HOSPITAL - NEW SOUTH WALES PMPH PT MACQUARIE PRIVATE - NEW SOUTH WALES POWH PRINCE OF WALES HOSPITAL - NEW SOUTH WALES POWP PRINCE OF WALES PRIVATE - NEW SOUTH WALES PRIV PRIVATE HOSPITAL - NEW SOUTH WALES PRIV PRIVATE HOSPITAL - NEW SOUTH WALES PRIV PRESIDENT PRIVATE - NEW SOUTH WALES  | ALBU ARMD AUBN BALM BALM BALM BALM BALK BATH BEGA BHDP BLAK BLKT BLNA BREKE BROK BSTV CAMP CANT COBA COONC DEWE BROK BSTV CALB GALL GOSF GOUL GRET GRIF HDISN HUNT INVR KARP KMPH LAKC LIDC LISM LIDC LISM LIDC LISM LIDC LISM LIDC LISM LIDC LISM LRDS LVPL MACIT MATR MAYO MNUL MORE MACIT MATR MAYO MNUL MORE MORE MORE MORE MORE NOWA PENR NEWC PHEN PMPH POWP PRIV | 2 |                  | ALBURY HOSPITAL - NEW SOUTH WALES ARNIDALE HOSPITAL - NEW SOUTH WALES BALMAIN HOSPITAL - NEW SOUTH WALES BALMAIN HOSPITAL - NEW SOUTH WALES BAHMAIN HOSPITAL - NEW SOUTH WALES BAHLAYSIS UNIT - NEW SOUTH WALES BALLKAM HILLS PRIVATE HOSPITAL - NEW SOUTH WALES BALLKAM HILLS PRIVATE - NEW SOUTH WALES BALLKIAM HOSPITAL - NEW SOUTH WALES BALLKIAM HOSPITAL - NEW SOUTH WALES BALLKIAM HOSPITAL - NEW SOUTH WALES BALLINA HOSPITAL - NEW SOUTH WALES BOURKE HOSPITAL - NEW SOUTH WALES BOURKE HOSPITAL - NEW SOUTH WALES CAMPRELITOWN DIALYSIS CENTER - NEW SOUTH WALES CAMPRELITOWN DIALYSIS CENTER - NEW SOUTH WALES CAMPBELLITOWN DIALYSIS CENTER - NEW SOUTH WALES CAMPBELLITOWN DIALYSIS CENTER - NEW SOUTH WALES CAMPBELLITOWN DIALYSIS (NOW NAMED LINDFIELD) - NSW COBAR SATELLITE - NEW SOUTH WALES CONCORD HOSPITAL - NEW SOUTH WALES CONCORD HOSPITAL - NEW SOUTH WALES COFFS HARBOUR HOSPITAL - NEW SOUTH WALES CONCORD HOSPITAL - NEW SOUTH WAL |

| STATE S HOSP CODE COUNTRY   | Y HOSPITAL   |
|---|--|
| PTMQ RNSH RNSP RPAH RSYD RYDE SADV SCHL SHEL SHOA SHVN SING SSYD STGH STGP STVF SUTH SWRS SYDC SYHL TAMW TARE TEMO TERG TWHD URAN WAGG WANS WENT  | PORT MACQUARIE HOSPITAL - NEW SOUTH WALES ROYAL NORTH SHORE HOSPITAL - NEW SOUTH WALES ROYAL NORTH SHORE PRIVATE - NEW SOUTH WALES ROYAL PRINCE ALFRED HOSPITAL - NEW SOUTH WALES ROYAL SOUTH SYDNEY HOSPITAL - NEW SOUTH WALES RYDE HOSPITAL - NEW SOUTH WALES SYDNEY ADVENTIST HOSPITAL - NEW SOUTH WALES SYDNEY CHILDRENS HOSPITAL - NEW SOUTH WALES SYDNEY CHILDRENS HOSPITAL - NEW SOUTH WALES SHOALHAVEN SATELLITE NOWRA - NEW SOUTH WALES SHOALHAVEN HOSPITAL - NEW SOUTH WALES SINGLETON SATELLITE CENTRE - NEW SOUTH WALES SOUTH WEST SYDNEY RENAL SERVICE - NEW SOUTH WALES ST GEORGE HOSPITAL - NEW SOUTH WALES ST GEORGE PRIVATE HOSPITAL - NEW SOUTH WALES ST VINCENTS HOSPITAL - NEW SOUTH WALES ST VINCENTS PRIVATE HOSPITAL - NEW SOUTH WALES STATEWIDE RENAL SERVICES - NEW SOUTH WALES SYDNEY DIALYSIS CENTRE - NEW SOUTH WALES SYDNEY HOSPITAL - NEW SOUTH WALES TAMWORTH HOSPITAL - NEW SOUTH WALES TAREE HOSPITAL - NEW SOUTH WALES TAREE HOSPITAL - NEW SOUTH WALES TAREE HOSPITAL - NEW SOUTH WALES TERRIGAL MEDICAL CENTRE - NEW SOUTH WALES TERRIGAL MEDICAL CENTRE - NEW SOUTH WALES URANA HOSPITAL - NEW SOUTH WALES URANA HOSPITAL - NEW SOUTH WALES URANA HOSPITAL - NEW SOUTH WALES WANGEY SATELLITE CENTRE - NEW SOUTH WALES WANSEY SATELLITE CENTRE - NEW SOUTH WALES WANSEY SATELLITE CENTRE - NEW SOUTH WALES  |
| WEST<br>WGNG<br>WGTN<br>WSAT<br>WSTP<br>WSUB  | WESTMEAD HOSPITAL - NEW SOUTH WALES WOLLONGONG HOSPITAL - NEW SOUTH WALES WELLINGTON SATELLITE DUBBO - NEW SOUTH WALES WOLLONGONG SATELLITE - NEW SOUTH WALES WESTMEAD PRIVATE HOSPITAL - NEW SOUTH WALES WESTERN SUBURBS HOSPITAL - NEW SOUTH WALES   |
| ABAY 3 VIC ALEX ALFD ANGL ARAR ASAT AUST BACC BAIR BALL BEND BERW BIRC BNIA BOXH BRUN BURW CABR CASE CASE CASE CASE CASI COPH CHEL CHEL CHRL COBG COHU COLA CORR CRAI CRAN CRAN CRAN CRAN CRAN CRAN CRAN CRAN | APOLLO BAY HOSPITAL - VICTORIA ALEXANDRA HOSPITAL - VICTORIA ALERED HOSPITAL - VICTORIA ANGLISS HOSPITAL - VICTORIA ANGLISS HOSPITAL - VICTORIA ARRAT HOSPITAL - VICTORIA AUSTIN SATELLITE TRAINING - VICTORIA BAICHUS MARSH HOSPITAL - VICTORIA BAIRNSDALE HOSPITAL - VICTORIA BAIRNSDALE HOSPITAL - VICTORIA BAIRNSDALE HOSPITAL - VICTORIA BENDIGO HOSPITAL - VICTORIA BENDIGO HOSPITAL - VICTORIA BERNICK HOSPITAL - VICTORIA BERNICH HOSPITAL - VICTORIA BERNALLA HOSPITAL - VICTORIA BROADMEADOWS SATELLITE - VICTORIA BROADMEADOWS SATELLITE CENTRE - VICTORIA BRIGHTON DIALYSIS UNIT - VICTORIA CABRIJH HOSPITAL - VICTORIA CASEY HOSPITAL BERWICK - VICTORIA CASIERID NASPITAL - VICTORIA CASIERIO HOSPITAL - VICTORIA CAULFIELD SATELLITE CENTRE - VICTORIA CHALED SATELLITE CONTRA CHALGIPPSLAND HOSPITAL - VICTORIA CHARLON CAMPUS - VICTORIA COHUNA HOSPITAL - VICTORIA COHUNA HOSPITAL - VICTORIA COHUNA HOSPITAL - VICTORIA CORNONG SATELLITE - VICTORIA DANLESFORD HOSPITAL - VICTORIA DAYLESFORD HOSPITAL - VICTORIA DAYLESFORD HOSPITAL - VICTORIA DAYLESFORD HOSPITAL - VICTORIA DENHOPE HOSPITAL - VICTORIA DENHOPE HOSPITAL - VICTORIA EDENHOPE HOSPITAL - VICTORIA EDENHOPE HOSPITAL - VICTORIA EPPINC DIALYSIS UNT - VICTORIA FARNSTON HOSPITAL - VICTORIA FARNSTON HOSPITAL - VICTORIA GEELONG PISVATE HOSPITAL - VICTORIA GEELONG PRIVATE HOSPITAL - VICTORIA HENDELBERG HOSPITAL - VICTORIA HENTH HOSPITAL - VICTORIA HENTY HO |

|                      |     |          | TA REGISTRY   | LIST OF                  | CENTRES AS AT                                    | JANU |
|----------------------|-----|----------|---|--------------------------|--|------|
|                      |     | OUNTRY I |   |                          |  |      |
| KING<br>KNOX<br>KOOW |     | l        | (INGSBURY DIALYSI<br>(NOX PRIVATE HOSP                    | PITAL - VIC              | ΓORIA  |      |
| KYNE<br>LATR         |     | <br>     | (OO WEE RUP HOSPI<br>(YNETON HOSPITAL<br>LATROBE REGIONAL | - VICTORIA SATELLITE (   | CENTRE- VICTORIA                                 |      |
| LAVE<br>LEON         |     |          | AVERTON HOSPITAL<br>EONGATHA HOSPITA                      | - VICTORIA               | A  |      |
| LORN                 |     |          | ORNE HOSPITAL -<br>MALVERN DIALYSIS                       | VICTORIA                 |  |      |
| MANS                 |     | ľ        | MANSFIELD DISTRIC   | T HOSPITAL               | - VICTORIA                                       |      |
| MDAH<br>MELT         |     | ı        | MAROONDAH HOSPITA<br>MELTON SATELLITE                     | - VICTORIA               | LA   |      |
| MILD                 |     | ı        | MILDURA HOSPITAL<br>MITCHAM PRIVATE H                     | IOSPITAL - \             | VICTORIA   |      |
| MMCA<br>MMCP         |     | ľ        | MONASH MEDICAL (A<br>MONASH MEDICAL (P                    | AEDIATRIC)               | - VICTORIA                                       |      |
| MOOR<br>MPRV         |     |          | MOORABBIN SATELLI<br>MELBOURNE PRIVATE                    |                          |  |      |
| MRYB<br>MYRT         |     |          | MARYBOROUGH DISTR<br>MYRTLEFORD HOSPIT                    |                          | SERVICE - VICTORIA<br>RIA                        |      |
| NALF<br>NAUR         |     | ı        | NAURU SATELLITE (<br>NAURU SATELLITE (                    | (ALFRED) - N             | NAURU  |      |
| NAUS<br>NCOM         |     | 1        | NAURU SATELLITE (<br>NEWCOMB SATELLITE                    | AUSTIN HOSE              | PITAL) - NAURU                                   |      |
| NEKS<br>NHIL         |     | ı        | NORTH EAST KIDNEY<br>NHILL HOSPITAL -                     | SERVICE -                |  |      |
| NMEL                 |     | ı        | NORTH MELBOURNE S   | ATELLITE C               |  |      |
| NORT<br>NRMB         |     | ı        | NORTHERN HOSPITAL<br>NAURU (ROYAL MELB                    | OURNE) - NA              | AURU   |      |
| NSAT<br>NWDS         |     | ı        | NORTHERN HOSPITAL<br>NORTH WEST DIALYS                    | SIS SERVICE              | - VICTORIA                                       |      |
| OMEO<br>ORBO         |     | (        | MEO DISTRICT HOS<br>DRBOST HOSPITAL -                     | VICTORIA                 |  |      |
| PANC<br>PJAM         |     |          | PRESTON & NORTHCO<br>PETER JAMES CENTR                    |                          | ΓΥ HEALTH - VICTORIA<br>ΙΑ                       |      |
| PORT<br>PRES         |     |          | PORTLAND DISTRICT<br>PRESTON AND NORTH                    |                          |  |      |
| RCHL<br>RMBH         |     | ı        | ROYAL CHILDRENS H<br>ROYAL MELBOURNE H                    | IOSPITAL - N             | /ICTORIA   |      |
| ROBV<br>ROSE         |     | ı        | ROBINVALE HOSPITA<br>ROSEBUD HOSPITAL                     | L - VICTOR               | IA   |      |
| RPAR<br>SALE         |     |          |   | IALYSIS SE               | RVICES - VICTORIA                                |      |
| SARN<br>SEAL         |     | 9        | ST ARNAUD HOSPITA<br>SEALAKES DISTRICT                    | L - VICTOR               |  |      |
| SEYM<br>SGEO         |     | 9        | SEYMOUR HOSPITAL<br>ST GEORGES HOSPIT                     | - VICTORIA               |  |      |
| SGRU                 |     | 9        | SOUTH GEELONG REN<br>SANDRINGHAM SATEL                    | IAL UNIT - \             | /ICTORIA   |      |
| SNDR                 |     | 9        | SUNSHINE SATELLIT<br>ST VINCENTS HOSPI                    | F - VTCTOR               | ΓΑ   |      |
| SVIN                 |     |          | ST VINCENTS PRIVA   | TE HOSPITAI              | L - VICTORIA                                     |      |
| SWAN<br>TERA         |     | -        | SWAN HILL HOSPITA<br>TERANG HOSPITAL -                    | VICTORIA                 | LA   |      |
| TIMB                 |     |          | TIMBOON HOSPITAL TISSUE BANK - VIC                        | TORIA                    | NATIONAL AND |      |
| TRAR<br>UMEL         |     | Į.       | ATROBE HOSPITAL JNIVERSITY OF MEL                         | BOURNE - V               |  |      |
| WALW<br>WANG         |     | 1        | WALWA HOSPITAL -<br>WANGARATTA HOSPIT                     | AL - VICTOR              | RIA  |      |
| WARA<br>WARI         |     | 1        | VARRAGUL HOSPITAL<br>VARRINGAL PRIVATE                    | HOSPITAL -               | - VICTORIA                                       |      |
| WARN                 |     |          | VARNAMBOOL HOSPIT   |                          | RIA  |      |
| WDGA<br>WEGH         |     | 1        | WODONGA HOSPITAL WESTERN HOSPITAL                         | - VICTORIA               |  |      |
| WEHI<br>WERR         |     | 1        | VALTER AND ELIZA<br>VERRIBEE MERCY HO                     | SPITAL - VI              |  |      |
| WGIP<br>WILL         |     | 1        | VEST GIPPSLAND -<br>VILLIAMSTOWN SATE                     | LLITE - VI               | CTORIA   |      |
| WONT<br>WPOR         |     | 1        | VONTHAGGI HOSPITA<br>VESTERN PORT HOSP                    | PITAL - VIC              | TORIA  |      |
| YARA<br>YARM         |     | ,        | /ARRAWONGA HOSPIT<br>/ARRAM HOSPITAL -                    | AL - VICTON<br>VICTORIA  | RIA  |      |
| ALLA                 | 4 0 | LD /     | ALLAMANDA DIALYSI   | S UNIT - QU              | JEENSLAND  |      |
| ATHR<br>AUGA         |     | ,        | ATHERTON HOSPITAL<br>AUGATHELLA HOSPIT                    | QUEENSLA<br>AL - OUEENS  | AND  |      |
| AYRH<br>BIRD         |     | ,<br>I   | AYR HOSPITAL - QU<br>BIRDSVILLE HEALTH                    | EENSLAND<br>  CARE CLIN] | IC - QUEENSLAND                                  |      |
| BUDE<br>BUND         |     |          | BUDERIM HOSPITAL<br>BUNDABERG HOSPITA                     | - QUEENSLAN              | ND   |      |
| CAIR<br>CALO         |     | (        | CAIRNS HOSPITAL -<br>CALOUNDRA PRIVATE                    | QUEENSLAN                | )  |      |
| CARS                 |     | (        | CHILD AND ADOLESC<br>CHARLEVILLE HOSPI                    | ENT RENAL S              | SERVICE - QUEENSLAND                             |      |
| CHER                 |     | (        | CHERMSIDE DIALYSI<br>CAIRNS PRIVATE HO                    | S UNIT (NEI              | PHROCARE) - QUEENSLAN                            | D    |
| CUNN                 |     | (        | CUNNAMULLA HOSPIT<br>EAST STREET SELF                     | AL - QUEENS              | SLAND  |      |
| FLYN<br>GLAD         |     |          | JOHN FLYNN HOSPIT<br>GLADSTONE HOSPITA                    | AL - QUEENS              | SLAND  |      |
| GOLD<br>GREN         |     | (        | GOLDCOAST HOSPITA<br>HENRY DALZIEL GRE                    | L – QUEENSI              | LAND   |      |
| GSTA<br>GYMP         |     | (        | GAMBRO ST ANDREWS<br>GYMPIE SATELLITE                     | TOOWOOMBA                | - QLD  |      |
| JIMP                 |     | •        | THETE SMICLLIE  | QUEENSLAI                | TID.   |      |

| STATE S<br>HOSP CODE C  | CHAINTDV | HOSPITAL   |
|---|----------|--|
| HERV HILL HOLLY INNI IPSW KEPR LOGN MACH MACK MARY MATP MISA MROC MTISS NAMB NOOS NPRV NWAR PISL PRCH PSAH QRCH QRCH QRCH QRCH QRCH QRCH REDC REDC REDC REDC REDC REVE ROCK SAND STVR TOWN TWMB VINC WSLY |          | HERVEY BAY HOSPITAL - QUEENSLAND HOME HILL SATELLITE TOWNSVILLE - QUEENSLAND HOLY SPIRIT HOSPITAL - QUEENSLAND INNISFAIL HOSPITAL - QUEENSLAND IPSWICH HOSPITAL - QUEENSLAND KEPERRA (ROYAL BRISBANE) - QUEENSLAND LOGAN SATELLITE CENTRE - QUEENSLAND MATER CHILDRENS HOSPITAL - QUEENSLAND MATER CHILDRENS HOSPITAL - QUEENSLAND MARYBOROUGH HOSPITAL - QUEENSLAND MATER PRIVATE HOSPITAL - QUEENSLAND MATER PRIVATE HOSPITAL - QUEENSLAND MATER PRIVATE HOSPITAL - QUEENSLAND MOUNT ISA SATELLITE - QUEENSLAND MOUNT ISA SATELLITE - QUEENSLAND NOOSA SATELLITE - QUEENSLAND NOOSA SATELLITE - QUEENSLAND NOOSH SELANGOR PRIVATE HOSPITAL - QUEENSLAND NORTHWARD SATELLITE - TOWNSVILLE - QUEENSLAND PRINCES ALEXANDRA HOSPITAL - QUEENSLAND PRINCESS ALEXANDRA HOSPITAL - QUEENSLAND PRINCESS ALEXANDRA HOSPITAL - QUEENSLAND QUEEN ELIZABETH HOSPITAL - QUEENSLAND QUEEN ELIZABETH HOSPITAL - QUEENSLAND ROYAL CHILDRENS HOSPITAL - QUEENSLAND QUEENSLAND RENAL TRANSPLANT SERVICE - QUEENSLAND QUEENSLAND RENAL TRANSPLANT SERVICE - QUEENSLAND ROYAL CHILDRENS HOSPITAL - QUEENSLAND ROYAL BRISBANE HOSPITAL - QUEENSLAND SANDGATE SATELLITE CENTRE - QUEENSLAND SANDGATE SATELLITE CENTRE - QUEENSLAND SELANGOR HOSPITAL - QUEENSLAND SOCKHAMPTON HOSPITAL - QUEENSLAND SOCKHAMPTON HOSPITAL - QUEENSLAND SONDON SANDGATE SATELLITE CENTRE - QUEENSLAND SOBINA SATELLITE - QUEENSLAND TOWNOVILLE HOSPITAL - QUEENSLAND TOWNOVILLE HOSPITAL - QUEENSLAND VINCENT SATELLITE TOWNSVILLE - QUEENSLAND |
| ASHF 5 S BERI CALP CEDU CGRO CLAR FMDC HAMP HART LINC LMCK LYEL MODB MSAT MTGA MURR NASC NOAR PAYN PTAG QEZB RADL WAKE WAYV WCHL  |          | ASHFORD HOSPITAL - SOUTH AUSTRALIA BERRI SATELLITE - SOUTH AUSTRALIA CALVARY PRIVATE HOSPITAL - SOUTH AUSTRALIA COLLEGE GROVE SATELLITE - SOUTH AUSTRALIA CLARE SATELLITE - SOUTH AUSTRALIA CLARE SATELLITE - SOUTH AUSTRALIA FLINDERS MEDICAL CENTRE - SOUTH AUSTRALIA HAMPSTEAD REHABILITATION - SOUTH AUSTRALIA HARTLEY HOSPITAL - SOUTH AUSTRALIA PORT LINCOLN SATELLITE - SOUTH AUSTRALIA LYELL MC EWIN SATELLITE - SOUTH AUSTRALIA LYELL MC EWIN HOSPITAL - SOUTH AUSTRALIA MEMORIAL HOSPITAL - SOUTH AUSTRALIA MILLICENT SATELLITE DIALYSIS - SOUTH AUSTRALIA MODBURY HOSPITAL - SOUTH AUSTRALIA MODBURY HOSPITAL - SOUTH AUSTRALIA MONT GAMBIER HOSPITAL - SOUTH AUSTRALIA MORRAY BRIDGE HOSPITAL - SOUTH AUSTRALIA NORTH ADELAIDE SATELLITE - SOUTH AUSTRALIA NORTH ADELAIDE SATELLITE - SOUTH AUSTRALIA NORRHAM DIALYSIS CENTRE - SOUTH AUSTRALIA POYNEHAM DIALYSIS CENTRE - SOUTH AUSTRALIA PORT AUGUSTA SATELLITE - SOUTH AUSTRALIA ROYAL ADELAIDE HOSPITAL - SOUTH AUSTRALIA WAYVILLE SATELLITE - SOUTH AUSTRALIA WOMENS AND CHILDRENS - SOUTH AUSTRALIA   |
| ALBA 6 WARMA BRME BUNB CANN FREM GRLD HPRH JOON KALG KIMB LION LORA MAND MELV MIDL MNTH PBTB PMHC PTHD RLPT ROEB RPAT   |          | ALBANY COMMUNITY UNIT - WESTERN AUSTRALIA ARMADALE SATELLITE - WESTERN AUSTRALIA BROOME HOSPITAL - WESTERN AUSTRALIA BUNBURY SATELLITE - WESTERN AUSTRALIA CANNINGTON (GAMBRO) - WESTERN AUSTRALIA FREMANTLE HOSPITAL - WESTERN AUSTRALIA GERALDTON HOSPITAL - WESTERN AUSTRALIA HOLLYWOOD PRIVATE HOSPITAL - WESTERN AUSTRALIA JOONDALUP SATELLITE UNIT - WESTERN AUSTRALIA KALGOORLIE HOSPITAL - WESTERN AUSTRALIA KIMBERLEY SATELLITE - WESTERN AUSTRALIA LIONS EYE INSTITUTE - WESTERN AUSTRALIA LIONS EYE INSTITUTE - WESTERN AUSTRALIA LEONORA HOSPITAL - WESTERN AUSTRALIA PEEL HEALTH CAMPUS - WESTERN AUSTRALIA MELVILLE SATELLITE - WESTERN AUSTRALIA MIDLAND SATELLITE - WESTERN AUSTRALIA THE MOUNT HOSPITAL - WESTERN AUSTRALIA PERTH BONE AND TISSUE BANK - WESTERN AUSTRALIA PRINCESS MARGARET HOSPITAL - WESTERN AUSTRALIA PORT HEDLAND HOSPITAL - WESTERN AUSTRALIA ROYAL PERTH HOSPITAL - WESTERN AUSTRALIA ROBBOURNE DISTRICT HOSPITAL - WESTERN AUSTRALIA HOLLYWOOOD REPATRIATION HOSPITAL - WESTERN AUSTRALIA   |

| HOSP   | CODE | STATE<br>COUNTRY |  |
|--|------|------------------|--|
| RPRH<br>SCGH<br>SJOG<br>STIR<br>STJM   |      |                  | ROYAL PERTH REHABILITATION HOSPITAL - WESTERN AUSTRALIA<br>SIR CHARLES GAIRDNER HOSPITAL - WESTERN AUSTRALIA<br>ST JOHN OF GOD HOSPITAL SUBIACO - WESTERN AUSTRALIA<br>STIRLING SATELLITE - WESTERN AUSTRALIA<br>ST JOHN OF GOD MURDOCH - WESTERN AUSTRALIA  |
| BURN<br>CALV<br>LAUN<br>MERS<br>NWRU<br>RHBT   | 7    | TAS              | BURNIE HOSPITAL - TASMANIA<br>CALVARY HOSPITAL - TASMANIA<br>LAUNCESTON HOSPITAL - TASMANIA<br>MERSEY HOSPITAL - TASMANIA<br>NORTH WEST RENAL UNIT - TASMANIA<br>ROYAL HOBART HOSPITAL - TASMANIA  |
| CALA<br>CANB<br>CSAT<br>NSID   | 9    | ACT              | CALVARY HOSPITAL - ACT CANBERRA HOSPITAL - ACT CANBERRA COMMUNITY SATELLITE CENTRE - ACT NORTHSIDE DIALYSIS CLINIC - CANBERRA - ACT  |
| ANDKYIN ANDKYI | 8    | NZ               | ALEXANDRA SATELLITE - NEW ZEALAND AUCKLAND HOSPITAL - NEW ZEALAND BAY OF ISLANDS - NEW ZEALAND BENHEIM HOSPITAL - NEW ZEALAND CARRINGTON HOSPITAL - NEW ZEALAND CHRISTCHURCH HOSPITAL - NEW ZEALAND DARGAVILLE HOSPITAL - NEW ZEALAND DUNSTON HOSPITAL - NEW ZEALAND DUNSTON HOSPITAL - NEW ZEALAND GISBORNE HOSPITAL - NEW ZEALAND GISBORNE HOSPITAL - NEW ZEALAND GREENLANE HOSPITAL - NEW ZEALAND GREENLANE HOSPITAL - NEW ZEALAND GREYMOUTH HOSPITAL - NEW ZEALAND HASTINGS HOSPITAL - NEW ZEALAND HASTINGS HOSPITAL - NEW ZEALAND HAWERA HOSPITAL - NEW ZEALAND KAEO HOSPITAL - NEW ZEALAND KAITAIA HOSPITAL - NEW ZEALAND KAITAIA HOSPITAL - NEW ZEALAND KAITAIA HOSPITAL - NEW ZEALAND KAIKOHE HOSPITAL - NEW ZEALAND KAIKOHE HOSPITAL - NEW ZEALAND MANUKAU SATELLITE - NEW ZEALAND MANUKAU SATELLITE - NEW ZEALAND MASTERTON HOSPITAL - NEW ZEALAND MAPIER HOSPITAL - NEW ZEALAND MASTERTON HOSPITAL - NEW ZEALAND MAPIER HOSPITAL - NEW ZEALAND NAPIER HOSPITAL - NEW ZEALAND NATIONAL EYE BANK - NEW ZEALAND NATIONAL EYE BANK - NEW ZEALAND NORTHSHORE HOSPITAL - NE |
| N<br>X<br>Y  |      |                  | NO = NOT FROM INTERSTATE OR ELSEWHERE<br>= UNKNOWN HOSPITAL AND/OR STATE<br>=YES-DONOR FROM INTERSTATE   |

## LIST OF PAST SURVEY DATES

#### **UPDATED FOR SURVEYS**

| HISTORY<br>SEQUENCE | SURVEY | DATES             |
|---------------------|--------|-------------------|
| 58                  | =      | 1.1.07 - 31.12.07 |
| 57                  | =      | 1.1.06 - 31.12.06 |
| 56                  | =      | 1.1.05 - 31.12.05 |
| 55                  | =      | 1.4.04 – 31.12.04 |
| 54                  |        | 1.10.03 – 31.3.04 |
| 53                  | =      | 1.4.03 – 30.9.03  |
| 52                  | =      | 1.10.02 – 31.3.03 |
| 51                  | =      | 1.4.02 – 30.9.02  |
| 50                  | =      | 1.10.01 – 31.3.02 |
| 49                  | =      | 1.4.01 – 30.9.01  |
| 48                  | =      | 1.10.00 – 31.3.01 |
| 47                  | =      | 1.4.00 – 30.9.00  |
| 46                  | =      | 1.10.99 – 31.3.00 |
| 45                  | =      | 1.4.99 – 30.9.99  |
| 44                  | =      | 1.10.98 – 31.3.99 |
| 43                  | =      | 1.4.98 – 30.9.98  |
| 42                  | =      | 1.10.97 – 31.3.98 |
| 41                  | =      | 1.4.97 - 30.9.97  |
| 40                  | =      | 1.10.96 - 31.3.97 |
| 39                  | =      | 1.4.96 - 30.9.96  |
| 38                  | =      | 1.10.95 - 31.3.96 |
| 37                  | =      | 1.4.95 - 30.9.95  |
| 36                  | =      | 1.10.94 - 31.3.95 |
| 35                  | =      | 1.4.94 - 30.9.94  |
| 34                  | =      | 1.10.93 - 31.3.94 |
| 33                  | =      | 1.4.93 - 30.9.93  |
| 32                  | =      | 1.10.92 - 31.3.93 |
| 31                  | =      | 1.4.92 - 30.9.92  |
| 30                  | =      | 1.10.91 - 31.3.92 |
| 29                  | =      | 1.4.91 - 30.9.91  |
| 28                  | =      | 1.11.90 - 31.3.91 |
| 27                  | =      | 1.5.90 - 31.10.90 |
| 26                  | =      | 1.11.89 - 30.4.90 |
| 25                  | =      | 1.5.89 - 31.10.89 |
| 24                  | =      | 1.11.88 - 30.4.89 |
| 23                  | =      | 1.5.88 - 31.10.88 |
| 22                  | =      | 1.11.87 - 30.4.88 |
| 21                  | =      | 1.5.87 - 31.10.87 |
| 20                  | =      | 1.11.86 - 30.4.87 |
| 19                  | =      | 1.5.86 - 31.10.86 |
| 18                  | =      | 1.11.85 - 30.4.86 |
| 17                  | =      | 1.5.85 - 31.10.85 |
| 16                  | =      | 1.11.84 - 30.4.85 |
| 15                  | =      | 1.5.84 - 31.10.84 |
| 14                  | =      | 1.11.83 - 30.4.84 |
| 13                  | =      | 1.5.83 - 31.10.83 |
| 12                  | =      | 1.11.82 - 30.4.83 |
| 11                  | =      | 1.5.82 - 31.10.82 |
| 10                  | =      | 1.11.81 - 30.4.82 |
| 9                   | =      | 1.5.81 - 31.10.81 |
| 8                   | =      | 1.11.80 - 30.4.81 |
|                     |        |                   |

SEQUENCE NUMBERS CHANGED FROM LATEST =0 ASCENDING

TO LATEST=58 AND DATES DESCENDING

HEPATITIS BEGAN AT SURVEY 31 DIALYSIS SEQUENCES BEGAN AT SURVEY 29 CENTRECODE BEGAN AT SURVEY 29

| CODE       | NAME OF COUNTRY                   |              |                                 |
|------------|-----------------------------------|--------------|---------------------------------|
| 81         | AFGHANISTAN                       | CODE         | NAME OF COUNTRY                 |
| 80         | ALBANIA                           |              |                                 |
| 180<br>161 | ALGERIA<br>ANGOLA                 | 96           | MALTA                           |
| 147        | ARGENTINA                         | 155          | MARTINIQUE                      |
| 79<br>82   | ARMENIA                           | 163<br>137   | MAURITIUS<br>MEXICO             |
| 36         | ASSYRIA<br>ATIU ISLAND            | 173          | MOROCCO                         |
| 10         | AUSTRALIA                         | 23           | NAURU                           |
| 57<br>18   | AUSTRIA<br>BALI                   | 22<br>11     | NEW CALEDONIA<br>NEW ZEALAND    |
| 122        | BANGLADESH                        | 153          | NICARAGUA                       |
| 158<br>58  | BARBADOS                          | 181<br>177   | NIGER<br>NIGERIA                |
| 154        | BELGIUM<br>BERMUDA                | 25           | NIUE                            |
| 151        | BOLIVIA                           | 30           | NORFOLK ISLAND                  |
| 128<br>89  | BORNEO<br>BOSNIA-HERZEGOVINA      | 47<br>27     | NORWAY<br>NOUMEA                |
| 146        | BRAZIL                            | 191          | OCEAN ISLAND                    |
| 127<br>76  | BRUNEI                            | 999          | OTHER (PLEASE EMAIL RE          |
| 126        | BULGARIA<br>BURMA                 |              | GISTRY)                         |
| 113        | CAMBODIA                          | 118          | PAKISTAN                        |
| 143<br>62  | CANADA<br>CHANNEL ISLES           | 98<br>15     | PALESTINE<br>PAPUA NEW GUINEA   |
| 141        | CHILE                             | 156          | PARAGUAY                        |
| 110<br>31  | CHINA<br>CURTETMAS TELAND         | 152<br>121   | PERU                            |
| 32         | CHRISTMAS ISLAND<br>COCOS ISLANDS | 72           | PHILIPPINES<br>POLAND           |
| 142        | COLUMBIA                          | 44           | PORTUGAL                        |
| 19<br>87   | COOK ISLANDS<br>CROATIA           | 78<br>35     | ROMANIA<br>ROTUMA ISLAND        |
| 100        | CYPRUS                            | 75           | RUSSIA                          |
| 70         | CZECHOSLOVAKIA                    | 14           | SAMOA                           |
| 55<br>139  | DENMARK<br>DOMINICAN REPUBLIC     | 103<br>41    | SAUDI ARABIA<br>SCOTLAND        |
| 21         | EAST TIMOR                        | 86           | SERBIA-MONTENEGRO               |
| 145<br>97  | ECUADOR<br>EGYPT                  | 166<br>83    | SEYCHELLES<br>SIBERIA           |
| 149        | EL SALVADOR                       | 61           | SICILY                          |
| 40         | ENGLAND                           | 120          | SINGAPORE                       |
| 169<br>54  | ERITREA<br>ESTONIA                | 68<br>69     | SLOVAKIA<br>SLOVENIA            |
| 179        | ETHIOPIA                          |              |                                 |
| 12<br>59   | FIJI<br>FINLAND                   | 26<br>172    | SOLOMON ISLANDS<br>SOMALIA      |
| 46         | FRANCE                            | 160          | SOUTH AFRICA                    |
| 50<br>164  | GERMANY                           | 150<br>45    | SOUTH AMERICA                   |
| 90         | GHANA<br>GREECE                   | 124          | SPAIN<br>SRI LANKA              |
| 71         | GREEK MACEDONIA                   | 168          | SUDAN                           |
| 159<br>138 | GUATEMALA<br>GUYANA               | 51<br>48     | SWEDEN<br>SWITZERLAND           |
| 52         | HOLLAND                           | 92           | SYRIA                           |
| 112<br>73  | HONG KONG<br>HUNGARY              | 33<br>111    | TAHITI<br>TAIWAN                |
|            | ICELAND                           |              | TANZANIA                        |
| 117        | INDIA                             | 125          | THAILAND                        |
| 16<br>94   | INDONESIA<br>IRAN                 | 39<br>20     | THURSDAY ISLAND<br>TIMOR        |
| 93         | IRAQ                              | 34           | TOBALANAH                       |
| 56<br>101  | IRELAND<br>ISRAEL                 | 28<br>17     | TOKELAU<br>Tonga                |
| 49         | ITALY                             | 99           | TURKEY                          |
| 148        | JAMAICA                           | 37<br>162    | TUVALU (ELLICE) ISLAND          |
| 116<br>104 | JAPAN<br>JORDAN                   | 162<br>77    | UGANDA<br>UKRAINE               |
| 84         | KAZAKHSTAN                        | 105          | UNITED ARAB EMIRATES            |
| 171<br>192 | KENYA<br>KIRIBATI                 | 43<br>140    | UNITED KINGDOM<br>UNITED STATES |
| 115        | KOREA                             | 144          | URUGUAY                         |
| 102<br>123 | KUWAIT<br>LAOS                    | 85<br>24     | UZBECHISTAN<br>VANUATU          |
| 53         | LAUS<br>LATVIA                    | 24<br>114    | VANUATU<br>VIETNAM              |
| 91         | LEBANON                           | 42           | WALES                           |
| 174<br>95  | LIBERIA<br>LIBYA                  | 29<br>178    | WALLIS ISLAND<br>WEST AFRICA    |
| 64         | LIECHTENSTEIN                     | 157          | WEST INDIES                     |
| 60<br>129  | LITHUANIA<br>MACAU                | 13<br>74     | WESTERN SAMOA                   |
| 88         | MACAU<br>MACEDONIA (FYR)          | 167          | YUGOSLAVIA/STATES<br>ZAMBIA     |
| 175        | MALAWI                            | 165          | ZIMBABWE                        |
| 119<br>67  | MALAYSIA<br>MALDOVA               | 160 rows sel | ected.                          |
| ٠.         | <del>-</del>                      |              |                                 |