

ANZDATA REGISTRY MAIN DATABASE

DATA DICTIONARY

FOR THE USER DATABASE

INCORPORATING ALTERATIONS, ADDITIONS AND INSTRUCTIONS

ANZDATA REGISTRY

THE QUEEN ELIZABETH HOSPITAL

WOODVILLE 5011

FEBRUARY 1998

ANZDATA REGISTRY - FEBRUARY 1998

PROJECT	-	MAIN DATABASE ALTERATION AND ADDITIONS
DATA DICTIONARY	-	ANZDATA REGISTRY
PROGRAMME	-	ANZDATA REGISTRY DATABASE
DESIGNER'S NAME	-	LEE EXCELL
DATE OF ISSUE	-	FEBRUARY 1998
COMPUTER	-	DIGITAL CELEBRIS GL2
OPERATING SYSTEM	-	DOS VERSION: 6.22
DATABASE	-	ORACLE Version 6.0.33.0.5
PROGRAMMING LANGUAGE	-	SQL *PLUS
VERSION	-	VERSION 3.0.10.1.4

General Description of the Programme -

This programme is for use by the Anzdata Registry and various Database Users in hospitals throughout Australia and New Zealand for data entry purposes through the collection of Screens, and access to analysing the data through the enclosed Tables, as described in the Data Dictionary, using the Structured Query Language (SQL).

The current Database has been modified to cater for alterations and new information collected.

Screens for data entry have been redesigned where new fields have been added and a new Screens for Acute Rejection, Monoclonal Antibodies, Skin Cancers and Lymphomas have been created. A set of designs incorporating data from each Table are enclosed.

The addition of new fields and the creation of new Tables for the Anzdata Registry Database Programme includes testing and linking these modifications and additions with the existing Database and User Database requirements, to produce a working programme.

CONTENTS

	PAGE
PROGRAMME DETAILS AND DESCRIPTION	
DATABASE TABLES	
IDENTITY TABLE	1
DEMOGRAPHIC TABLE	2
COMORBID TABLE	3-4
TREATMENTS TABLE	5
DEATH TABLE	6
HISTRY TABLE	7
DIALYSIS TABLE	8
HEPATITIS TABLE	9
AMYLOID TABLE	10
GRAFT TABLE	11-12
REJECTION TABLE	13
MONOCLONAL TABLE	14
DRUG TABLE	15
CYADRUG TABLE	16
WEIGHT TABLE	17
SCREAT TABLE	18
DONOR TABLE	19
HLA TABLE	20
PARENTHOOD TABLE	21
PAEDIATRIC TABLE	22
LOCATION TABLE	23
EPOSURVEY TABLE	24
EPO2 AND EPO2A TABLES	25
MULTIPLE TABLE	26
ATG TABLE	27
SQL (STRUCTURED QUERY LANGUAGE) ACCESS TABLES	
TXDATA TABLE	28
LASTRX TABLE	28
DXBDF TABLE	29
DXLM TABLE	29
DXPD TABLE	29
CANCER DATABASE TABLES	
CANCERPATS TABLE	30
CANDONOR TABLE	30
NONSKIN TABLE	31
SKIN TABLE	32
OLDSKIN TABLE	33
LYMPHOMA TABLE	34
APPENDIX	
CD CODES TABLES AND DESCRIPTIONS (HOW TO ACCESS)	35
ANZDATA REGISTRY - LIST OF CENTRES	36
DEMOGRAPHIC - CODES LIST OF COUNTRIES	40
ANZDATA LIST OF HISTORY SEQUENCES AND SURVEY DATES	42
ANZDATA FORM AND INSTRUCTIONS ON BACK OF FORM	
ACUTE REJECTION FORM	
CANCER FORM	
PAEDIATRIC FORM	

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

IDENTITY TABLE

(Screen 1)

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
INITHOSP	Initial hospital	CHAR (4)	*See CDCENTRES
INITSTAT	Initial state	NUMBER (1)	0-8
INITUNIT	Initial hospital unit number	CHAR (8)	
CURRHOSP	Current hospital	CHAR (4)	*See CDCENTRES
CURRSTAT	Current state	NUMBER (1)	0-8
CURRUNIT	Current hospital unit number	CHAR (8)	
PHYSICIAN	Surname of caring physician	CHAR (20)	
SURNAME	Surname	CHAR (20)	
GIVNAME	Given name	CHAR (20)	
DATBIRTH	Date of birth	DATE	< Date of entry
SEX	Sex (M or F)	CHAR (1)	M or F
RACE	Racial origin	NUMBER (2)	* See CDRACE
RACEOTHR	Racial origin other	CHAR (15)	
DISEASE	Primary renal disease	NUMBER (3)	* See CDDISEASE
DISOTHR	Disease other	CHAR (25)	
BIOPSY	Was native kidney biopsied?	CHAR (1)	Y=Yes or null
NTRESIDENT	Northern Territory resident?	CHAR (1)	Y or null
TASRESIDENT	Tasmanian resident?	CHAR (1)	Y or null
SERCREAT	Serum creatinine at entry	NUMBER (4)	

* See List of Values from CDCODES Tables or Key F9 (if using Screen).

Field added to Table and Screen 1.4.97

BIOPSY	Was native kidney biopsied?	CHAR (1)	Y=Yes or null
--------	-----------------------------	----------	---------------

Field added to Table and Screen 1.4.94

TASRESIDENT -	Tasmanian resident?	CHAR (1)	Y or null
---------------	---------------------	----------	-----------

Field not collected after 31.3.91 - but remains on the Table

SERCREAT -	Serum creatinine at entry	NUMBER (4)	
------------	---------------------------	------------	--

Screen Key Directions

F1-Key Functions F2-Help F5-Return to Menu F9-List Values F10-Commit Entry

(Ctrl) Page Down/Page Up Next or Previous Screen Esc - Next Screen

Note: (Esc - Menu Screen) Exits the programme

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

DEMOGRAPHIC TABLE**(Screen 2)**

Name	Description	Range/Values	Type and Size
PATIENT	Patient number	NUMBER (6)	100001 - 999999
COUNTRY	Country of birth	NUMBER (3)	10 onwards or null * See CDCOUNTRY
POSTCODE	Postcode at Entry-Australian patients	NUMBER (4)	2050, 5011 or null
YEAR +	Year of arrival in Australia	NUMBER (4)	1940, 1960 or null
YEARNZ ++	Year of arrival in New Zealand	NUMBER (4)	1940, 1960 or null

* See List of Values from CDCODES Tables or Key F9 (if using Screen)

Data for this Table collected from 1.4.93Fields not collected from 1.4.95 but remain on Table and Screen

+ YEAR	Year of arrival in Australia	NUMBER (4)	1940, 1960 or null
++ YEARNZ	Year of arrival in New Zealand	NUMBER (4)	1940, 1960 or null

Cursor to POSTCODE then skip YEAR and YEARNZ – Shift-Tab to access

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

COMORBID TABLE

(Screen 3)

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
DURATION +	Duration of known renal failure in years	NUMBER (4,2)	eg .5-20.75 yrs
REFERRAL <	Late referral seen <6 mths before 1st treatment	CHAR (1)	Y/N/U or null
REFERRAL3	Late referral seen <3 mths before 1st treatment	CHAR (1)	Y/N/U or null
HEIGHT	Height of patient, at entry, in cms	NUMBER (4,1)	eg 175.5
WEIGHT	Weight of patient, at entry, in kgs	NUMBER (4,1)	eg 100.5
CIG	Cigarette smoking	CHAR (1)	N/F/C/U or null
LUNG	Chronic lung disease present?	CHAR (1)	Y/N/S/U or null
CORONARY	Coronary artery disease present?	CHAR (1)	Y/N/S/U or null
PVD	Peripheral vascular disease present?	CHAR (1)	Y/N/S/U or null
CVD	Cerebrovascular disease present?	CHAR (1)	Y/N/S/U or null
DIABETES	Diabetes present?	CHAR (1)	N/O/P/Q or null
HT	Hypertension requiring treatment	CHAR (1)	Y/N/U or null
RISK1	Coding of first Other Comorbid Condition	NUMBER (2)	* See CDRISK
RISK2	Coding of second Other Comorbid Condition	NUMBER (2)	* See CDRISK
RISK3	Coding of third Other Comorbid Condition	NUMBER (2)	* See CDRISK
RISKOTHR	Description of any other risk factor(s)	CHAR (40)	
IMMUNO ✪	Pre Dialysis Immunosuppression duration >3/12	CHAR (1)	Y/N/X or null
IMMOTHR ✪	Description of drugs given	CHAR (20)	

New field added to Table and Screen from 1.4.97

REFERRAL3	Late referral seen <3 mths before first treatment	CHAR (1)	Y/N/U or null
-----------	---	----------	---------------

Field REFERRAL added from 1.4.95 but not collected after 31.3.97 but remains on Table and Screen

Cursor skips old field REFERRAL and begins at REFERRAL3

Shift-Tab to access old field REFERRAL

Field lengthened from 30 to 40 CHAR from 1.4.97

RISKOTHR	Description of any other risk factor(s)	CHAR (40)	
----------	---	-----------	--

Fields not collected after 31.3.97 - but remain on Table and Screen

IMMUNO ✪	Pre Dialysis Immunosuppression - duration >3/12	CHAR (1)	Y/N/X or null
IMMOTHR ✪	Description of drugs given	CHAR (20)	

Cursor ends at the conclusion of RISKOTHR then skips two fields IMMUNO, IMMOTHR, to return to REFERRAL3

Shift-Tab to be able to access IMMUNO and IMMOTHR

(Continued next page)

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

COMORBID TABLE (Continued)**(Screen 3)****Changes before 1.4.97**Field added to Table and Screen from 1.4.94

HT	Hypertension requiring treatment	CHAR (1)	Y/N/U or null
----	----------------------------------	----------	---------------

Field not collected after 31.3.95 - but remains on Table only

DURATION +	Duration of known renal failure in years	NUMBER (4,2)	eg .5-20.75 yrs
------------	--	--------------	-----------------

Deleted from Screen from 1.4.97

Data entered into the following fields from 1.10.94

RISK1	Coding of first Other Comorbid Condition	NUMBER (2)
RISK2	Coding of second Other Comorbid Condition	NUMBER (2)
RISK3	Coding of third Other Comorbid Condition	NUMBER (2)

Code and Text Description of Risk Codes found in CDCODES Table CDRISK

Actual RISKOTHR entries (corresponding to CDRISK Codes) are shown in Field RISKOTHR
and each Risk separated by a hyphen

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

TREATMENTS TABLE**(Screen 4)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
SEQUNO	Sequence number	NUMBER (2)	
RXCODE	Treatment code	CHAR (1)	A,B,C,D,E,F,G,H, I,J,K,L,M,X,Z *
RXDATE	Treatment date	DATE	

* See List of Values from CDTREAT Table or Key F9 (if using Screen).

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

DEATH TABLE**(Screen 5)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
CANCDIAG	Cancer ever diagnosed?	CHAR (1)	Y/N/X
CAUSDETH	Cause of death	NUMBER (3)	* See CDDEATH
DETHOTHR	Other causes of death	CHAR (30)	
GRAFTSUS	Was graft sustaining life without dialysis at time of death?	CHAR (1)	Y/N/X

* See List of Values from CDDEATH Table or Key F9 (if using Screen).

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

HISTRY TABLE**(Screen 6)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
HISTSEQ #	Sequence number	NUMBER (2)	
HOSPCODE	Hospital code	CHAR (4)	* See CDCENTRES
STATE	State code	NUMBER (1)	
CENTRECODE	Centre of geographical location end of survey	CHAR (4)	* See CDCENTRES
CENTRESTATE	Centre State code	NUMBER (1)	
QUALCODE	Quality of life code	NUMBER (3)	* See CDLIFE
LIKEHOOD	Likelihood of transplant	NUMBER (2)	* See CDLIKEHOOD
TRANOTHR	Likelihood transplant other reasons	CHAR (20)	
WORKCODE +	Rehabilitation code	NUMBER (2)	* See CDREHAB
EXDIALTYPE++	Dialysis type	NUMBER (2)	* See CDDIALYSIS

* See List of Values from CDCODES Tables or Key F9 (if using Screen).

HISTSEQ 0 is data from the most recent Survey (ie 1.4.97 - 30.9.97)

All other records are historical with Histseq 1 being second most recent survey (1.10.96 - 31.3.97) through to oldest Histseq 33 (1.11.80-30.4.81).

See list of Survey Dates accompanying this issue on Page 42

HISTSEQ -	Is forwarded before data entry each Survey to reflect the new Survey period dates of data collection	NUMBER (2)
-----------	--	------------

Field not collected from 1.4.94 but remains on the Table and Screen for Display

+ WORKCODE	All data remains in HISTRY Table WORKCODE displayed on HISTRY Screen from Surveys before 1.4.94 WORKCODE for Surveys 1.4.94 onwards are blank and the cursor skips WORKCODE remains on CDCODES Table.	NUMBER (2)
------------	--	------------

Field not collected from 1.4.91 but remains on the Table and Screen for display

++ EXDIALTYPE-	Renamed field (Old name was DIALTYPE) All data remains in HISTRY Table Data from 1.4.91 stored in DIALYSIS Table EXDIALTYPE displayed on HISTRY Screen from Surveys before 1.4.91 EXDIALTYPE for Surveys 1.4.91 and after are blank and the cursor skips EXDIALTYPE and DIALTYPE to continue to share same CDCODES Table	NUMBER (2)
----------------	---	------------

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

DIALYSIS TABLE**(Screen 7)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
DIALSEQ #	Sequence number	NUMBER (2)	
DIALTYPE	Dialysis type	NUMBER (2)	* See CDBRAND
DRYWEIGHT	Dry Weight on last dialysis: End Survey, Transplantation or Death	NUMBER (3)	eg 70, 199 (nearest kg)
DIALBRAND	Dialyser brand, model, membrane, surface area	CHAR (5)	A-Z, 0-9, null
FLOWRATE	Blood flow rate (mls/min)	NUMBER (3)	
FREQUENCY	Frequency of dialysis per week	NUMBER (3,2)	
HOURS	Hours per session	NUMBER (4,2)	
UREA	Urea reduction ratio %	NUMBER (2)	0-99 or null
REUSE	Does patient reuse dialyser	CHAR (1)	Y/N or null
BICARBONATE ⚙	Bicarbonate Based Dialysate	CHAR (1)	Y/N or null
CONNECTION	Type of Peritoneal Connection System	NUMBER (2)	*See CDCONNECT
PERITONITIS	Date first episode of peritonitis - all PD	DATE	
CONNECTFIRST	Connection System (First episode peritonitis)	NUMBER (2)	*See CDCONNECT
EPISODES	Number of episodes peritonitis during survey	NUMBER (2)	
LITRES	Total volume weekly exchanges-All PD	NUMBER (3)	Range 5-200 litres
NIGHT	Night time single exchange device	CHAR (1)	Y/N or null
TRANSFER1	1st reason transfer CAPD/CCPD during survey	NUMBER (2)	*See CDTRANSFER
TRANSFER2	2nd reason transfer CAPD/CCPD during survey	NUMBER (2)	*See CDTRANSFER

* See List of Values CDCODES Tables or Key F9 (if using Screen).

Data for this Table collected from 1.4.91

DIALSEQ 0 will be data from the most recent Survey (ie 1.4.97 - 30.9.97)

DIALSEQ 1 will be data from the previous Survey (ie 1.10.96 - 31.3.97)

DIALSEQ 12 is the oldest sequence (ie 1.4.91 - 30.9.91)

DIALSEQ - Is forwarded before data entry each Survey to reflect the new Survey period

New Fields added to Table and Screen from 1.4.97

UREA	Urea reduction ratio %	NUMBER (2)	0-99 or null
NIGHT	Night time single exchange device	CHAR (1)	Y/N or null

Field not collected after 31.3.97 - but remains on Table and Screen

BICARBONATE ⚙	Bicarbonate Based Dialysate	CHAR (1)	Y/N or null
---------------	-----------------------------	----------	-------------

Field left blank from 1.4.97 onwards when History Items forwarded

Cursor to skip from Reuse to Con Sys but Shift-Tab to access Bicarbonate

Field added to Table and Screen from 1.4.95

DRYWEIGHT	Dry Weight on last dialysis: End Survey, Transplantation or Death	NUMBER (3)	eg 70, 199 (nearest kg)
-----------	--	------------	-------------------------

Fields added to Table and Screen from 1.4.94

LITRES	Total volume weekly exchanges-All PD week	NUMBER (3)	Range 5-200 litres
TRANSFER1	1st reason transfer CAPD/CCPD during survey	NUMBER (2)	*See CDTRANSFER
TRANSFER2	2nd reason transfer CAPD/CCPD during survey	NUMBER (2)	*See CDTRANSFER

Field (NAME ONLY) moved from another Table and Screen

DIALTYPE	This field stores and displays data collected from 1.4.91 onwards (See HISTRY Table instructions and renaming for Dialysis data collected before 1.4.91)		
----------	---	--	--

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

HEPATITIS TABLE**(Screen 8)**

Name	Description	Type and Size	Range/Values

PATIENT	Patient number	NUMBER (6)	100001 - 999999
HEPSEQ #	Sequence number	NUMBER (2)	
ANTIBODY	Hepatitis C Antibody	CHAR (1)	1,2,3 or null
PCRTEST	Hepatitis C-RNA P.C.R. Test	CHAR (1)	1,2,3, or null

HEPSEQ 0 will be data from the most recent Survey

Data for this Table collected from 1.4.92**This is a History Table and Screen**

HEPSEQ	Hepseq is forwarded before data entry each Survey to reflect the new Survey period	NUMBER (2)
--------	--	------------

Sequence numbering at end of Survey 30.9.97

HEPSEQ = 0	1.4.97 - 30.9.97	NUMBER (2)
HEPSEQ = 1	1.10.96 - 31.3.97	
HEPSEQ = 2	1.4.96 - 30.9.96	
HEPSEQ = 3	1.10.95 - 31.3.96	
HEPSEQ = 4	1.4.95 - 30.9.95	
HEPSEQ = 5	1.10.94 - 31.3.95	
HEPSEQ = 6	1.4.94 - 30.9.94	
HEPSEQ = 7	1.10.93 - 31.3.94	
HEPSEQ = 8	1.4.93 - 30.9.93	
HEPSEQ = 9	1.10.92 - 31.3.93	
HEPSEQ = 10	1.4.92 - 30.9.92	

Field not collected after 31.3.94 but remains on the Table and Screen

PCRTEST	Hepatitis C-RNA P.C.R. Test	CHAR (1)	1,2,3, or null
---------	-----------------------------	----------	----------------

When HEPSEQ is forwarded - PCRTEST left blank from 1.4.94

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

AMYLOID TABLE

(Screen 9)

Name	Description	Type and Size	Range/Values

PATIENT	Patient number	NUMBER (6)	100001 - 999999
PRESENT	Is Amyloid associated condition present?	CHAR (1)	Y/S/N or null
JOINTS	Joints affected?	CHAR (1)	Y/S/N or null
CARPEL	Carpel Tunnel affected?	CHAR (1)	Y/S/N or null
OTHERSITE	Other site affected?	CHAR (1)	Y/S/N or null
OTHERSITE1	Specify other site (1)	CHAR (23)	
OTHERSITE2	Specify other site (2)	CHAR (23)	
NECK	Neck affected?	CHAR (1)	Y/S/N or null
SHOULDER	Shoulder affected?	CHAR (1)	Y/S/N or null
ELBOWS	Elbows affected?	CHAR (1)	Y/S/N or null
WRISTS	Wrists affected?	CHAR (1)	Y/S/N or null
FINGERS	Fingers affected?	CHAR (1)	Y/S/N or null
BACK	Back affected?	CHAR (1)	Y/S/N or null
HIPS	Hips affected?	CHAR (1)	Y/S/N or null
KNEES	Knees affected?	CHAR (1)	Y/S/N or null
OTHERJOINT	Other joint affected?	CHAR (1)	Y/S/N or null
OTHERJOINT1	Specify other joint (1)	CHAR (15)	
OTHERJOINT2	Specify other joint (2)	CHAR (15)	
NSAID	Treatment used?	CHAR (1)	Y/N or null
ANALGESIC	Treatment used?	CHAR (1)	Y/N or null
OTHERTREAT	Other treatment used?	CHAR (1)	Y/N or null
OTHERTREAT1	Specify other treatment (1)	CHAR (23)	
OTHERTREAT2	Specify other treatment (2)	CHAR (23)	
ARTICULAR	Type of steroid treatment used?	CHAR (1)	Y/N or null
SYSTEMIC	Type of steroid treatment used?	CHAR (1)	Y/N or null

Data collected for this Table from 1.4.95**Fields not collected after 31.3.97 but remain on the Table and Screen**

NECK	Neck affected?	CHAR (1)	Y/S/N or null
SHOULDER	Shoulder affected?	CHAR (1)	Y/S/N or null
ELBOWS	Elbows affected?	CHAR (1)	Y/S/N or null
WRISTS	Wrists affected?	CHAR (1)	Y/S/N or null
FINGERS	Fingers affected?	CHAR (1)	Y/S/N or null
BACK	Back affected?	CHAR (1)	Y/S/N or null
HIPS	Hips affected?	CHAR (1)	Y/S/N or null
KNEES	Knees affected?	CHAR (1)	Y/S/N or null
OTHERJOINT	Other joint affected?	CHAR (1)	Y/S/N or null
OTHERJOINT1	Specify other joint (1)	CHAR (15)	
OTHERJOINT2	Specify other joint (2)	CHAR (15)	
NSAID	Treatment used?	CHAR (1)	Y/N or null
ANALGESIC	Treatment used?	CHAR (1)	Y/N or null
OTHERTREAT	Other treatment used?	CHAR (1)	Y/N or null
OTHERTREAT1	Specify other treatment (1)	CHAR (23)	
OTHERTREAT2	Specify other treatment (2)	CHAR (23)	
ARTICULAR	Type of steroid treatment used?	CHAR (1)	Y/N or null
SYSTEMIC	Type of steroid treatment used?	CHAR (1)	Y/N or null

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

GRAFT TABLE**(Screen 10)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number	NUMBER (1)	1 - 5
TXDATE	Date of this transplant	DATE	
DONHOSP	Donor hospital	CHAR (4)	* See CDCENTRES
DONSTAT	Donor state	NUMBER (1)	
TRANHOSP	Transplant hospital	CHAR (4)	* See CDCENTRES
TRANSTAT	Transplant state	NUMBER (1)	
CMV	Recipient CMV antibody status	NUMBER (1)	1 - 3 or null
EBV	Recipient EBV antibody status	NUMBER (1)	1 - 3 or null
DONSOURC	Donor source	NUMBER (2)	* See CDSOURCE
DONOTHR	Donor other (If Code 8 entered)	CHAR (14)	
DONAGE	Donor age	NUMBER (2)	
DONSEX	Donor sex	CHAR (1)	M or F
ISCHEMIA	Total ischaemia (to nearest hour)	NUMBER (2)	
KIDPRESI *	Initial kidney preservation	NUMBER (2)	* See CDPRESI
KIDPRESM	Machine kidney preservation	NUMBER (1)	* See CDPRESM
BLTRANA *	Ever transfused (before first graft only)	NUMBER (1)	1 - 3
BLTRANB	Number units transfused	NUMBER (2)	1 - 99
DATRANF	Date last transfusion	DATE	
FUNCTION	Immediate function	NUMBER (1)	1, 2, 3, 4, 9 or null
PRDRECUR	Disease in graft kidney	CHAR (1)	Y, D, G, N or null
PRDDATE	Date disease in graft kidney first proven	DATE	
CAUSFAIL	Cause of graft failure	NUMBER (2)	* See CDGFAIL
CAUSOTHR	Other causes of graft failure	CHAR (25)	
MULTIPLE	Has recipient had another organ transplanted?	CHAR (1)	Y or null
DATENEPH	Date of graft nephrectomy	DATE	
INSITU	Insitu Y?	CHAR (1)	Y or null

* See List of Values from CDCODES Tables or Key F9 (if using Screen)

New field added to Table and Screen from 1.4.97

PRDDATE	Date recurrence first proven	DATE
---------	------------------------------	------

Fields not collected after 31.3.97 but remain on the Table and Screen

BLTRANA *	Ever transfused (before first graft only)	NUMBER (1)	1 - 3
KIDPRESI *	Initial kidney preservation	NUMBER (2)	* See CDPRESI

(Continued next page)

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

GRAFT TABLE (Continued)**(Screen 10)**Range of values change from 1.4.95

PRDRECUR	Disease in graft kidney See Codes on back of ANZDATA data form	CHAR (1)	Y, D, G, N or null
----------	---	----------	--------------------

Screen changes from 1.4.95

DATENEPH	Date of graft nephrectomy Displayed on right of Screen B - cursor skips Shift-Tab to access	DATE	
----------	---	------	--

Field added to Table and Screen 1.4.94

FUNCTION	Immediate function	NUMBER (1)	1, 2, 3, 9 or null
----------	--------------------	------------	--------------------

Fields retained on this Table - data not collected since 1.4.91

BLTRANB	-	Number units transfused	No Screen Display	NUMBER (2)
DATRANF	-	Date of last transfusion	No Screen Display	DATE
KIDPRESM	-	Machine kidney preservation	No Screen Display	NUMBER (1)
DATENEPH	-	Date graft nephrectomy		DATE
INSITU	-	Insitu Y?	No Screen Display	CHAR (1)

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

REJECTION TABLE**(Screen 11)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number	NUMBER (1)	1 - 5
REJSEQ	Sequence number of episodes	NUMBER (2)	1-20 or null
REJDATE	Date of this rejection episode	DATE	
BIOPSY	Was this episode biopsy proven?	CHAR (1)	Y,N or null
CELLULAR	If biopsy is Yes ?Cellular	NUMBER (1)	1,2,3,4 or null
VASCULAR	If biopsy is Yes ?Vascular	NUMBER (1)	1,2,3,4 or null
GLOMERULAR	If biopsy is Yes ?Glomerular	NUMBER (1)	1,2,3,4 or null
BANFFG	If biopsy is Yes and Banff g is known	NUMBER (1)	0,1,2,3 or null
BANFFI	If biopsy is Yes and Banff i is known	NUMBER (1)	0,1,2,3 or null
BANFFT	If biopsy is Yes and Banff t is known	NUMBER (1)	0,1,2,3 or null
BANFFV	If biopsy is Yes and Banff v is known	NUMBER (1)	0,1,2,3 or null
BXNO	If NOT BIOPSY proven = N	NUMBER (1)	1,2,3 or null
PRIMRX1	Primary treatment of rejection - 1	CHAR (1)	A - Z or null
PRIMRX2	Primary treatment of rejection - 2	CHAR (1)	A - Z or null
PRIMRX3	Primary treatment of rejection - 3	CHAR (1)	A - Z or null
RESPONSE	Response of this rejection to treatment	CHAR (1)	A - Z or null
COMMENTS	Comments on rejection episodes	CHAR (40)	

New Table and Screen with new fields containing data from 1.4.97

NEW DISPLAY SCREEN 11

Display Screen replaces the former MULTIPLE Screen
 MULTIPLE Screen now relocated as Screen 23

NOTE: Data for this Table is collected on a SEPARATE REJECTION FORM

Question 52 on the main Data Form indicates whether the Rejection Form needs to be entered
 If Question 52 has an entry, this Table and Screen capture the Rejection form data

Field REJSEQ is automatically updated with sequence numbers after an entry is committed

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

MONOCLONAL TABLE**(Screen 12)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number	NUMBER (1)	1 - 5
SEQUNO	Sequence number of courses given	NUMBER (1)	
MONODATE	Date of Monoclonal/Polyclonal therapy	DATE	
AGENT	Type of agent	NUMBER (1)	*See CDATGAGENT
AGENTOTHR	Other types of agent	CHAR (10)	
DOSES	Actual number of doses given	NUMBER (2)	1-50 or null
REASON	Reason for use	NUMBER (1)	1-9 or null
REASONOTHR	Specify other reason	CHAR (15)	

* See List of Values from CDCODES Tables or Key F9 (if using Screen)

This is a new Table and Screen with new fields containing data from 1.4.97

NEW DISPLAY SCREEN 12

This new Display Screen replaces the old ATG Screen

Field SEQUNO automatically updated with sequence numbers after an entry is committed

Data for ATG Table not collected in that format after 31.3.97

ATG Table to remain on Database but no Screen Display

NOTE: Relevant data from the ATG Table has been inserted into the MONOCLONAL Table

OLD ATG TABLE (Data from ATG to Monoclonal)

INSERT ATG.PATIENT (MONOCLONAL.PATIENT),ATG.GRAFTNO (MONOCLONAL.GRAFTNO),
 ATG.SEQUNO (MONOCLONAL.SEQUNO),ATG.ATGDATE (MONOCLONAL.MONODATE),
 ATG.AGENT (DECODE,1,8,2,8,3,8,4,4,5,8,6,8,7,8,9,8) (MONOCLONAL.AGENT),
 ATG.TIME (DECODE,1,1,2,7,3,7,4,7,5,7,6,8,7,8,9,8) (MONOCLONAL.REASON),
 ATG.TIMOTHR (MONOCLONAL.REASONOTHR)

NOTE: MONOCLONAL.AGENTOTHR (only new information to be entered)

DOSES (New information to be entered, as existing DOSES are <5 and >5 or uncertain)

OLD ATG TABLE - NEW MONOCLONAL TABLE

PATIENT ATG.PATIENT=MONOCLONAL.PATIENT
 GRAFTNO ATG.GRAFTNO=MONOCLONAL.GRAFTNO
 SEQUNO ATG.SEQUNO=MONOCLONAL.SEQUNO
 ATGDATE ATG.ATGDATE=MONOCLONAL.MONODATE
 AGENT ATG.AGENT=MONOCLONAL.AGENT
 ATG.AGENT 1=MONOCLONAL.AGENT 1
 ATG.AGENT 4=MONOCLONAL.AGENT 4
 ATG.AGENT 2,3,5,6,7=MONOCLONAL.AGENT 8
 (There are no Code 9 Other monoclonal on the Database)
 TIME ATG.TIME 1=MONOCLONAL.REASON=1
 ATG.TIME 2,3,4,5=MONOCLONAL.REASON=7
 ATG.TIME 6,7,9=MONOCLONAL.REASON=8
 TIMEOTHR ATG.TIMEOTHR=MONOCLONAL.REASONOTHR

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

DRUG TABLE

(Screen 13)

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number	NUMBER (1)	1 - 5
DRUG #	Initial of drug given	CHAR(1)	* See CDDRUG
DOSE0M	Dose at 0 months	NUMBER (6,2)	or null
DOSE1M	Dose at 1 month	NUMBER (6,2)	or null
DOSE2M	Dose at 2 months	NUMBER (6,2)	or null
DOSE3M	Dose at 3 months	NUMBER (6,2)	or null
DOSE4M	Dose at 4 months	NUMBER (6,2)	or null
DOSE6M	Dose at 6 months	NUMBER (6,2)	or null
DOSE1Y	Dose at 1 year	NUMBER (6,2)	or null
DOSE2Y	Dose at 2 years	NUMBER (6,2)	or null
DOSE3Y	Dose at 3 years	NUMBER (6,2)	or null
DOSE5Y	Dose at 5 years	NUMBER (6,2)	or null
DOSE7Y	Dose at 7 years	NUMBER (6,2)	or null
DOSE10Y	Dose at 10 years	NUMBER (6,2)	or null
DOSE15Y	Dose at 15 years	NUMBER (6,2)	or null
DOSE20Y	Dose at 20 years	NUMBER (6,2)	or null
DOSE25Y	Dose at 25 years	NUMBER (6,2)	or null
DOSE30Y	Dose at 30 years	NUMBER (6,2)	or null

D=CyA H=Aza P=Pred R=Chlorambucil S=Cyclophosphamide
 T=Beta Methasone V=Tacrolimus (FK506) W=Sirolimus X=Mycophenolate Mofetil (Cellcept)

* See list of values from CDDRUG Table or Key F9 (if using Screen)

Doses are to one decimal place

A second decimal place with a value of 2 (ie .02, .52) indicates an alternate day dose

Dose fields are uncoded (i.e null) where it is unknown if this drug was administered at any point

Dose fields are coded as zero (0) where it is **known** that this drug was not used.

New field added to Table and Screen from 1.4.97

DOSE7Y - Dose at 7 years NUMBER (6,2) or null

Field not collected from 1.4.91 but remains on the Table - No Screen Display

DOSE4M - Dose at 4 months NUMBER (6,2)

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

CYADRUG TABLE

(Screen 14)

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001-999999
GRAFTNO	Graft number	NUMBER (1)	1 - 5
CYADRUG0M	CyA sparing drug given at 0 months	NUMBER (2)	0 - 99
CYADRUG1M	CyA sparing drug given at 1 month	NUMBER (2)	0 - 99
CYADRUG2M	CyA sparing drug given at 2 months	NUMBER (2)	0 - 99
CYADRUG3M	CyA sparing drug given at 3 months	NUMBER (2)	0 - 99
CYADRUG6M	CyA sparing drug given at 6 months	NUMBER (2)	0 - 99
CYADRUG1Y	CyA sparing drug given at 1 year	NUMBER (2)	0 - 99
CYADRUG2Y	CyA sparing drug given at 2 years	NUMBER (2)	0 - 99
CYADRUG3Y	CyA sparing drug given at 3 years	NUMBER (2)	0 - 99
CYADRUG5Y	CyA sparing drug given at 5 years	NUMBER (2)	0 - 99
CYADRUG7Y	CyA sparing drug given at 7 years	NUMBER (2)	0 - 99
CYADRUG10Y	CyA sparing drug given at 10 years	NUMBER (2)	0 - 99
CYADRUG15Y	CyA sparing drug given at 15 years	NUMBER (2)	0 - 99
CYADRUG20Y	CyA sparing drug given at 20 years	NUMBER (2)	0 - 99
CYADRUG25Y	CyA sparing drug given at 25 years	NUMBER (2)	0 - 99
CYADRUG30Y	CyA sparing drug given at 30 years	NUMBER (2)	0 - 99

Data for this Table collected from 1.4.94

From 1.4.97 CyA Sparing Drugs recorded as -

CYADRUG CODE 0=Not given 1=Given

New field added to Table and Screen from 1.4.97

CYADRUG7Y CyA sparing drug given at 7 years NUMBER (2) 0 - 99

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

WEIGHT TABLE

(Screen 15)

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number	NUMBER (1)	1 - 5
WTTX	Weight at transplant	NUMBER (3)	1 - 200 or null
WT1M	Weight 1 month	NUMBER (3)	1 - 200 or null
WT2M	Weight 2 months	NUMBER (3)	1 - 200 or null
WT3M	Weight 3 months	NUMBER (3)	1 - 200 or null
T4M	Weight 4 months	NUMBER (3)	1 - 200 or null
WT6M	Weight 6 months	NUMBER (3)	1 - 200 or null
WT1Y	Weight 1 year	NUMBER (3)	1 - 200 or null
WT2Y	Weight 2 years	NUMBER (3)	1 - 200 or null
WT3Y	Weight 3 years	NUMBER (3)	1 - 200 or null
WT5Y	Weight 5 years	NUMBER (3)	1 - 200 or null
WT7Y	Weight 7 years	NUMBER (3)	1 - 200 or null
WT10Y	Weight 10 years	NUMBER (3)	1 - 200 or null
WT15Y	Weight 15 years	NUMBER (3)	1 - 200 or null
WT20Y	Weight 20 years	NUMBER (3)	1 - 200 or null
WT25Y	Weight 25 years	NUMBER (3)	1 - 200 or null
WT30Y	Weight 30 years	NUMBER (3)	1 - 200 or null

New field added to Table and Screen from 1.4.97

WT7Y	-	Weight 7 years	NUMBER (3)	1 - 200 or null
------	---	----------------	------------	-----------------

Field not collected from 1.4.91 but remains on the Table - No Screen Display

WT4M	-	Weight at 4 months	NUMBER (3)	
------	---	--------------------	------------	--

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

SCREAT TABLE

(Screen 16)

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number	NUMBER (1)	1 - 5
SC1M	Serum creatinine 1 months	NUMBER (4)	20-2000 or null
SC2M	Serum creatinine 2 months	NUMBER (4)	20-2000 or null
SC3M	Serum creatinine 3 months	NUMBER (4)	20-2000 or null
SC4M	Serum creatinine 4 months	NUMBER (4)	20-2000 or null
SC6M	Serum creatinine 6 months	NUMBER (4)	20-2000 or null
SC1Y	Serum creatinine 1 year	NUMBER (4)	20-2000 or null
SC2Y	Serum creatinine 2 years	NUMBER (4)	20-2000 or null
SC3Y	Serum creatinine 3 years	NUMBER (4)	20-2000 or null
SC5Y	Serum creatinine 5 years	NUMBER (4)	20-2000 or null
SC7Y	Serum creatinine 7 years	NUMBER (4)	20-2000 or null
SC10Y	Serum creatinine 10 years	NUMBER (4)	20-2000 or null
SC15Y	Serum creatinine 15 years	NUMBER (4)	20-2000 or null
SC20Y	Serum creatinine 20 years	NUMBER (4)	20-2000 or null
SC25Y	Serum creatinine 25 years	NUMBER (4)	20-2000 or null
SC30Y	Serum creatinine 30 years	NUMBER (4)	20-2000 or null

New field added to Table and Screen from 1.4.97

SC7Y	-	Serum creatinine 7 years	NUMBER (4)	20-2000 or null
------	---	--------------------------	------------	-----------------

Field not collected from 1.4.91 but remains on the Table No Screen Display

SC4M	-	Serum creatinine 4 months	NUMBER (4)	
------	---	---------------------------	------------	--

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

DONOR TABLE**(Screen 17)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
GRAFTNO	# Graft number	NUMBER (1)	0 - 5
BLGROUP	Blood group (Recipient and/or donor)	CHAR (2)	A,B,AB,O or null
A1	A locus (Recipient and/or donor)	CHAR (2)	* See CDALOCUS
A2	A locus (Recipient and/or donor)	CHAR (2)	* See CDALOCUS
CODEA	Method code for A locus	NUMBER (2)	* See CDTYPECODE
B1	B locus (Recipient and/or donor)	CHAR (2)	* See CDBLOCUS
B2	B locus (Recipient and/or donor)	CHAR (2)	* See CDBLOCUS
CODEB	Method code for B locus	NUMBER (2)	* See CDTYPECODE
D1	DR typing (Recipient and/or donor)	CHAR (2)	* See CDDRLOCUS
D2	DR typing (Recipient and/or donor)	CHAR (2)	* See CDDRLOCUS
CODEDR	Method code for DR locus	NUMBER (2)	* See CDTYPECODE
DQ1	DQ typing (Recipient and/or donor)	CHAR (2)	* See CDDQLOCUS
DQ2	DQ typing (Recipient and/or donor)	CHAR (2)	* See CDDQLOCUS
CODEDQ	Method code for DQ locus	NUMBER (2)	* See CDTYPECODE
MAXCYTO	Maximum cytotoxic antibodies	NUMBER (3)	0 - 100 or null
MAXTCELL	Crossmatch T cell for Maxcyto	NUMBER (1)	0,1,2 or null
MAXBCELL	Crossmatch B cell for Maxcyto	NUMBER (1)	0,1,2 or null
CURRCYTO	Current (At transplant) antibodies	NUMBER (3)	0 - 100 or null
CURRTCELL	Crossmatch T cell for Currcyto	NUMBER (1)	0,1,2 or null
CURRBCELL	Crossmatch B cell for Currcyto	NUMBER (1)	0,1,2 or null
W4	⊗ W4 (Recipient and/or donor)	CHAR (1)	4 or null
W6	⊗ W6 (Recipient and/or donor)	CHAR (1)	6 or null
	# 0 (zero) = Recipient details		
	1-5 = Graft number		

* See List of Values from CDCODES Tables or Key F9 (if using Screen)

Note: Some data has been entered in the following fields from 1.4.95

CODEA, CODEB, CODEDR, CODEDQ, MAXTCELL, MAXBCELL, CURRTCELL, CURRBCELL

Data for these fields is supplied by Tissue Typing Laboratories

Fields not collected since 1989 but remain on the Table – No Screen Display

⊗ W4	-	W4 (Recipient and/or donor)	CHAR (1)
⊗ W6	-	W6 (Recipient and/or donor)	CHAR (1)

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

HLA TABLE

(Screen 18)

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
GRAFTNO	# Graft number	NUMBER (1)	0 - 5
DRB1A	HLA full typing-DNA (Recipient/donor)	CHAR (5)	*See CDDRB1
DRB1B	HLA full typing-DNA (Recipient/donor)	CHAR (5)	*See CDDRB1
CODEDRB1	Method code for DRB1 DNA full typing	NUMBER (2)	*See CDTYPECODE
DRB3A	HLA full typing-DNA (Recipient/donor)	CHAR (5)	*See CDDRB3
DRB3B	HLA full typing-DNA (Recipient/donor)	CHAR (5)	*See CDDRB3
CODEDRB3	Method code for DRB3 DNA full typing	NUMBER (2)	*See CDTYPECODE
DRB4A	HLA full typing-DNA (Recipient/donor)	CHAR (5)	*See CDDRB4
DRB4B	HLA full typing-DNA (Recipient/donor)	CHAR (5)	*See CDDRB4
CODEDRB4	Method code for DRB4-DNA full typing	NUMBER (2)	*See CDTYPECODE
DRB5A	HLA full typing-DNA (Recipient/donor)	CHAR (5)	*See CDDRB5
DRB5B	HLA full typing-DNA (Recipient/donor)	CHAR (5)	*See CDDRB5
CODEDRB5	Method code for DRB5-DNA full typing	NUMBER (2)	*See CDTYPECODE
DQA1A	HLA full typing-DNA (Recipient/donor)	CHAR (5)	*See CDDQA1
DQA1B	HLA full typing-DNA (Recipient/donor)	CHAR (5)	*See CDDQA1
CODEDQA1	Method code for DQA1 DNA full typing	NUMBER (2)	*See CDTYPECODE
DQB1A	HLA full typing-DNA (Recipient/donor)	CHAR (5)	*See CDDQB1
DQB1B	HLA full typing-DNA (Recipient/donor)	CHAR (5)	*See CDDQB1
CODEDQB1	Method code for DQB1 DNA full typing	NUMBER (2)	*See CDTYPECODE
DPB1A	HLA full typing-DNA (Recipient/donor)	CHAR (5)	*See CDPB1
DPB1B	HLA full typing-DNA (Recipient/donor)	CHAR (5)	*See CDPB1
CODEDPB1	Method code for DPB1-DNA full typing	NUMBER (2)	*See CDTYPECODE
#	0 (zero) = Recipient details 1-5 = Graft number		
*	See List of Values from CDCODES Tables or Key F9 (if using Screen)		

Data collection for this Table does not appear on the ANZDATA form
To be supplied by SYDNEY TISSUE TYPING - but no data received by the Registry as at September 1997

CDCODES Tables

DNA codes have been entered in the following CDCODES Tables
CDDRB1 - CDDRB3 - CDDRB4 - CDDRB5 - CDDQA1 - CDDQB1 - CDDPB1

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

PARENTHOOD TABLE**(Screen 19)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
SEQUNO	Sequence number	NUMBER (1)	1 - 9
PARECODE	Outcome code	NUMBER (1)	* See CDPARE
PAREOTHR	Other (Causes birth defects, twins etc)	CHAR (30)	
PAREDATE	Date birth/abortion	DATE	

* See List of Values from CDPARE or Key F9 (if using Screen)

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

PAEDIATRIC TABLE

(Screen 20)

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
SEQUNO	Sequence number	NUMBER (2)	
PDATE	Date information	DATE	
HEIGHT	Height	NUMBER (4,1)	eg. 120.5
WEIGHT	Weight	NUMBER (4,1)	eg. 35.5
HEAD	Head circumference	NUMBER (3,1)	0 - 80.0
PUBERTYA #	Puberty status A	NUMBER (1)	1 - 5 or null
PUBERTYB #	Puberty status B	NUMBER (1)	1 - 5 or null
HORMONE	Growth hormone given each Survey period	CHAR (1)	Y, N or null
BONEDISEASE	Bone disease	NUMBER (1)	1 - 4 or null
BONEAGE	Bone age	NUMBER (3,1)	0 - 21.5
ASSESS	Paediatric Assessment at end of each Survey	NUMBER (2)	*See CDASSESS

Refer to Tanner Scale 1 to 5 for boys and girls (Appendix pages at the back)

* See List of Values from CDCODES TABLES or Key F9 (if using Screen)

Field added to Table and Screen 1.4.94

ASSESS	Paediatric Assessment at end of each Survey	NUMBER (2)	*See CDASSESS
--------	---	------------	---------------

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

LOCATION TABLE**(Screen 21)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
KEYHOSP	Key hospital	CHAR (4)	* See CDCENTRES
KEYSTAT	Key state	NUMBER (1)	0-8
KEYUNIT	Key hospital unit number	CHAR (10)	

* See list of values from CDCENTRES or Key F9 (if using Screen)

Data collected for this Table from 1.4.94

Allows entry of a unit's unique number for each patient.

This will be necessary for any unit creating a Database.

Patients having treatment in a particular unit and returning to their caring unit or transferring, have the unit number stored permanently for access to files or Databases.

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

EPOSURVEY TABLE**(Screen 22)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
EPOSEQ #	Sequence number	NUMBER (2)	
EPOSURVEY	Was EPO used at any time during the Survey?	CHAR (1)	Y/N/U or null
HB	Hb level at time of last use or end Survey	NUMBER (4,1)	eg. 6.5, 12.6, 7 or null

Data not collected in this format from 1.4.94

As at 30.9.97

EPOSEQ 0 - 6 blank. Data ceased to be collected from 1.4.94

EPOSEQ 7 contains data from the Survey (1.10.93 - 31.3.94)

EPOSEQ 8 contains data from the Survey (1.4.93 - 30.9.93)

EPOSEQ - This history item is forwarded before data entry each Survey
to reflect the new Survey period dates of data collection. NUMBER (2)

Sequence numbers continue to be forwarded (Table may be used again)

Table and Screen retained on main Database and User Database

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

EPO2 TABLE**(NO SCREEN DISPLAY)**

Name	Description	Range/Values	Type and Size
PATIENT	Patient number	NUMBER (6)	100001 - 999999
TDATE	Dates of Eposeq events	DATE	
ROUTE	Route given	CHAR (1)	I or S
FREQ	Number doses per week	NUMBER (2,1)	
HLVL	Haemoglobin level	NUMBER (5,2)	
EPOSEQ	# Sequence of events	CHAR (1)	* See CDEPOSEQ
WEIGHT	Patient body weight	NUMBER (4,1)	
DOSEWEEK	Total units EPO given each week	NUMBER (6,2)	Value or null
	# I=Initial S=Survey T=Temporary Withdrawal R=Restart P=Permanent Withdrawal		

* See List of Values from CDCODES Tables

Data not collected in this format from 1.4.94

This Table remains on the main Database and the User Database but no Screen Display

EPO2A TABLE**(NO SCREEN DISPLAY)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
TDATE	Dates of Eposeq events	DATE	
COMP1	Complications of therapy (first reason)	NUMBER (2)	* See CDEPOCOMP
COMP2	Complications of therapy (second reason)	NUMBER (2)	* See CDEPOCOMP
COMPOTHR	Other complications	CHAR (25)	
REASON1	Reason for temporary/permanent withdrawal	NUMBER (2)	* See CDEPOREASON
REASONOTHR	Other reason for ceasing EPO treatment	CHAR (25)	

* See List of Values from CDCODES Tables or F9 (if using Screen)

Data not collected in this format from 1.4.94

This Table remains on the main Database and the User Database but no Screen Display

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

MULTIPLE TABLE**(Screen 23)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
MULTSEQ	Sequence number of multiple transplant	NUMBER (2)	
ORGAN	Code of organ transplanted	NUMBER (2)	* See CDORGAN
MULTDATE	Date of other organ graft	DATE	

* See List of Values from CDORGAN Table or Key F9 (if using Screen)

This data does not appear on the Anzdata Registry collection form

Entry of data into this Table is based upon information supplied by the Australia and New Zealand Organ Donation Registry

Screen has been moved from Screen 11 to Screen 23

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

ATG TABLE**(NO SCREEN DISPLAY)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number	NUMBER (1)	1 - 5
SEQUNO	Sequence number of courses given	NUMBER (1)	
ATGDATE	Date of administration of ATG/OKT3 etc	DATE	
AGENT	Type of agent	NUMBER (1)	* See CDATGAGENT
AGENTOTHR	Other types of agent	CHAR (10)	
DOSES	Number doses	NUMBER (1)	* See CDATGDOSE
DOSESOTHR	Reason why < 5 doses given	CHAR (20)	
TIME	Time of commencement	NUMBER (1)	* See CDATGCOM
TIMEOTHR	Specify other therapy	CHAR (15)	

* See List of Values from CDCODES TABLES or Key F9 (if using Screen)

Data for this Table not collected in this format from 1.4.97

Table to remain on the main Database and the User Database but no Screen Display

Selected fields from this ATG Table decoded and inserted into the Table MONOCLONAL

(See Page 14 for details)

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

Post Survey Tables Processed by the Registry at the End of Each Survey

SQL (Structured Query Language) Access Tables

TXDATA TABLE

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number	NUMBER (1)	1-5
ENDTXCODE	(I,Z,K) from Treatments Table or Code S if went to end of the Survey	CHAR (1)	I,K,S,Z
ENDTXDATE	Date of ENDTXCODE from Treatments Table or Survey Date if ENDTXCODE is S	DATE	
LASTCODE	* (Z,K,J) from Treatments Table or Code S if went to end of Survey	CHAR (1)	J,K,S,Z
LASTDATE	* Date of LASTCODE from Treatments Table or Survey if LASTCODE = S	DATE	
AGE	Age at transplant	NUMBER (2)	
TXSTATUS	0 = functioning (ENDTXCODE=K,S) I = failed (ENDTXCODE=I,Z)	CHAR (1)	I,K,S,Z
TXPERIOD	In days ENDTXDATE minus TXDATE (Graft Table)	NUMBER	
LSTATUS	* 0 = alive(LASTCODE=K,J,S) 1 = dead(LASTCODE=Z)	CHAR (1)	K,J,S,Z
LPERIOD	* In days LASTDATE minus TXDATE (Graft Table)	NUMBER	
MISA	Number mismatches A	NUMBER	
MISB	Number mismatches B	NUMBER	
MISD	Number mismatches DR (99 = no coding)	NUMBER	
	* = PATIENT SURVIVAL		

LASTRX TABLE

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
SEQUNO	Sequence from Treatments Table	NUMBER (2)	
RXCODE	Rxcode from Treatments Table	CHAR (1)	A,B,C,D,E,F,G,H,
RXDATE	Rxdate from Treatments Table	DATE	
LAST	Rxcode (Z,J,K) or S if patient alive at end of Survey	CHAR (1)	J,K,S,Z
DATDEATH	Date of 'LAST' above	DATE	

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

DXBDF TABLE (Haemodialysis only)

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
SEQUNO)	From Treatments Table where RXCODE	NUMBER (2)	
RXDATE)	is B,D or F	DATE	
HOSPCODE)	From Histy Table, at time of RXDATE	CHAR (4)	
STATE)		NUMBER (1)	0,2,3,4,5,6,7,8
TXNUM	Graft number preceding RXDATE	NUMBER (1)	1-5
RXCODE)	From Treatments Table where RXCODE	CHAR (1)	
LASTDATE)	no longer B,D or F. Can be S and	DATE	
	Survey Date, where patient still on B,D or F		
RECNUM	Record (or sequence) number for patient	NUMBER (1)	
TECH	0 = technique censored where RXCODE is G, S, J or K	CHAR (1)	
	1 = technique failed where RXCODE is any dialysis code (A,C,E,L,M) or death Z		
LIFE	0 = alive end this haemodialysis where RXCODE not Z	CHAR (1)	
	1 = dead RXCODE = Z		

DXLM TABLE (C.A.P.D only)

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
SEQUNO)	From Treatments Table where RXCODE	NUMBER (2)	
RXDATE)	is L or M	DATE	
HOSPCODE)	From Histy Table, at time of RXDATE	CHAR (4)	
STATE)		NUMBER (1)	0,2,3,4,5,6,7,8
TXNUM	Graft number preceding RXDATE	NUMBER	1-5
RXCODE)	From Treatments Table where RXCODE	CHAR (1)	
LASTDATE)	no longer L or M. Can be S and	DATE	
	survey date, where patient still on L or M.		
RECNUM	Record (or sequence) number for patient	NUMBER (1)	
TECH	0 = technique censored where RXCODE is G, S, J or K	CHAR (1)	
	1 = technique failed where RXCODE is any dialysis code (A,C,E,B,D,F) or death Z		
LIFE	0 = alive end this CAPD where RXCODE not Z	CHAR (1)	
	1 = dead RXCODE = Z		

DXPD TABLE (PD and C.A.P.D combined)

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
SEQUNO)	From Treatments Table where RXCODE	NUMBER (2)	
RXDATE)	is A,C,E,L or M	DATE	
HOSPCODE)	From Histy Table, at time of RXDATE	CHAR (4)	
STATE)		NUMBER (1)	0,2,3,4,5,6,7,8
TXNUM	Graft number preceding RXDATE	NUMBER	1-5
RXCODE)	From Treatments Table where RXCODE	CHAR (1)	
LASTDATE)	no longer A,C,E,L or M. Can be S and	DATE	
	survey date, where patient still on A,C,E,L or M.		
RECNUM	Record (or sequence) number for patient	NUMBER (1)	
TECH	0 = technique censored where RXCODE is G, S, J or K	CHAR (1)	
	1 = technique failed where RXCODE is any dialysis code (A,C,E,B,D,F) or death Z		
LIFE	0 = alive end this CAPD where RXCODE not Z	CHAR (1)	
	1 = dead RXCODE = Z		

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

CANCER DATABASE**CANCERPATS TABLE****(Screen 2)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
COMMENTS1	Comments (First line)	CHAR (50)	
COMMENTS2	Comments (Second line)	CHAR (50)	
COMMENTS3	Comments (Third line)	CHAR (50)	

Field Changes from 1.4.97

COMMENTS1	Comments (First line)	CHAR (50)
COMMENTS2	Comments (Second line)	CHAR (50)
COMMENTS3	Comments (Third line)	CHAR (50)

Changed from CHAR 250 to three separate COMMENTS fields. This accommodates the JetForm Software package that selects data from the Database to be printed on a JetForm Cancer form

Fields added to this Screen are automatically displayed for convenience (as in Cancer Identity Screen)

These FIELDS are protected from UPDATE

DATE DEATH	RXCODE 'Z' = RXDATE from TREATMENTS TABLE
CAUSE DEATH	CAUSDEATH from DEATH TABLE

Fields removed from Screen and Table from 1.4.97 as data now irrelevant and not used or collected for years

SCREATPRECA	Creatinine pre cancer diagnosis?	NUMBER (4)	
CANTXKID	Cancer in transplant kidney?	CHAR (1)	Y/N or null

CANDONOR TABLE**(Screen 3)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
GRAFTNO	Graft number	NUMBER (1)	1-5
CANDON	Cancer in donor?	CHAR (1)	Y/N or null
CANTYPE	Cancer type - refer codes	NUMBER (2)	1-11
TYPEDESCR	Cancer type - description type	CHAR (16)	
CANSITE *	Cancer site - refer codes	NUMBER (4)	
SITEDESCR	Cancer site - description site	CHAR (16)	

* Code from ICD 0 TOPOGRAPHY

CANCER DATABASE**NONSKIN TABLE****(Screens 4 and 5)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
SEQUNO	Sequence number of nonskin cancers	NUMBER (2)	
CATYPE	Cancer type - Section A cancer form	NUMBER (2)	1-12
TYPEDESCR	Description of Other cancer type	CHAR (15)	
CADATE	Date of cancer diagnosis	DATE	
UNCERTDIAG	Uncertain date diagnosis	CHAR (1)	Y or null
PRIMSITE *	Primary site - refer codes	NUMBER (4)	
PRIMDESCR	Primary site description	CHAR (16)	
CASTAGE	Cancer staging code - refer cancer form	NUMBER (2)	1-20
RX1	Type 1st treatment - refer cancer form	NUMBER (2)	1-13
RX2	Type 2nd treatment - refer cancer form	NUMBER (2)	1-13
RX3	Type 3rd treatment - refer cancer form	NUMBER (2)	1-13
RX4	Type 4th treatment - refer cancer form	NUMBER (2)	1-13
RX5	Type 5th treatment - refer cancer form	NUMBER (2)	1-13
LYMPDATE	Date spread to lymph nodes	DATE	
UNCERTLYM	Uncertain date of spread	CHAR (1)	Y or null
SYSTDATE	Date spread systemically	DATE	
UNCERTSYS	Uncertain date of spread	CHAR (1)	Y or null
RECURDATE	Date of local recurrence	DATE	
UNCERTREC	Uncertain date of recurrence	CHAR (1)	Y or null
CAUSPRD	Did cancer cause renal failure?	CHAR (1)	Y or N or null
CAUSDEATH	Did cancer cause/contribute to death?	CHAR (1)	Y or N or null
	* Code from ICD 0 Topography		

New field added to Table and Screen from 1.4.97

TYPEDESCR	Description of Other cancer type	CHAR (15)	
-----------	----------------------------------	-----------	--

Field length increased from 1-2 numbers from 1.4.97

CASTAGE	Cancer staging code - refer cancer form	NUMBER (2)	1-20
---------	---	------------	------

Fields to remain on the Database but no Screen Display from 1.4.97

UNCERTDIAG	Uncertain date diagnosis	CHAR (1)	Y or null
UNCERTLYM	Uncertain date of spread	CHAR (1)	Y or null
UNCERTSYS	Uncertain date of spread	CHAR (1)	Y or null
UNCERTREC	Uncertain date of recurrence	CHAR (1)	Y or null

NOTE: Melanoma data from OLDSKIN Table inserted into this Table 1.4.97

Insert all data from Table OLDSKIN into SKIN where CATYPE=7 (Melanoma) to CATYPE 13 in NONSKIN

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

CANCER DATABASE**SKIN TABLE****(Screen 6)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
CATYPE	Cancer type	NUMBER (2)	1-12
PREDATE	Date of first cancer of this type pre entry	DATE	
DXDATE	Date of first cancer of this type on dialysis	DATE	
POSTDATE	Date of first cancer of this type post transplant	DATE	
LYMPDATE	Date spread to lymph nodes	DATE	
SYSTDATE	Date spread systemically	DATE	
CAUSDEATH	Did cancer cause/contribute to death?	CHAR (1)	Y or N or null

New Table and Screen from 1.4.97 - Previous SKIN Table renamed OLDSKIN

CATYPE 4 = SCC (Squamous Cell Carcinoma)
 5 = BCC (Basal Cell Carcinoma)
 6 = Merkel Cell
 7 = Hutchison Freckle
 10= Spindle Cell
 11= Giant Cell
 12= Eccrine (Sweat Gland)

NOTE: Data from OLDSKIN Table inserted into new Table SKIN

Select PATIENT from OLDSKIN where CATYPE 4,5 and 9

From these CATYPES, select (min) CADATE and within three sections

PREDATE (First diagnosis date of this type occurring prior to entry to ESRF PROGRAMME),
 DXDATE (First diagnosis date of this type occurring after entry to dialysis, but pre transplant)
 POSTDATE (First diagnosis date of this type occurring post primary transplant)

Select where PATIENT has an entry for LYMPDATE and SYSTDATE where CATYPE in 4,5 or 9 and
 INSERT THESE Dates into the corresponding fields in the SKIN TABLE

Select where PATIENT has an entry Y in CAUSDEATH in OLDSKIN and CATYPE in 4,5, or 9 and
 INSERT 'Y' into the corresponding CAUSDEATH field in the SKIN TABLE

If there is no 'Y' and PATIENT is deceased enter 'N' in this field
 If PATIENT is not deceased leave as null

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

CANCER DATABASE**OLDSKIN TABLE****(Screen 7 and 8)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
SEQUNO	Sequence number of skin cancers	NUMBER (3)	
CATYPE	Cancer type - Section B cancer form	NUMBER (2)	1-11
CADATE	Date of cancer diagnosis	DATE	
UNCERTDIAG	Uncertain date diagnosis	CHAR (1)	Y or null
PRIMSITE *	Primary site - refer codes	NUMBER (4)	
PRIMDESCR	Primary site description	CHAR (16)	
CASTAGE	Cancer staging code - refer cancer form	NUMBER (1)	1-5
RX1	Type 1st treatment - refer cancer form	NUMBER (2)	1-13
RX2	Type 2nd treatment - refer cancer form	NUMBER (2)	1-13
RX3	Type 3rd treatment - refer cancer form	NUMBER (2)	1-13
RX4	Type 4th treatment - refer cancer form	NUMBER (2)	1-13
RX5	Type 5th treatment - refer cancer form	NUMBER (2)	1-13
LYMPDATE	Date spread to lymph nodes	DATE	
UNCERTLYM	Uncertain date of spread	CHAR (1)	Y or null
SYSTDATE	Date spread systemically	DATE	
UNCERTSYS	Uncertain date of spread	CHAR (1)	Y or null
RECURDATE	Date of local recurrence	DATE	
UNCERTREC	Uncertain date of recurrence	CHAR (1)	Y or null
CAUSPRD	Did cancer cause renal failure?	CHAR (1)	Y or N
CAUSDEATH	Did cancer cause/contribute to death?	CHAR (1)	Y or N
	* Code from ICD 0 Topography		

TABLE renamed from SKIN to OLDSKIN from 1.4.97

This Table remains on the Database with Screen Display but data not collected in this format after 31.3.97

Display Screen changed from Screens 6 and 7 to Screens 7 and 8 from 1.4.97

Relevant information from this Table inserted in the new Table SKIN from 1.4.97

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

CANCER DATABASE**LYMPHOMA TABLE****(Screen 9)**

Name	Description	Type and Size	Range/Values
PATIENT	Patient number	NUMBER (6)	100001 - 999999
SEQUNO	Sequence number of cancer	NUMBER (2)	
CATYPE	Cancer type - Section A cancer form	NUMBER (2)	5,9,12 or null
DIFFUSE	Diffuse?	CHAR (1)	Y,N,U or null
NODULAR	Nodular?	CHAR (1)	Y,N,U or null
FOLLICULAR	Follicular?	CHAR (1)	Y,N,U or null
OTHER	Other description	CHAR (10)	
HISTIOCYTIC	Hystiocytic?	CHAR (1)	Y,N,U or null
LYMPHOCYTIC	Lymphocytic?	CHAR (1)	Y,N,U or null
MIXED	Mixed?	CHAR (1)	Y,N,U or null
UNDIFF	Undifferentiated?	CHAR (1)	Y,N,U or null
BCELL	B Cell?	CHAR (1)	Y,N,U or null
TCELL	T Cell?	CHAR (1)	Y,N,U or null
LARGECELL	Large Cell?	CHAR (1)	Y,N,U or null
SMALLCELL	Small Cell?	CHAR (1)	Y,N,U or null
OTHER1	Other description	CHAR (15)	
COMMENTS	Comments	CHAR (50)	

New TABLE and SCREEN from 1.4.97

Existing data held in the old COMMENTS field from CANCERPATS entered in COMMENTS1, 2 or 3 from 1.4.97

ANZDATA REGISTRY DATA DICTIONARY - FEBRUARY 1998

LIST OF CD CODES TABLES

CODE TABLE NAME		DESCRIPTION
CDALOCUS		A LOCUS VALUES
CDATGAGENT	(T)	ATG AGENT CODE DESCRIPTION
CDATGCOM	(T)	ATG TIME COMMENCING CODE DESCRIPTION
CDATGDOS	(T)	ATG DOSE CODE DESCRIPTION
CDASSESS	(T)	PAEDIATRIC ASSESSMENT AT END OF SURVEY (from 1.4.94)
CDBLOCUS		B LOCUS VALUES
CDBRAND	(T)	DIALYSER BRANDS-MEMBRANES-AREA
CDCENTRES	(T)	HOSPITAL CODES AND SITES
CDCONNECT	(T)	PERITONEAL CONNECTION SYSTEMS CODE DESCRIPTION
CDCOUNTRY	(T)	COUNTRY OF BIRTH CODE DESCRIPTION
CDCYA	(T)	CYA SPARING DRUG AT SPECIFIED INTERVALS (Not used from 1.4.97)
CDDEATH	(T)	CAUSES OF DEATH CODE DESCRIPTION
CDDIALYSIS	(T)	TYPES OF DIALYSIS CODE DESCRIPTION
CDDISEASE	(T)	DISEASE CODE DESCRIPTION
CDDR1		DRB1 FULL TYPING DNA VALUES
CDDR3		DRB3 FULL TYPING DNA VALUES
CDDR4		DRB4 FULL TYPING DNA VALUES
CDDR5		DRB5 FULL TYPING DNA VALUES
CDDQA1		DQA1 FULL TYPING DNA VALUES
CDDQB1		DQB1 FULL TYPING DNA VALUES
CDDPB1		DPB1 FULL TYPING DNA VALUES
CDDQLOCUS		DQ LOCUS VALUES
CDDRLOCUS		DR LOCUS VALUES
CDDRUG	(T)	DRUG CODE AND DESCRIPTION
CDEPOCOMP	(T)	EPO COMPLICATIONS
CDEPOREASON	(T)	EPO REASONS FOR WITHDRAWAL
CDEPOSEQ	(T)	EPO SEQUENCE CODE DESCRIPTION
CDGFAIL	(T)	CAUSES OF GRAFT FAILURE CODE DESCRIPTION
CDLIFE	(T)	QUALITY OF LIFE CODE DESCRIPTION
CDLIKEHOOD	(T)	LIKELIHOOD OF TRANSPLANT CODE DESCRIPTION
CDORGAN	(T)	MULTIPLE ORGAN CODE DESCRIPTION
CDPARE	(T)	PARENTHOOD CODE DESCRIPTION
CDPRESI	(T)	INITIAL KIDNEY PERFUSION CODE DESCRIPTION
CDPRESM	(T)	MACHINE PERFUSED KIDNEY PRESERVATION
CDRACE	(T)	RACIAL ORIGIN CODE DESCRIPTION
CDREHAB	(T)	REHABILITATION CODE DESCRIPTION
CDRISK	(T)	CDRISK OTHER CODE DESCRIPTION
CDSKIN	(T)	TYPES OF SKIN CANCER COLLECTED (from 1.4.97)
CDSOURCE	(T)	SOURCE OF DONOR KIDNEY CODE DESCRIPTION
CDTREAT	(T)	TYPE OF TREATMENTS CODE DESCRIPTION
CDTRANSFER	(T)	REASON FOR TRANSFER FROM CAPD/CCPD (from 1.4.94)
CDTYPECODE	(T)	METHOD CODE FOR A LOCUS-B LOCUS-DR LOCUS-DQ LOCUS METHOD CODE FOR DRB1-DRB3-DRB4-DRB5-DQA1-DQB1-DPB1

(T) = Text

These Tables may be accessed and printed [through the SQL query facility](#)

EXAMPLE: (Type in) (For CD LOCUS Tables)

```
SELECT CODE
FROM CDALOCUS;
```

EXAMPLE: (Type in) (For (T) Text Tables)

```
SELECT CODE,TEXT
FROM CDATGAGENT;
```

ANZDATA REGISTRY LIST OF CENTRES AS AT FEBRUARY 199

HOSP	STATE	HOSPITAL
-----	-----	-----
OTHR		OTHER HOSPITAL - OVERSEAS
ALBU	NSW	ALBURY HOSPITAL - NEW SOUTH WALES
ARMD		ARMIDALE HOSPITAL - NEW SOUTH WALES
AUBN		AUBURN HOSPITAL - NEW SOUTH WALES
BALM		BALMAIN HOSPITAL - NEW SOUTH WALES
BANK		BANKSTOWN HOSPITAL - NEW SOUTH WALES
BATH		BATHURST BASE HOSPITAL - NEW SOUTH WALES
BLKT		BLACKTOWN HOSPITAL - NEW SOUTH WALES
BLNA		BALLINA SATELLITE - NEW SOUTH WALES
BREW		BREWARRINA HOSPITAL - NEW SOUTH WALES
BRKE		BOURKE HOSPITAL - NEW SOUTH WALES
BROK		BROKEN HILL HOSPITAL - NEW SOUTH WALES
CALN		CALLEN PARK HOSPITAL - NEW SOUTH WALES
CAMB		CAMBELLTOWN HOSPITAL - NEW SOUTH WALES
CANB		THE CANBERRA HOSPITAL - A.C.T.
CANT		CANTERBURY HOSPITAL - NEW SOUTH WALES
CATH		CATHERINE COTTAGE - ST GEORGE HOSPITAL - NSW
CHAT		CHATSWOOD SATELLITE - NEW SOUTH WALES
COFF		COFF'S HARBOUR HOSPITAL - NEW SOUTH WALES
CONC		CONCORD HOSPITAL - NEW SOUTH WALES
COON		COONAMBLE HOSPITAL - NEW SOUTH WALES
CSAT		CANBERRA COMMUNITY SATELLITE CENTRE - A.C.T.
DEWE		DAME EADITH WALKER ESTATE - NEW SOUTH WALES
DUBB		DUBBO BASE HOSPITAL - NEW SOUTH WALES
EORA		EORA COTTAGE - KINGSFORD - NEW SOUTH WALES
GALL		GALLARGAMBONE HOSPITAL - NEW SOUTH WALES
GOSF		GOSFORD HOSPITAL - NEW SOUTH WALES
GOUL		GOULBOURN HOSPITAL - NEW SOUTH WALES
GRFT		GRAFTON HOSPITAL - NEW SOUTH WALES
GRIF		GRIFFITH BASE HOSPITAL - NEW SOUTH WALES
HDIS		HASTINGS DISTRICT HOSPITAL - NEW SOUTH WALES
HORN		HORNSBY HOSPITAL - NEW SOUTH WALES
HUNT		JOHN HUNTER HOSPITAL - NEW SOUTH WALES
KARE		KAREENA PRIVATE HOSPITAL - NSW
KEMP		KEMPSEY HOSPITAL - NEW SOUTH WALES
LANC		LANCELEY COTTAGE - NEW SOUTH WALES
LCOM		LIVERPOOL COMMUNITY - NEW SOUTH WALES
LIDC		LIDCOMBE HOSPITAL - NEW SOUTH WALES
LISM		LISMORE HOSPITAL - NEW SOUTH WALES
LRDS		LOURDES HOSPITAL - NEW SOUTH WALES
LVPL		LIVERPOOL HOSPITAL - NEW SOUTH WALES
MAIT		MAITLAND HOSPITAL - NEW SOUTH WALES
MATR		MATER HOSPITAL - NEW SOUTH WALES
MNLY		MANLY HOSPITAL - NEW SOUTH WALES
MNVL		MONA VALE HOSPITAL - NEW SOUTH WALES
MRCK		MARRICKVILLE SATELLITE CENTRE - NSW
MTDR		MT DRUITT HOSPITAL - NEW SOUTH WALES
NARR		NARROMINE HOSPITAL - NEW SOUTH WALES
NEPN		NEPEAN HOSPITAL - NEW SOUTH WALES
NMAT		NEWCASTLE MATER HOSPITAL - NEW SOUTH WALES
NORF		NORFOLK ISLAND HOSPITAL - NORFOLK ISLAND
NOWR		NOWRA HOSPITAL - NEW SOUTH WALES
ORAN		ORANGE HOSPITAL - NEW SOUTH WALES
PARA		PARRAMATTA HOSPITAL - NEW SOUTH WALES
PENR		PENRITH HOSPITAL - NEW SOUTH WALES
PHEN		PRINCE HENRY HOSPITAL - NEW SOUTH WALES
POWH		PRINCE OF WALES HOSPITAL - NEW SOUTH WALES
PRIV		PRIVATE HOSPITAL - NEW SOUTH WALES
PTMQ		PORT MACQUARIE HOSPITAL - NEW SOUTH WALES
RAHC		ROYAL ALEXANDRA HOSPITAL FOR CHILDREN - NSW
RNSH		ROYAL NORTH SHORE HOSPITAL - NEW SOUTH WALES
RPAH		ROYAL PRINCE ALFRED HOSPITAL - NEW SOUTH WALES
RSYD		ROYAL SOUTH SYDNEY HOSPITAL - NEW SOUTH WALES
RYDE		RYDE HOSPITAL - NEW SOUTH WALES
SADV		SYDNEY ADVENTIST HOSPITAL - NEW SOUTH WALES
SCHL		SYDNEY CHILDREN'S HOSPITAL - NEW SOUTH WALES
SHEL		SHELLHARBOUR - NEW SOUTH WALES
SHVN		SHOALHAVEN HOSPITAL - NEW SOUTH WALES
SING		SINGLETON SATELLITE CENTRE - NEWCASTLE - NSW
SSYD		SOUTH WEST SYDNEY RENAL SERVICE - NEW SOUTH WALES
STGH		ST GEORGE HOSPITAL - NEW SOUTH WALES
STVI		ST VINCENT'S HOSPITAL - NEW SOUTH WALES
SUTH		SUTHERLAND HOSPITAL - NEW SOUTH WALES
SWRS		STATEWIDE RENAL SERVICES - NEW SOUTH WALES
SYDC		SYDNEY DIALYSIS CENTRE - NEW SOUTH WALES
SYHL		SYDNEY HOSPITAL - NEW SOUTH WALES
TAMW		TAMWORTH HOSPITAL - NEW SOUTH WALES
TARE		TAREE HOSPITAL - NEW SOUTH WALES
TEMO		TEMORRA HOSPITAL - NEW SOUTH WALES
TERG		TERRIGAL MEDICAL CENTRE - NEW SOUTH WALES
WAGG		WAGGA HOSPITAL - NEW SOUTH WALES
WANS		WANSEY SATELLITE CENTRE - NEWCASTLE - NSW
WEST		WESTMEAD HOSPITAL - NEW SOUTH WALES
WGNG		WOLLONGONG HOSPITAL - NEW SOUTH WALES
WGTN		WELLINGTON HOSPITAL - NEW SOUTH WALES
WSUB		WESTERN SUBURBS HOSPITAL - NEW SOUTH WALES
Y		NEW SOUTH WALES

ANZDATA REGISTRY LIST OF CENTRES AS AT FEBRUARY 1998

HOSP	STATE	HOSPITAL
----	-----	-----
ABAY	VIC	APOLLO BAY HOSPITAL - VICTORIA
ALEX		ALEXANDRA HOSPITAL - VICTORIA
ALFD		ALFRED HOSPITAL - VICTORIA
ANGL		ANGLISS HOSPITAL - VICTORIA
ARAR		ARARAT HOSPITAL - VICTORIA
AUST		AUSTIN HOSPITAL - VICTORIA
BAIR		BAIRNSDALE HOSPITAL - VICTORIA
BALL		BALLARAT HOSPITAL - VICTORIA
BEND		BENDIGO HOSPITAL - VICTORIA
BERW		BERWICK HOSPITAL - VICTORIA
BIRC		BIRCHIP HOSPITAL - VICTORIA
BNLA		BENALLA HOSPITAL - VICTORIA
BOXH		BOX HILL HOSPITAL - VICTORIA
BRUN		BRUNSWICK SATELLITE CENTRE - VICTORIA
BURW		BURWOOD SATELLITE CENTRE - VICTORIA
CABR		CABRINI HOSPITAL - VICTORIA
CAST		CASTERTON HOSPITAL - VICTORIA
CAUL		CAULFIELD SATELLITE CENTRE - VICTORIA
CGPH		CENTRAL GIPPSLAND HOSPITAL - VICTORIA
CHEL		CHELSEA HOSPITAL - VICTORIA
COHU		COHUNA HOSPITAL - VICTORIA
DAND		DANDENONG HOSPITAL - VICTORIA
DVPH		DIAMOND VALLEY HOSPITAL- VICTORIA
ECHU		ECHUCA HOSPITAL - VICTORIA
EDEN		EDENHOPE HOSPITAL - VICTORIA
EPWT		EPWORTH HOSPITAL - VICTORIA
ESSE		ESSENDON HOSPITAL - VICTORIA
EYES		LIONS EYE BANK - VICTORIA
FRAN		FRANKSTON HOSPITAL - VICTORIA
FRFD		FAIRFIELD HOSPITAL - VICTORIA
GLNG		GEEELONG HOSPITAL - VICTORIA
HAML		HAMILTON HOSPITAL - VICTORIA
HEDG		HEIDELBERG HOSPITAL - VICTORIA
HENT		HENTY HOSPITAL - VICTORIA
HORS		HORSHAM HOSPITAL - VICTORIA
HSTG		HASTINGS HOSPITAL - VICTORIA
KILM		KILMORE HOSPITAL - VICTORIA
KNOX		KNOX PRIVATE HOSPITAL - VICTORIA
LATR		LATROBE REGIONAL SATELLITE - VICTORIA
LEON		LEONGATHA HOSPITAL - VICTORIA
MANS		MANSFIELD HOSPITAL - VICTORIA
MDAH		MAROONDAH HOSPITAL - VICTORIA
MILD		MILDURA HOSPITAL - VICTORIA
MITC		MITCHAM HOSPITAL - VICTORIA
MMCA		MONASH MEDICAL (ADULTS) - VICTORIA
MMCP		MONASH MEDICAL (PAEDIATRIC) - VICTORIA
MOOR		MOORABBIN SATELLITE - VICTORIA
MPRV		MELBOURNE PRIVATE HOSPITAL - VICTORIA
MRYB		MARYBOROUGH BASE HOSPITAL - VICTORIA
MRYB		MARYBOROUGH HOSPITAL - VICTORIA
MYRT		MYRTLEFORD HOSPITAL - VICTORIA
NAUR		NAURU SATELLITE (MONASH MEDICAL) - NAURU
NEKS		NORTH EAST KIDNEY SERVICE - VICTORIA
NMEL		NORTH MELBOURNE SATELLITE CENTRE - VICTORIA
NRMB		NAURU (ROYAL MELBOURNE) - NAURU
ORBO		ORBOST HOSPITAL - VICTORIA
PJAM		PETER JAMES CENTRE - VICTORIA
PORT		PORTLAND HOSPITAL - VICTORIA
PRES		PRESTON AND NORTHCOTE HOSPITAL - VICTORIA
RCHL		ROYAL CHILDREN`S HOSPITAL - VICTORIA
RMBH		ROYAL MELBOURNE HOSPITAL - VICTORIA
ROBV		ROBINVALE HOSPITAL - VICTORIA
SALE		SALE HOSPITAL - VICTORIA
SEAL		SEALAKES DISTRICT HEALTH - VICTORIA
SEYM		SEYMOUR HOSPITAL - VICTORIA
SHEP		SHEPPARTON HOSPITAL - VICTORIA
SHIB		SHEPPARTON INSTITUTE FOR BLIND - VICTORIA
SVIN		ST VINCENT`S HOSPITAL - VICTORIA
SWAN		SWAN HILL HOSPITAL - VICTORIA
TERA		TERANG HOSPITAL - VICTORIA
TISS		TISSUE BANK - VICTORIA
TRAR		TRARALGON HOSPITAL - VICTORIA
WALW		WALWA HOSPITAL - VICTORIA
WANG		WANGARATTA HOSPITAL - VICTORIA
WARN		WARNAMBOOL HOSPITAL - VICTORIA
WDGA		WODONGA HOSPITAL - VICTORIA
WEGH		WESTERN HOSPITAL - VICTORIA
WEHI		WALTER AND ELIZA HALL INSTITUTE - VICTORIA
WGIP		WEST GIPPSLAND - VICTORIA
WONT		WONTHAGGI HOSPITAL - VICTORIA
WPOR		WESTERN PORT HOSPITAL - VICTORIA
Y		VICTORIA
YARA		YARAWONGA HOSPITAL - VICTORIA
YARM		YARRAM HOSPITAL - VICTORIA

ANZDATA REGISTRY LIST OF CENTRES AS AT FEBRUARY 1998

HOSP	STATE	HOSPITAL
ALLA	QLD	ALLAMANDA PRIVATE HOSPITAL - QUEENSLAND
AUGA		AUGATHELLA HOSPITAL - QUEENSLAND
AYRH		AYR HOSPITAL - QUEENSLAND
BIRD		BIRDSVILLE HEALTH CARE CLINIC - QUEENSLAND
BUND		BUNDABERG HOSPITAL - QUEENSLAND
CAIR		CAIRNS HOSPITAL - QUEENSLAND
CHAR		CHARLEVILLE HOSPITAL - QUEENSLAND
CUNN		CUNNAMULLA HOSPITAL - QUEENSLAND
FLYN		JOHN FLYNN HOSPITAL - QUEENSLAND
GLAD		GLADSTONE HOSPITAL - QUEENSLAND
GOLD		GOLDCOAST HOSPITAL - QUEENSLAND
GREN		GREENSLOPES PRIVATE HOSPITAL - QUEENSLAND
HERV		HERVEY BAY HOSPITAL - QUEENSLAND
HILL		HOME HILL SATELLITE - TOWNSVILLE - QUEENSLAND
IPSW		IPSWICH HOSPITAL - QUEENSLAND
KEPR		KEPERRA (ROYAL BRISBANE) - QUEENSLAND
LOGN		LOGAN SATELLITE CENTRE - QUEENSLAND
MACH		MATER CHILDREN`S HOSPITAL - QUEENSLAND
MACK		MACKAY HOSPITAL - QUEENSLAND
MARY		MARYBOROUGH HOSPITAL - QUEENSLAND
MATP		MATER PRIVATE HOSPITAL - QUEENSLAND
MISA		MT ISA HOSPITAL - QUEENSLAND
NAMB		NAMBOUR HOSPITAL - QUEENSLAND
PRCH		PRINCE CHARLES HOSPITAL - QUEENSLAND
PSAH		PRINCESS ALEXANDRA HOSPITAL - QUEENSLAND
QMAT		MATER HOSPITAL - QUEENSLAND
QQEH		QUEEN ELIZABETH HOSPITAL - QUEENSLAND
QRCH		ROYAL CHILDREN`S HOSPITAL - QUEENSLAND
QUNI		QUEENSLAND UNIVERSITY - QUEENSLAND
RBSH		ROYAL BRISBANE HOSPITAL - QUEENSLAND
REDC		REDCLIFFE HOSPITAL - QUEENSLAND
ROCK		ROCKHAMPTON HOSPITAL - QUEENSLAND
SAND		SANDGATE SATELLITE CENTRE - QUEENSLAND
STAN		ST ANDREW`S PRIVATE HOSPITAL - QUEENSLAND
TOWN		TOWNSVILLE HOSPITAL - QUEENSLAND
TWMB		TOOWOOMBA HOSPITAL - QUEENSLAND
VINC		VINCENT SATELLITE - TOWNSVILLE - QUEENSLAND
WSLY		WESLEY HOSPITAL - QUEENSLAND
Y		QUEENSLAND
ACHL	SA/NT	WOMEN`S AND CHILDREN`S HOSPITAL - SOUTH AUSTRALIA
ALIC		ALICE SPRINGS HOSPITAL - NORTHERN TERRITORY
ASHF		ASHFORD HOSPITAL - SOUTH AUSTRALIA
CGRO		COLLEGE GROVE SATELLITE - SOUTH AUSTRALIA
DARW		ROYAL DARWIN HOSPITAL - NORTHERN TERRITORY
FMDC		FLINDERS MEDICAL CENTRE - SOUTH AUSTRALIA
HART		HARTLEY HOSPITAL - SOUTH AUSTRALIA
KATH		KATHERINE HOSPITAL - NORTHERN TERRITORY
LYEL		LYELL MC EWIN HOSPITAL - SOUTH AUSTRALIA
MODB		MODBURY HOSPITAL - SOUTH AUSTRALIA
NASC		NORTH ADELAIDE SATELLITE - SOUTH AUSTRALIA
NTCL		NIGHTCLIFF DIALYSIS CENTRE - DARWIN - N.T.
PTAG		PORT AUGUSTA SATELLITE - SOUTH AUSTRALIA
QEZB		THE QUEEN ELIZABETH HOSPITAL - SOUTH AUSTRALIA
RADD		ROYAL ADELAIDE HOSPITAL - SOUTH AUSTRALIA
WAYV		WAYVILLE SATELLITE - SOUTH AUSTRALIA
Y		SOUTH AUSTRALIA
BRME	WA	BROOME HOSPITAL - WESTERN AUSTRALIA
FREM		FREMANTLE HOSPITAL - WESTERN AUSTRALIA
GRLD		GERALDTON HOSPITAL - WESTERN AUSTRALIA
JOHN		ST JOHN OF GOD HOSPITAL - WESTERN AUSTRALIA
JOON		JOONDALUP SATELLITE UNIT - WESTERN AUSTRALIA
KALG		KALGOORLIE HOSPITAL - WESTERN AUSTRALIA
LION		LIONS EYE INSTITUTE - WESTERN AUSTRALIA
LORA		LEONORA HOSPITAL - WESTERN AUSTRALIA
MNTH		MOUNT HOSPITAL - WESTERN AUSTRALIA
PBTB		PERTH BONE AND TISSUE BANK - WESTERN AUSTRALIA
PMDC		PERTH MEDICAL CENTRE - WESTERN AUSTRALIA
PMHC		PRINCESS MARGARET HOSPITAL FOR CHILDREN - WESTERN AUSTRALIA
RLPT		ROYAL PERTH HOSPITAL - WESTERN AUSTRALIA
ROEB		ROEBOURNE DISTRICT HOSPITAL - WESTERN AUSTRALIA
RPAT		REPATRIATION GENERAL HOSPITAL - WESTERN AUSTRALIA
RPRH		ROYAL PERTH REHABILITATION HOSPITAL - WESTERN AUSTRALIA
Y		WESTERN AUSTRALIA
BURN	TAS	BURNIE HOSPITAL - TASMANIA
CALV		CALVARY HOSPITAL - TASMANIA
LAUN		LAUNCESTON HOSPITAL - TASMANIA
MERS		MERSEY HOSPITAL - TASMANIA
RHBT		ROYAL HOBART HOSPITAL - TASMANIA
Y		WESTERN AUSTRALIA

ANZDATA REGISTRY LIST OF CENTRES AS AT FEBRUARY 1998

HOSP	STATE	HOSPITAL
AUCK	NZ	AUCKLAND HOSPITAL - NEW ZEALAND
BLN		BLNHEIM HOSPITAL - NEW ZEALAND
CHCH		CHRISTCHURCH HOSPITAL - NEW ZEALAND
DARG		DARGAVILLE HOSPITAL - NEW ZEALAND
DUDN		DUNEDIN HOSPITAL - NEW ZEALAND
GISB		GISBORNE HOSPITAL - NEW ZEALAND
GLNE		GREEN LANE HOSPITAL - NEW ZEALAND
GORE		GORE HOSPITAL - NEW ZEALAND
GREY		GREYMOUTH HOSPITAL - NEW ZEALAND
HAST		HASTINGS HOSPITAL - NEW ZEALAND
HAWA		HAWERA HOSPITAL - NEW ZEALAND
HUTT		LOWER HUTT HOSPITAL - NEW ZEALAND
INVC		INVERCARGILL HOSPITAL - NEW ZEALAND
KAEO		KAEO HOSPITAL - NEW ZEALAND
KAIT		KAITAIA HOSPITAL - NEW ZEALAND
KAWA		KAWAKAWA HOSPITAL - NEW ZEALAND
KERI		KERIKERI HOSPITAL - NEW ZEALAND
KOHE		KAIKOHE HOSPITAL - NEW ZEALAND
MAST		MASTERTON HOSPITAL - NEW ZEALAND
MIDM		MIDDLEMORE HOSPITAL - NEW ZEALAND
NAPR		NAPIER HOSPITAL - NEW ZEALAND
NELS		NELSON HOSPITAL - NEW ZEALAND
NEYE		NATIONAL EYE BANK - NEW ZEALAND
OHAK		OHAKUNE HOSPITAL - NEW ZEALAND
PALM		PALMERSTON HOSPITAL - NEW ZEALAND
PATH		PATHOLOGY SCHOOL OF MEDICINE - NEW ZEALAND
PLYM		NEW PLYMOUTH HOSPITAL - NEW ZEALAND
RAWE		RAWENE HOSPITAL - NEW ZEALAND
ROTO		ROTORUA HOSPITAL - NEW ZEALAND
STAR		STARSHIP CHILDREN'S HOSPITAL - NEW ZEALAND
TAPA		TAPANUI HOSPITAL - NEW ZEALAND
TARA		TARANAKI HOSPITAL - NEW ZEALAND
TAUM		TAUMARUNUI HOSPITAL - NEW ZEALAND
TAUR		TAURANGA HOSPITAL - NEW ZEALAND
TIMA		TIMARU HOSPITAL - NEW ZEALAND
WAIR		WAIRAU HOSPITAL - NEW ZEALAND
WELN		WELLINGTON HOSPITAL - NEW ZEALAND
WGAN		WANGANUI HOSPITAL - NEW ZEALAND
WHAK		WHAKATANE HOSPITAL - NEW ZEALAND
WHAN		WHANGAREI HOSPITAL - NEW ZEALAND
WKTO		WAIKATO HOSPITAL - HAMILTON - NEW ZEALAND
Y		NEW ZEALAND
N		NO = NOT FROM INTERSTATE OR ELSEWHERE
X		= UNKNOWN HOSPITAL AND/OR STATE
Y		YES = FROM INTERSTATE OR ELSEWHERE

295 rows selected.

LIST OF COUNTRY CODES AND TEXT FOR ANZDATA REGISTRY - FEBRUARY 1998

CODE	NAME OF COUNTRY
10	AUSTRALIA
11	NEW ZEALAND
12	FIJI
13	WESTERN SAMOA
14	SAMOA
15	PAPUA NEW GUINEA
16	INDONESIA
17	TONGA
18	BALI
19	COOK ISLANDS
20	TIMOR
21	EAST TIMOR
22	NEW CALEDONIA
23	NAURU
24	VANUATU
25	NUIE
26	SOLOMON ISLANDS
27	NOUMEA
28	TOKELAU
29	WALLIS ISLAND
30	NORFOLK ISLAND
31	CHRISTMAS ISLAND
32	COCOS ISLANDS
33	TAHITI
34	TOBALANAH
35	ROTOMA ISLAND
36	ATIU ISLAND
37	TUVALU ISLAND
38	ELLIS ISLAND
39	THURSDAY ISLAND
40	ENGLAND
41	SCOTLAND
42	WALES
43	UNITED KINGDOM
44	PORTUGAL
45	SPAIN
46	FRANCE
47	NORWAY
48	SWITZERLAND
49	ITALY
50	GERMANY
51	SWEDEN
52	HOLLAND
53	LATVIA
54	ESTONIA
55	DENMARK
56	IRELAND
57	AUSTRIA
58	BELGIUM
59	FINLAND
60	LITHUANIA
61	SICILY
62	CHANNEL ISLES
70	CZECHOSLOVAKIA
71	GREEK MACEDONIA
72	POLAND
73	HUNGARY
74	YUGOSLAVIA/STATES
75	RUSSIA
76	BULGARIA
77	UKRAINE
78	ROMANIA
79	ARMENIA
80	ALBANIA
81	AFGHANISTAN

LIST OF COUNTRY CODES AND TEXT FOR ANZDATA REGISTRY - FEBRUARY 1998

CODE	NAME OF COUNTRY
90	GREECE
91	LEBANON
92	SYRIA
93	IRAQ
94	IRAN
95	LIBYA
96	MALTA
97	EGYPT
98	PALESTINE
99	TURKEY
100	CYPRUS
101	ISRAEL
102	KUWAIT
103	SAUDI ARABIA
104	JORDAN
110	CHINA
111	TAIWAN
112	HONG KONG
113	CAMBODIA
114	VIETNAM
115	KOREA
116	JAPAN
117	INDIA
118	PAKISTAN
119	MALAYSIA
120	SINGAPORE
121	PHILIPPINES
122	BANGLADESH
123	LAOS
124	SRI LANKA
125	THAILAND
126	BURMA
127	BRUNEI
128	BORNEO
140	UNITED STATES
141	CHILE
142	COLUMBIA
143	CANADA
144	URUGUAY
145	ECUADOR
146	BRAZIL
147	ARGENTINA
148	JAMAICA
149	EL SALVADOR
150	SOUTH AMERICA
151	BOLIVIA
152	PERU
153	NICARAGUA
154	BERMUDA
155	MARTINIQUE
156	PARAGUAY
160	SOUTH AFRICA
161	ANGOLA
162	UGANDA
163	MAURITIUS
164	GHANA
165	ZIMBABWE
166	SEYCHELLES
167	ZAMBIA
168	SUDAN
169	ERITREA
170	TRIPOLI
171	KENYA
172	SOMALIA
190	KOSRAE ISLAND

LIST OF PAST SURVEY DATES

UPDATED FEBRUARY 1998

HISTORY SEQUENCE	=	SURVEY DATES
0	=	1.4.97 - 30.9.97
1	=	1.10.96 - 31.3.97
2	=	1.10.95 - 31.3.96
3	=	1.4.95 - 30.9.95
4	=	1.10.94 - 31.3.95
5	=	1.4.94 - 30.9.94
6	=	1.10.93 - 31.3.94
7	=	1.4.93 - 30.9.93
8	=	1.10.92 - 31.3.93
9	=	1.4.92 - 30.9.92
10	=	1.10.91 - 31.3.92
11	=	1.4.91 - 30.9.91
12	=	1.11.90 - 31.3.91
13	=	1.5.90 - 31.10.90
14	=	1.11.89 - 30.4.90
15	=	1.5.89 - 31.10.89
16	=	1.11.88 - 30.4.89
17	=	1.5.88 - 31.10.88
18	=	1.11.87 - 30.4.88
19	=	1.5.87 - 31.10.87
20	=	1.11.86 - 30.4.87
21	=	1.5.86 - 31.10.86
22	=	1.11.85 - 30.4.86
23	=	1.5.85 - 31.10.85
24	=	1.11.84 - 30.4.85
25	=	1.5.84 - 31.10.84
26	=	1.11.83 - 30.4.84
27	=	1.5.83 - 31.10.83
28	=	1.11.82 - 30.4.83
29	=	1.5.82 - 31.10.82
30	=	1.11.81 - 30.4.82
31	=	1.5.81 - 31.10.81
32	=	1.11.80 - 30.4.81